TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 034476-HA2-2024, Dated: 09.10.2024

(Communication of Type Approval Certificate No. 1574 / 2024)

Sir,

- Sub: Motor Vehicles Registration of Heavy Passenger Vehicle "TF2512.0F6R – BS-VI" in the state of Tamil Nadu – permissiongranted regarding.
- Ref: (1) Application dated: 04.10.2024 from **M/s Ashok Leyland Limited"**, No.1 Sardar Patel Road, Guindy, Chennai 600032.
 - (2) Type approval certificate number <u>AAPN 0328, F03, Dated:</u> <u>20.04.2023</u> (with OBD-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-32, dated: 04.10.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
 Department of Tamil Nadu.
 * * * *

Kindly see the reference cited.

(2) **"M/s Ashok Leyland Limited",** No.1 Sardar Patel Road, Guindy, Chennai 600032, who is the manufacturer has applied for grant of **"communication of type approval certificate** to register the new model -**"TF2512.0F6R - BS-VI"** in Tamil Nadu manufactured by M/s Ashok Leyland Limited, No.1 Sardar Patel Road, Guindy, Chennai 600032.

(3) They have also produced the relevant Type approval certificate number **AAPN 0328, F03, Dated: 20.04.2023** (with OBD-II) issued by the testing agency **ARAI Pune**.

Communication Type Approval Certificate No. 1574 / 2024) PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

r

2. Type of vehicle/Category Passenger Vehicle /M3 Category 3. Maker's name M/s Ashok Leyland Limited, No.1 Sal Patel Road, Guindy, Chennai 600032 4. Whether the vehicle is of Cowl Chassis (or) CBU Cowl Chassis 5. Type of body - 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PR	(OBD	Heavy Passenger Vehicle BS VI II)	Class of vehicle	1.
3. Maker's name M/s Ashok Leyland Limited, No.1 Sate Patel Road, Guindy, Chennai 600032 4. Whether the vehicle is of Cowl Chassis Cowl Chassis 5. Type of body - 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle Diesel 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0FGR - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 295/80 R22.5 16PR; 2. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 18PR 2		Passenger Vehicle /M3 Category	Type of vehicle/Category	
4. Whether the vehicle is of Cowl Chassis (or) CBU - 5. Type of body - 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight			Maker's name	3.
Chassis (or) CBU - 5. Type of body - 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a.	2			
5. Type of body - 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight a a. Front Axle 7000 Kgs. <tr< td=""><td></td><td>Cowl Chassis</td><td>Whether the vehicle is of Cowl</td><td>4.</td></tr<>		Cowl Chassis	Whether the vehicle is of Cowl	4.
6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR; c. Tandem Axle - 20. Registered Axle Weight a. a. Front Axle 7000 Kgs. b. Rear Axle (RAW) 295/80 R22.5 18PR c. Tandem Axle -			Chassis (or) CBU	
7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight 10500 Kgs. a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21.	-	-	Type of body	5.
8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 19. Rear Axle (FAW) 295/80 R22.5 16PR; 20. Registered Axle Weight 295/80 R22.5 16PR; 20. Registered Axle Weight - a. Front Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. T		As per codification	Month and year of manufacturer	6.
9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - - a. Overall length 11765 mm		4	No. of cylinders	7.
in the case of battery operated vehicleDiesel10.Fuel usedDiesel11.H.P.185 KW @ 2200 ± 50 rpm12.29535333 cc13.Makers classification"TF2512.0F6R - BS-VI"14.Wheel base6000 mm15.Seating capacity1 (Driver Seat)16.ColourAs applicable17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight-a.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm		As applicable	Chassis number	8.
vehicle Diesel 10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 18PR 295/80 R22.5 16PR; 2 295/80 R22.5 16PR;		As applicable	Engine number or motor number	9.
10. Fuel used Diesel 11. H.P. 185 KW @ 2200 ± 50 rpm 12. 2953 5333 cc 13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm			in the case of battery operated	
11.H.P.185 KW @ 2200 ± 50 rpm12.29535333 cc13.Makers classification"TF2512.0F6R - BS-VI"14.Wheel base6000 mm15.Seating capacity1 (Driver Seat)16.ColourAs applicable17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight aa.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension aa.Overall length11765 mm			vehicle	
12.29535333 cc13.Makers classification"TF2512.0F6R - BS-VI"14.Wheel base6000 mm15.Seating capacity1 (Driver Seat)16.ColourAs applicable17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight aa.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-20.Registered Axle Weight aa.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-a.Front Axle10500 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-a.Overall length11765 mm		Diesel	Fuel used	10.
13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 16PR; a. Front axle (FAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm		185 KW @ 2200 <u>+</u> 50 rpm	H.P.	11.
13. Makers classification "TF2512.0F6R - BS-VI" 14. Wheel base 6000 mm 15. Seating capacity 1 (Driver Seat) 16. Colour As applicable 17. ULW (unladen weight) 5635 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/80 R22.5 16PR; 295/80 R22.5 16PR; a. Front axle (FAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm		5333 cc	2953	12.
14.Wheel base6000 mm15.Seating capacity1 (Driver Seat)16.ColourAs applicable17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight a.Front Axlea.Front Axle-20.Registered Axle Weight aa.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension aa.Overall length11765 mm				
15.Seating capacity1 (Driver Seat)16.ColourAs applicable17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight-a.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm		6000 mm	And the second state of th	
16.ColourAs applicable17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight a.Front Axlea.Front Axle-20.Registered Axle Weight aa.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-20.Registered Axle Weight aa.Front Axle10500 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension aa.Overall length11765 mm		1 (Driver Seat)		
17.ULW (unladen weight)5635 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 18PRa.Front axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight-a.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-20.Registered Axle Weight-a.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm				
18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer17500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 18PRa.Front axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight a.Front Axlea.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension a.Overall length11765 mm11765 mm			ULW (unladen weight)	17.
RLW (Registered laden weight) as certified by the manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle20.Registered Axle Weighta.Front Axleb.Rear Axlec.Tandem Axle20.Registered Axle Weighta.Front AxleJ.Dimensiona.Overall length11765 mm				
certified by the manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axlec.Tandem Axlea.Front Axleb.Registered Axle Weighta.Front Axleb.Rear Axlec.Tandem Axlec.Tandem Axlea.Front Axleb.Rear Axlec.Tandem Axlea.Front Axleb.Rear Axlec.Tandem Axlea.Overall lengtha.Overall length				
rating of tyres as declared by the manufacturer295/80 R22.5 16PR; 295/80 R22.5 18PRa.Front axle (FAW)295/80 R22.5 16PR; 295/80 R22.5 16PR; 295/80 R22.5 18PRb.Rear Axle (RAW)295/80 R22.5 16PR; 295/80 R22.5 18PRc.Tandem Axle-20.Registered Axle Weight-a.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm				
manufacturer 295/80 R22.5 16PR; a. Front axle (FAW) 295/80 R22.5 16PR; b. Rear Axle (RAW) 295/80 R22.5 16PR; c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm			Number, description, size and ply	19.
a. Front axle (FAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm			rating of tyres as declared by the	
295/80 R22.5 18PR b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle 20. Registered Axle Weight a. Front Axle b. Rear Axle 10500 Kgs. 10500 Kgs. c. Tandem Axle a. Front Axle b. Rear Axle 10500 Kgs. 10500 Kgs. c. Tandem Axle 3. Overall length			manufacturer	
b. Rear Axle (RAW) 295/80 R22.5 16PR; 295/80 R22.5 18PR c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm		295/80 R22.5 16PR;	Front axle (FAW)	a.
c. Tandem Axle - 20. Registered Axle Weight - a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm		295/80 R22.5 18PR		
c.Tandem Axle-20.Registered Axle Weight-a.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm			Rear Axle (RAW)	b.
20.Registered Axle Weighta.Front Axle7000 Kgs.b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm		295/80 R22.5 18PR		
a. Front Axle 7000 Kgs. b. Rear Axle 10500 Kgs. c. Tandem Axle - 21. Dimension - a. Overall length 11765 mm		-		с.
b.Rear Axle10500 Kgs.c.Tandem Axle-21.Dimension-a.Overall length11765 mm				20.
c.Tandem Axle-21.Dimension-a.Overall length11765 mm				
21.Dimensiona.Overall length11765 mm		10500 Kgs.		b.
a. Overall length 11765 mm		-		
			and a second sec	21.
		11765 mm		
		-	Rear over hang	b.
c. Overall width 2510 mm				
d. Overall height 2832 mm				d.
e. Min. Ground Clearance 249 mm		a contract of the second se	and the second	
22. Speed governor (speed limiting ECU: M/s Denso function)		ECU: M/s Denso	function)	22.
23. Max Speed/Pre-set speed limit 80 kmph		80 kmph	Max Speed/Pre-set speed limit	23.

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate number **AAPN 0328, F03, Dated: 20.04.2023 (with OBD-II)** issued by the testing agency **ARAI Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Sd/-Pon. Senthilnathan,

Joint Transport Commissioner(Rules) Guindy, Chennai-32.

// By order //

og lower

M.Ravichandran, Assistant Secretary-II(FAC) Guindy, Chennai-32. alvolon

(Communication Type Approval Certificate No. 1574 /2024) Copy to

M/s Ashok Leyland Limited, No.1 Sardar Patel Road, Guindy, Chennai 600032. (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar

- Salai, Mylapore, Chennai 4.
- " The PA to State Transport Authority `H' Section.
 - The Secretary, State Transport Appellate Tribunal, Chennai 104. The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.