TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

Letter No. 029509-HA2-2024, Dated: 06.09.2024

(Communication of Type Approval Certificate No. 1357/2024)

Sir,

Sub: Motor Vehicles – Registration of MMV Passenger Vehicle - "TATA LPO11.6/52G Chassis BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 28.08.2024 from "M/s Tata Motors Limited", Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai – 600 017.

(2) Type approval certificate numbers AASA 0437, Dated: 19.04.2023 and SHL/12/2022-2023 / 3000028250 / EXTN/1280, Dated: 13.03.2023 (with OBD-II) issued by the Automotive Research Association of India, Pune.

(3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-32, dated: 29.08.2024.

(4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

(2) "M/s Tata Motors Limited", Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai – 600 017, who is the manufacturer has applied for grant of "communication of type approval certificate to register the new model "TATA LPO11.6/52G Chassis BS-VI" in Tamil Nadu manufactured by M/s Tata Motors Ltd., Pimpri, Pune - 411018.

* * * *

(3) They have also produced the relevant Type approval certificate numbers AASA 0437, Dated: 19.04.2023 and SHL/12/2022-2023 / 3000028250 / EXTN/1280, Dated: 13.03.2023 (with OBD-II) issued by the testing agency ARAI Pune.

(Communication of Type Approval Certificate No. 1357/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

| 1. Class or Venicle 2. Type of vehicle 3. Maker's name 4. Whether the vehicle is of Cowl Chassis (Or) CBU 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.VW. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared manufacturer 19. Rear Axle 20. Registered Axle Weight a. Front Axle (Faw) 5. Rear Axle (Raw) 6380 Kgs. 10. Rear Axle (Raw) 6380 Kgs. 6410 Pm. 6580 Pm. 6680 Pm. 6770 Pm. 6 | 1 | Class of well-in | 1 |
|--|-----|---|---|
| 3. Maker's name | 1. | Class of vehicle | MMV Passenger Vehicle, |
| 4. Whether the vehicle is of Cowl Chassis (or) CBU 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 19. Rear Axle 20. Registered Axle Weight a. Front Axle (Faw) b. Rear Axle (Raw) chassis Chassis As per codification As applicable 10. LOUNG As applicable As appli | | | M3 Category |
| Chassis (or) CBU 5. Type of body Chassis 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Rear Axle Description of the profile weight 20. Registered Axle Weight 21. Dimension 22. Regover hang 22. Regover hang 23. Rear over hang 24. Dimension 25. Seating capacity 26. Coverall width 26. Coverall width 27. Coverall width 28. Chassis Maser Capacity 29. As applicable 20. Registered Axle Weight 21. Dimension 22. Overall length 23. Rear over hang 24. Overall length 24. Overall length 25. Overall width 26. Coverall width 26. Overall length 27. Overall length 27. Overall width | | | M/s Tata Motors Ltd., Pimpri, Pune - 411018 |
| 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 92 Kw @ 2250 rpm 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm chassing applicable As applicable CNG 2250 rpm 2250 rpm 24 As applicable CNG 250 rpm 26 CNG 27 As applicable 28 As applicable 2920 mm 250 de CNG 250 rpm 250 rpm 250 rpm 251 As applicable 2520 rpm 25 | | Chassis (or) CBU | Chassis |
| manufacturer 7. No. of cylinders 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used CNG 11. H.P. 92 Kw @ 2250 rpm 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight a. Front axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | | | Chassis |
| 8. Chassis number or motor number in the case of battery operated vehicle 10. Fuel used CNG 11. H.P. 92 Kw @ 2250 rpm 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR D. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | | 700 | As per codification |
| 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used CNG 11. H.P. 92 Kw @ 2250 rpm 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR Dot. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm C. Overall width 2249 mm d. Overall height 2350 mm | 7. | No. of cylinders | 4 |
| 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Dynamical capacity 20. Registered Axle Weight a. Front Axle (Faw) b. Rear Axle (Raw) 21. Dimension a. Overall length b. Rear over hang C. Overall width 2350 mm | | Chassis number | As applicable |
| 11. H.P. 92 Kw @ 2250 rpm 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) as certified by the manufacturer 10200 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | | number in the case of battery operated vehicle | As applicable |
| 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - | 10. | Fuel used | CNG |
| 12. Cubic capacity 3783 cc 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 10200 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) b. Rear Axle (Raw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. c) 11. Dimension a. Overall length b. Rear over hang c. Overall width 2249 mm d. Overall width c) Overall height d. Overall height 2350 mm | 11. | H.P. | 92 Kw @ 2250 rpm |
| 13. Makers classification TATA LPO11.6/52G Chassis BS-VI 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 10200 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension Dimension 0verall length 9770 mm b. Rear over hang P770 mm 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 12. | Cubic capacity | |
| 14. Wheel base 5200 mm 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 10200 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 13. | | |
| 15. Seating capacity - 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 10200 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 14. | | |
| 16. Colour As applicable 17. ULW (unladen weight) 3780 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 15. | Seating capacity | - |
| 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Dopt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR Dopt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR Dopt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) B. Rear Axle (Raw) Coverall length B. Rear over hang C. Overall width Coverall height 2350 mm | 16. | | As applicable |
| 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 17. | ULW (unladen weight) | |
| weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) B. Rear Axle (Raw) Coverall length B. Rear over hang C. Overall width Coverall height 2350 mm | 18. | | |
| and ply rating of tyres as declared by the manufacturer a. Front axle Dopt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) b. Rear Axle (Raw) Coverall length Dimension a. Overall length Discrept Axle (Pay) Discrept Axle (| | weight) or RLW (Registered laden weight) as certified by the manufacturer | 20200 Ngoi |
| Rear Axle Copt.II S.25 R16, 16 PR | 19. | and ply rating of tyres as declared by the | |
| b. Rear Axle Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 20. Registered Axle Weight a. Front Axle (Faw) B. Rear Axle (Raw) Coverall length Coverall width Coverall height Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR 3820 Kgs. 6380 Kgs. 9770 mm 9770 mm 2920 mm 2920 mm 2350 mm | a. | Front axle | Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 R16, 16 PR |
| 20. Registered Axle Weight a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | b. | Rear Axle | Opt.I: 235/75 R17.5, 14 PR; Opt.II: 8.25 |
| a. Front Axle (Faw) 3820 Kgs. b. Rear Axle (Raw) 6380 Kgs. 21. Dimension a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 20. | Registered Axle Weight | |
| b. Rear Axle (Raw) 6380 Kgs. 21. Dimension 9770 mm a. Overall length 9770 mm b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | a. | | 3820 Kgs. |
| 21.Dimensiona.Overall length9770 mmb.Rear over hang2920 mmc.Overall width2249 mmd.Overall height2350 mm | b. | Rear Axle (Raw) | |
| b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | 21. | Dimension | |
| b. Rear over hang 2920 mm c. Overall width 2249 mm d. Overall height 2350 mm | a. | Overall length | 9770 mm |
| c. Overall width 2249 mm d. Overall height 2350 mm | b. | | |
| d. Overall height 2350 mm | c. | | |
| | d. | | |
| | e. | Min. Ground Clearance | |

| 22. | Speed governor (speed limiting function) | ECU: M/s SQTL |
|-----|--|---------------|
| 23. | Max Speed/Pre-set speed limit | 80 kmph |

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate numbers **AASA 0437**, **Dated: 19.04.2023 and SHL/12/2022-2023 / 3000028250 / EXTN/1280**, **Dated: 13.03.2023 (with OBD-II)** issued by the testing agency **ARAI Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Sd/-Pon.Senthilnathan,Joint Transport Commissioner (Rules)

Guindy, Chennai-600 032.

//By Order//

M. Ravichandran, 660 Assistant Secretary-II (FAC), Guindy, Chemai-600 032.

(Communication of Type Approval Certificate No. 1357/2024)

Copy to

M/s Tata Motors Limited, Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai-600 017.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai-4.

" The PA to State Transport Authority `H' Section.

" The Secretary, State Transport Appellate Tribunal, Chennai - 104.

" The Assistant Director (Statistics) 'S' Section for e-mailing the registration approval and for publishing it in our website.