## TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai - 600 032.

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

## Letter No. 028035-HB2-2024, Dated: 02.09.2024

(Communication of Type Approval Certificate No. 1330/2024)

Sir,

Sub: Motor Vehicles - Registration of LMV Motor Car - "MAHINDRA XUV3XO MX2 DS MT BS-VI" in the state of Tamil Nadu - permission-granted regarding.

Application dated: 14.08.2024 from "M/s Mahindra & Ref: (1) Mahindra Ltd. Automotive Sector", Mahindra Towers, 1st Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.

(2)Type approval certificate numbers AATN 0024, Dated: and ARAI/CMVR/Overall Height/169E-18.01.2024 23243508/2024-278, Dated: 26.04.2024 (OBD Stage-II) issued by the Automotive Research Association of India, Pune.

(3)of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 27.08.2024.

G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) (4)Department of Tamil Nadu. \* \* \* \*

Kindly see the reference cited.

- (2) "M/s Mahindra & Mahindra Ltd. Automotive Sector", Mahindra Towers, 1st Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002, who is the manufacturer has applied for grant of "MAHINDRA XUV3XO MX2 DS MT BS-VI" in Tamil Nadu manufactured by M/s Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik - 422007.
- (3) They have also produced the relevant Type approval certificate numbers AATN 0024, Dated: 18.01.2024 and ARAI/CMVR/Overall Height/169E-23243508/2024-278, Dated: 26.04.2024 (OBD Stage-II) issued by the testing agency **ARAI Pune**.

## (Communication of Type Approval Certificate No. 1330/2024)

## PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

Maker's name  M/s Mahindra & Mahindra Limited., 88/89 MIDC Satpur, Nashik - 422007  3. Type of Body 3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (Indiaden weight) 16. G.V.W. (Gross vehicle weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer  17. Number. description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight 19. Dimension 19. Overall length 19. Rear over hang 10. Overall length 10. Rear over lang 10. Overall length 10. Sizeum 11. Maker Classification 12. UNA (Registered laden weight) 1426 Kgs. 1880 Kgs.	1.	Class of vehicle	LMV Motor Car
3. Type of Body 3(a) Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number as description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 19. Dimension 20. Overall height 20. Overall width	2.	Maker's name	M/s Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik - 422007
3(a) Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Registered Axle Weight a. Front Axle 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (faw) b. Rear axle (raw) 19. Dimension 20. Coverall width 4. As applicable 4. As ap	3.	Type of Body	
4. Month and year of manufacture   5. No. of cylinders   6. Chassis number   7. Engine number or motor number in the case of battery operated vehicle   8. Fuel used   9. H.P./BHP   10. Cubic capacity   1497 cc   11. Makers classification   12. Wheel base   13. Seating capacity   14. Colour   14. Colour   15. ULW (unladen weight)   16. G.V.W. (Gross vehicle weight)   17. Veneur   18. Registered laden weight)   19. Rear Axle   19. Rear Axle   205/65 R16; 215/55 R17; Spare: T135/9 R16   18. Registered Axle Weight   19. Dimension   10. Diverall height   10. Seating capacity   14. Colour   15. ULW (unladen weight)   16. G.V.W. (Gross vehicle weight)   16. G.V.W. (Gross vehicle weight)   17. Number, description, size and ply rating of tyres as declared   18. Registered Axle Weight   18. Registered Axle Weight   19. Dimension   10. Dimension   10. Overall length   10. Seating capacity   10. Seating capacity   10. Seating capacity   14. Colour   14. Colour   15. ULW (unladen weight)   16. G.V.W. (Gross vehicle weight)   18. Registered Axle Weight   18. Registered Axle Weight   19. Dimension   10. G.V.W. (Gross vehicle weight)   10. Rear over hang   10. G.V.W. (With Ski rack)   10. G.V.W. (Without Ski rack)   10. G.V.W. (Without Ski rack)			M1 Category/Light Passenger Vehicle
5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 10. Overall height 10. Scatting capacity 10. As applicable 11. Bas Registered laden weight) 1426 Kgs. 1580 Kg	4.		
6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 18. Registered Axle Weight 19. Dimension 10. Cubic capacity 1497 cc 1			
7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 18. Rear axle (faw) 19. Dimension 20. Overall length 3990 mm 458 de year (Without Ski rack) 1647 mm (Without Ski rack) 1647 mm (Without Ski rack)			
Fuel used   Diesel	7.	Engine number or motor number in the case of battery	
9. H.P./BHP			
10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 20 Overall length 20 Overall height 20 Overall width 20 Overall height 20 Overall width 20 Overall height 20 Overall width 20 Overall midth 20 Overall width 20 Ov	8.	A contract of the contract of	
11. Makers classification MAHINDRA XUV3XO MX2 DS MT BS-V 12. Wheel base 2600 mm 13. Seating capacity D+4 14. Colour As applicable 15. ULW (unladen weight) 1426 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 205/65 R16; 215/55 R17; Spare: T135/9 R16 18. Registered Axle Weight 18. Registered Axle Weight 18. Rear axle (faw) 1015 Kgs. 19. Dimension 10. Overall length 3990 mm 10. Rear over hang C. Overall width 1821 mm 10. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	9.	H.P./BHP	85.8 Kw @ 3750 rpm
12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1426 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1880 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16; 215/55 R17; Spare: T135/9 R16         a.       Front Axle       205/65 R16; 215/55 R17; Spare: T135/9 R16         b.       Rear Axle       205/65 R16; 215/55 R17; Spare: T135/9 R16         18.       Registered Axle Weight       1015 Kgs.         a.       Front axle (faw)       865 Kgs.         b.       Rear axle (raw)       865 Kgs.         19.       Dimension       3990 mm         b.       Rear over hang       -         c.       Overall width       1821 mm         d.       Overall height       1647 mm (With Ski rack)         1617 mm (Without Ski rack)       1617 mm (Without Ski rack)	10.	Cubic capacity	1497 cc
13.         Seating capacity         D+4           14.         Colour         As applicable           15.         ULW (unladen weight)         1426 Kgs.           16.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         1880 Kgs.           17.         Number, description, size and ply rating of tyres as declared by the manufacturer         by the manufacturer           a.         Front Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           b.         Rear Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           18.         Registered Axle Weight         1015 Kgs.           a.         Front axle (faw)         865 Kgs.           b.         Rear axle (raw)         865 Kgs.           19.         Dimension         3990 mm           b.         Rear over hang         -           c.         Overall height         1647 mm (With Ski rack)           d.         Overall height         1647 mm (Without Ski rack)	11.	Makers classification	MAHINDRA XUV3XO MX2 DS MT BS-V
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Front Axle  18. Registered Axle Weight  a. Front axle (faw) b. Rear axle (raw) b. Rear axle (raw) b. Rear over hang c. Overall height  18. Overall height  18. Registered Axle Weight 18. Registered (raw) 10. Registered (raw)	12.	Wheel base	2600 mm
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Rear Axle  18. Registered Axle Weight  a. Front axle (faw) b. Rear axle (raw) b. Rear axle (raw) b. Rear over hang c. Overall height  18. Overall height 18. Registered Axle Weight 19. Registered Axle	13.	Seating capacity	D+4
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Front Axle  19. Rear Axle  19. Rear axle (faw)  10. Rear axle (raw)  10. Rear over hang  10. Overall height  10. Overall height  10. Overall height  10. G.V.W. (Gross vehicle weight) 1880 Kgs.  19. Spare: T135/9 R16  R16  205/65 R16; 215/55 R17; Spare: T135/9 R16  R16  R16  R16  R17 MT (With Ski rack) R18  R18  R18  R18  R19  R19  R19  R19	14.		As applicable
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Front Axle  18. Registered Axle Weight  18. Rear axle (faw)  19. Dimension  205/65 R16; 215/55 R17; Spare: T135/9 R16  1015 Kgs.  865 Kgs.  19. Dimension  205/65 R16; 215/55 R17; Spare: T135/9 R16  1015 Kgs.  1016 Kgs.  1017 Kgs.  1017 Kgs.  1018 Kgs.  1019 K	15.	ULW (unladen weight)	
or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle  b. Rear Axle  Registered Axle Weight  a. Front axle (faw) b. Rear axle (raw)  B. Rear axle (raw)  Dimension  a. Overall length b. Rear over hang c. Overall height  d. Overall height  1015 kgs.  1016 kgs.  1017 mm (With Ski rack)  1017 mm (Without Ski rack)	16.		
17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle 205/65 R16; 215/55 R17; Spare: T135/9 R16  b. Rear Axle 205/65 R16; 215/55 R17; Spare: T135/9 R16  18. Registered Axle Weight a. Front axle (faw) 1015 Kgs. b. Rear axle (raw) 865 Kgs.  19. Dimension a. Overall length 3990 mm b. Rear over hang c. Overall width 1821 mm d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)		or RLW (Registered laden weight) as certified by the	
and ply rating of tyres as declared by manufacturer         by the manufacturer           a.         Front Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           b.         Rear Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           18.         Registered Axle Weight           a.         Front axle (faw)         1015 Kgs.           b.         Rear axle (raw)         865 Kgs.           19.         Dimension           a.         Overall length         3990 mm           b.         Rear over hang         -           c.         Overall width         1821 mm           d.         Overall height         1647 mm (With Ski rack)           1617 mm (Without Ski rack)         1617 mm (Without Ski rack)			
declared manufacturer         by the manufacturer           a.         Front Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           b.         Rear Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           18.         Registered Axle Weight a.         Front axle (faw)           a.         Front axle (raw)         865 Kgs.           19.         Dimension a.         Overall length           b.         Rear over hang a.         -           c.         Overall width         1821 mm           d.         Overall height         1647 mm (With Ski rack)           1617 mm (Without Ski rack)	17.		
manufacturer         205/65 R16; 215/55 R17; Spare: T135/9 R16           b.         Rear Axle         205/65 R16; 215/55 R17; Spare: T135/9 R16           18.         Registered Axle Weight         816           a.         Front axle (faw)         1015 Kgs.           b.         Rear axle (raw)         865 Kgs.           19.         Dimension         3990 mm           b.         Rear over hang         -           c.         Overall width         1821 mm           d.         Overall height         1647 mm (With Ski rack)           1617 mm (Without Ski rack)			
a. Front Axle  205/65 R16; 215/55 R17; Spare: T135/9 R16  b. Rear Axle  205/65 R16; 215/55 R17; Spare: T135/9 R16  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  1015 Kgs.  b. Rear axle (raw)  865 Kgs.  19. Dimension  a. Overall length  b. Rear over hang  c. Overall width  1821 mm  d. Overall height  1647 mm (With Ski rack)  1617 mm (Without Ski rack)			
R16   205/65 R16; 215/55 R17; Spare: T135/9 R16   R17; Spare: T135/9 R16   R18.   Registered Axle Weight   R16   R16   R16   R17; Spare: T135/9 R16   R18			205/65 D16: 215/55 D17: Crare: T125/00
R16  18. Registered Axle Weight  a. Front axle (faw) 1015 Kgs.  b. Rear axle (raw) 865 Kgs.  19. Dimension  a. Overall length 3990 mm  b. Rear over hang -  c. Overall width 1821 mm  d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	a.		R16
a. Front axle (faw) b. Rear axle (raw) 865 Kgs.  19. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	b.	Rear Axle	
b. Rear axle (raw) 865 Kgs.  19. Dimension a. Overall length 3990 mm b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	18.	Registered Axle Weight	
b. Rear axle (raw) 865 Kgs.  19. Dimension  a. Overall length 3990 mm  b. Rear over hang - c. Overall width 1821 mm  d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	a.	Front axle (faw)	1015 Kgs.
19. Dimension a. Overall length 3990 mm b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	b.		865 Kgs.
a. Overall length 3990 mm b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	19.	<u>Dimension</u>	
b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	a.		3990 mm
c. Overall width 1821 mm d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	b.		-
d. Overall height 1647 mm (With Ski rack) 1617 mm (Without Ski rack)	C.		1821 mm
	d.		
e i min, orduno clearance i 100 mm	e.	Min. ground clearance	160 mm

Based on the verified the document of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers <u>AATN 0024, Dated:</u> 18.01.2024 and <u>ARAI/CMVR/Overall Height/169E-23243508/2024-278, Dated: 26.04.2024</u> (OBD Stage-II) issued by the testing agency ARAI, Pune, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

**Sd/-Pon.Senthilnathan,**Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032.

//By Order//

M. Raviehandran, Assistant Secretary-III,

Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 1330/2024)

Copy to

M/s Mahindra & Mahindra Ltd. Automotive Sector, Mahindra Towers,  $1^{\rm st}$  Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.

2/9/24

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

" The Secretary, State Transport Appellate Tribunal, Chennai – 104.

" The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.