## TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

## Letter No.33564-HB2-2024, Dated:27.09.2024

(Communication of Type Approval Certificate No.1519/2024)

Sir,

422007.

Sub: Motor Vehicles – Registration of LMV Motor Car - "MAHINDRA THAR ROXX MX5 D MT 4WD- BSVI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 25.09.2024 from "M/s Mahindra & Mahindra Ltd", Mahindra Towers, 1<sup>st</sup> Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.

(2) Type approval certificate numbers <u>AATN 0154,</u> <u>Dated:16.05.2024 & AATN 0154, R01, Dated: 26.06.2024</u> (OBD Stage-II) issued by the Automotive Research Association of India, Pune.

(3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 25.09.2024.

(4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

(2) **"M/s Mahindra & Mahindra Ltd"**, Mahindra Towers, 1<sup>st</sup> Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002, who is the manufacturer has applied for grant of **"MAHINDRA THAR ROXX MX5 D MT 4WD- BSVI"**in Tamil Nadu manufactured by M/s Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik -

\* \* \* \*

(3) They have also produced the relevant Type approval certificate numbers **AATN 0154, Dated:16.05.2024 & AATN 0154, R01, Dated: 26.06.2024 (OBD Stage-II)** issued by the testing agency **ARAI Pune**.

## (Communication Type Approval Certificate No.1519/2024) PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

1. Class of vehicle         LMV Motor Car           2. Maker's name         M/s Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik - 422007           3. Type of Body         -           4. Month and year of manufacture         As per codifications           5. No. of cylinders         4           6. Chassis number         As applicable           7. Engine number or motor number in the case of battery operated vehicle         As applicable           8. Fuel used         Diesel           9. H.P./BHP         111.9 Kw @ 3750 rpm (for Zip & Zoom mode)           10. Cubic capacity         2184 cc           11. Makers classification         MAHTNDRA THAR ROXX MX5 D MT 4WD- BSVI           12. Wheel base         2850 mm           13. Seating capacity         D+4           14. Colour         As applicable           15. U.W (unladen weight)         1990 Kgs.           16. G. V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         2490 Kgs.           17. Number. description, size and ply rating of tyres as declared manufacturer         255/65 R18 111H /T 255/60 R19 109H           18. Registered Axle Weight         255/65 R18 111H /T 255/60 R19 109H           a. Front axle (faw)         1114 Kgs.           b. Rear axle (raw)         1376 Kgs.           Dimension </th <th>1</th> <th>Class of vobide</th> <th>LMV/ Matau Cau</th>	1	Class of vobide	LMV/ Matau Cau
3. Type of Body 3. Type of Vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 111.9 Kw @ 3750 rpm (for Zip & Zoom mode) 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear Axle 19. Rear Axle 19. Dimension 10. Overall length 11. Right Passenger Vehicle 2 As applicable 2 Basplicable 3 Basplicabl			
3. Type of Body 3(a) Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 111.9 Kw @ 3750 rpm (for Zip & Zoom mode) 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear Axle 19. Part of the control of the cont	2.	Maker's name	
4. Month and year of manufacture   5. No. of cylinders   6. Chassis number   7. Engine number or motor number in the case of battery operated vehicle   9. H.P./BHP	3.	Type of Body	-
4. Month and year of manufacture   5. No. of cylinders   6. Chassis number   7. Engine number or motor number in the case of battery operated vehicle   9. H.P./BHP	3(a)	Type of vehicle/category	M1 Category/Light Passenger Vehicle
5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 111.9 Kw @ 3750 rpm (for Zip & Zoom mode) 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and plv rating of tyres as declared manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 19. Dimension 19. Overall length 19. Rear avie (raw) 19. Dimension 19. Overall length 19. Overall length 1923 mm			
6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 111.9 Kw @ 3750 rpm (for Zip & Zoom mode) 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear Axle 19. Rear axle 19. Rear axle (faw) 11. Kgs. 11. Regover hang 10. Cubic capacity 11. Makers classification 11. Makers classification 11. Makers classification 12. Makers classification 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Regristered Axle Weight 19. Dimension 19. Dimension 19. Overall length 19. Rear over hang 19. Overall width 18. Regrover hang 19. Overall width 18. Regrover hang 19. Overall width 18. Overall width	5.		· · · · · · · · · · · · · · · · · · ·
7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP			As applicable
number in the case of battery operated vehicle  8. Fuel used 9. H.P./BHP 111.9 Kw @ 3750 rpm (for Zip & Zoom mode) 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear Axle 19. Rear axle 19. Rear axle (faw) 19. Dimension 20. Overall length 4428 mm 41. Colour 48. Piex Avox MX5 D MT 4WD-BSVI 4WQ-BSVI 4VQ-BSVI 4WQ-BSVI	7.	Engine number or motor	
Registered Axle Weight are Front Axle   Registered Axle Weight as Front Axle   Registered Axle Weight as Front axle (faw)   Front axle (fax)   F			
9. H.P./BHP	0	•	Discol
Makers classification			
MAHINDRA THAR ROXX MX5 D MT 4WD-BSVI         12.       Wheel base       2850 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1990 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       2490 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       55/65 R18 111H /T 255/60 R19 109H         18.       Rear Axle       255/65 R18 111H /T 255/60 R19 109H         18.       Registered Axle Weight         a.       Front axle (faw)       1114 Kgs.         b.       Rear axle (raw)       1376 Kgs.         19.       Dimension       4428 mm         b.       Rear over hang       -         c.       Overall width       1870 mm         d.       Overall height       1923 mm	9.	п.г./впр	
12.   Wheel base   2850 mm     13.   Seating capacity   D+4     14.   Colour   As applicable     15.   ULW (unladen weight)   1990 Kgs.     16.   G.V.W. (Gross vehicle weight)   or RLW (Registered laden weight)   as certified by the manufacturer     17.   Number, description, size and ply rating of tyres as declared by the manufacturer     18.   Front Axle   255/65 R18 111H /T   255/60 R19 109H     18.   Registered Axle Weight   a.   Front axle (faw)   1114 Kgs.     19.   Dimension   a.   Overall length   4428 mm     10.   Overall width   1870 mm     19.   Overall width   1870 mm     19.   Overall height   1923 mm	10.	Cubic capacity	2184 cc
12.       Wheel base       2850 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1990 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       2490 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       55/65 R18 111H /T         255/60 R19 109H       255/65 R18 111H /T         255/65 R18 111H /T       255/60 R19 109H         18.       Registered Axle Weight         a.       Front axle (faw)       1114 Kgs.         b.       Rear axle (raw)       1376 Kgs.         19.       Dimension       30 Overall length       4428 mm         b.       Rear over hang       -         c.       Overall width       1870 mm         d.       Overall height       1923 mm	11.	Makers classification	
13.         Seating capacity         D+4           14.         Colour         As applicable           15.         ULW (unladen weight)         1990 Kgs.           16.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         2490 Kgs.           17.         Number, description, size and ply rating of tyres as declared by the manufacturer         by the manufacturer           a.         Front Axle         255/65 R18 111H /T 255/60 R19 109H           b.         Rear Axle         255/65 R18 111H /T 255/60 R19 109H           18.         Registered Axle Weight           a.         Front axle (faw)         1114 Kgs.           b.         Rear axle (raw)         1376 Kgs.           19.         Dimension         4428 mm           b.         Rear over hang         -           c.         Overall width         1870 mm           d.         Overall height         1923 mm	12.	Wheel base	
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle  255/65 R18 111H /T 255/60 R19 109H  b. Rear Axle 255/65 R18 111H /T 255/60 R19 109H  18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension a. Overall length 4428 mm b. Rear over hang c. Overall width 1870 mm d. Overall height 1923 mm			
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle  255/65 R18 111H /T 255/60 R19 109H  b. Rear Axle  255/65 R18 111H /T 255/60 R19 109H  18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height 1923 mm			
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle 255/65 R18 111H /T 255/60 R19 109H  b. Rear Axle 255/65 R18 111H /T 255/60 R19 109H  18. Registered Axle Weight  a. Front axle (faw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension  a. Overall length 4428 mm  b. Rear over hang c. Overall width 1870 mm  d. Overall height 1923 mm		ULW (unladen weight)	
or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle 255/65 R18 111H /T 255/60 R19 109H  b. Rear Axle 255/60 R19 109H  18. Registered Axle Weight a. Front axle (faw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension a. Overall length 4428 mm b. Rear over hang c. Overall width 1870 mm d. Overall height 1923 mm	16.		
weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front Axle 255/65 R18 111H /T 255/60 R19 109H  b. Rear Axle 255/65 R18 111H /T 255/60 R19 109H  18. Registered Axle Weight a. Front axle (faw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension 4428 mm  b. Rear over hang -  c. Overall length 4428 mm  d. Overall height 1923 mm			
Number, description, size and ply rating of tyres as declared by the manufacturer         a.       Front Axle       255/65 R18 111H /T 255/60 R19 109H         b.       Rear Axle       255/65 R18 111H /T 255/60 R19 109H         18.       Registered Axle Weight         a.       Front axle (faw)       1114 Kgs.         b.       Rear axle (raw)       1376 Kgs.         19.       Dimension         a.       Overall length       4428 mm         b.       Rear over hang       -         c.       Overall width       1870 mm         d.       Overall height       1923 mm			
and ply rating of tyres as declared by the manufacturer         by the manufacturer           a. Front Axle         255/65 R18 111H /T 255/60 R19 109H           b. Rear Axle         255/65 R18 111H /T 255/60 R19 109H           18. Registered Axle Weight         1114 Kgs.           a. Front axle (faw)         1376 Kgs.           b. Rear axle (raw)         1376 Kgs.           19. Dimension         4428 mm           b. Rear over hang         -           c. Overall width         1870 mm           d. Overall height         1923 mm		manufacturer	
declared manufacturer         by the manufacturer           a. Front Axle         255/65 R18 111H /T 255/60 R19 109H           b. Rear Axle         255/65 R18 111H /T 255/60 R19 109H           18. Registered Axle Weight         1114 Kgs.           a. Front axle (faw)         1376 Kgs.           b. Rear axle (raw)         1376 Kgs.           19. Dimension         4428 mm           b. Rear over hang         -           c. Overall width         1870 mm           d. Overall height         1923 mm	17.	Number, description, size	
manufacturer         a.       Front Axle       255/65 R18 111H /T 255/60 R19 109H         b.       Rear Axle       255/65 R18 111H /T 255/60 R19 109H         18.       Registered Axle Weight         a.       Front axle (faw)       1114 Kgs.         b.       Rear axle (raw)       1376 Kgs.         19.       Dimension         a.       Overall length       4428 mm         b.       Rear over hang       -         c.       Overall width       1870 mm         d.       Overall height       1923 mm		and ply rating of tyres as	*
a.       Front Axle       255/65 R18 111H /T 255/60 R19 109H         b.       Rear Axle       255/65 R18 111H /T 255/60 R19 109H         18.       Registered Axle Weight         a.       Front axle (faw)       1114 Kgs.         b.       Rear axle (raw)       1376 Kgs.         19.       Dimension         a.       Overall length       4428 mm         b.       Rear over hang       -         c.       Overall width       1870 mm         d.       Overall height       1923 mm		<u>declared</u> by the	2
255/60 R19 109H  b. Rear Axle 255/65 R18 111H /T 255/60 R19 109H  18. Registered Axle Weight  a. Front axle (faw) 1114 Kgs.  b. Rear axle (raw) 1376 Kgs.  19. Dimension  a. Overall length 4428 mm  b. Rear over hang -  c. Overall width 1870 mm  d. Overall height 1923 mm		<u>manufacturer</u>	
b. Rear Axle 255/65 R18 111H /T 255/60 R19 109H  18. Registered Axle Weight  a. Front axle (faw) 1114 Kgs.  b. Rear axle (raw) 1376 Kgs.  19. Dimension  a. Overall length 4428 mm  b. Rear over hang -  c. Overall width 1870 mm  d. Overall height 1923 mm	a.	Front Axle	255/65 R18 111H /T
255/60 R19 109H  18. Registered Axle Weight a. Front axle (faw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension a. Overall length 4428 mm b. Rear over hang - c. Overall width 1870 mm d. Overall height 1923 mm			255/60 R19 109H
18. Registered Axle Weight a. Front axle (faw) 1114 Kgs. b. Rear axle (raw) 1376 Kgs.  19. Dimension a. Overall length 4428 mm b. Rear over hang - c. Overall width 1870 mm d. Overall height 1923 mm	b.	Rear Axle	255/65 R18 111H /T
a.       Front axle (faw)       1114 Kgs.         b.       Rear axle (raw)       1376 Kgs.         19.       Dimension         a.       Overall length       4428 mm         b.       Rear over hang       -         c.       Overall width       1870 mm         d.       Overall height       1923 mm			255/60 R19 109H
b. Rear axle (raw)       1376 Kgs.         19. <b>Dimension</b> 4428 mm         a. Overall length       4428 mm         b. Rear over hang       -         c. Overall width       1870 mm         d. Overall height       1923 mm	18.	Registered Axle Weight	
19. Dimension a. Overall length 4428 mm b. Rear over hang - c. Overall width 1870 mm d. Overall height 1923 mm	a.	Front axle (faw)	1114 Kgs.
a. Overall length 4428 mm b. Rear over hang - c. Overall width 1870 mm d. Overall height 1923 mm	b.	Rear axle (raw)	1376 Kgs.
b. Rear over hang - c. Overall width 1870 mm d. Overall height 1923 mm	19.	<u>Dimension</u>	
c. Overall width 1870 mm d. Overall height 1923 mm	a.	Overall length	4428 mm
d. Overall height 1923 mm	b.		-
d. Overall height 1923 mm	c.	Overall width	1870 mm
	d.	Overall height	
	e.		

Based on the verified the document of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers <u>AATN 0154</u>, <u>Dated:16.05.2024 & AATN 0154</u>, <u>R01</u>, <u>Dated: 26.06.2024 (OBD Stage-II)</u> issued by the testing agency <u>ARAI</u>, <u>Pune</u>, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

Sd/- Pon.Senthilnathan,

Joint Transport Commissioner(R), Guindy, Chennai-32.

// By order //

M.Ravichandran,
Assistant Secretary-II(FAC)
Guindy, Chennai-32.

(Communication Type Approval Certificate No.1519/2024)

## Copy to

M/s Mahindra & Mahindra Ltd, Mahindra Towers,  $1^{\rm st}$  Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

The PA to State Transport Authority `H' section.

" The Secretary, State Transport Appellate Tribunal, Chennai – 104.

"The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.

27/9/2