TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner

(Rules), Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 015352-HA2-2024, Dated: 17.05.2024

(Communication of Type Approval Certificate No. 794/2024)

Sir,

- Sub: Motor Vehicles Registration of Heavy Goods Vehicle "TATA 1916 LPT DCR39HSD 160B6M5-Full forward control truck chassis with cab & high deck load body" in the state of Tamil Nadu – permission-granted regarding.
- Ref: (1) Application dated: 09.05.2024 from "M/s Tata Motors Limited", Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai – 600 017.
 - (2) Type approval certificate number <u>AASN 0316, V07, Dated:</u> <u>28.08.2023</u> (OBD-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-32, dated: 09.05.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
 Department of Tamil Nadu.
 * * *

Kindly see the reference cited.

(2) "M/s Tata Motors Limited", Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai – 600 017, who is the manufacturer has applied for grant of "communication of type approval certificate to register the new model "TATA 1916 LPT DCR39HSD 160B6M5-Full forward control truck chassis with cab & high deck load body" in Tamil Nadu manufactured by M/s Tata Motors Ltd., Pimpri, Pune - 411018.

(3) They have also produced the relevant Type approval certificate number **AASN 0316, V07, Dated: 28.08.2023** (OBD-II) issued by the testing agency **ARAI Pune**.

1. Class of vehicle Heavy Goods Vehicle 2. Type of vehicle N3 Category 3. Maker's name M/s Tata Motors Ltd., Pimpri, P 4. Whether the vehicle is of Cowl Chassis (or) CBU CBU 5. Type of body Open 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle Diesel 10. Fuel used Diesel 11. H.P. 117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode) 12. Cubic capacity 3300 cc 13. Makers classification TATA 1916 LPT DCR39HSD forward control truck chassis w deck load body 14. Wheel base 3920 mm 15. Seating capacity D + 1 16. Colour As applicable 17. ULW (unladen weight) 5330 Kgs.	une - 411018
3. Maker's name M/s Tata Motors Ltd., Pimpri, P 4. Whether the vehicle is of Cowl Chassis (or) CBU CBU 5. Type of body Open 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode) 12. Cubic capacity 3300 cc 13. Makers classification TATA 1916 LPT DCR39HSD forward control truck chassis w deck load body 14. Wheel base 3920 mm 15. Seating capacity D + 1 16. Colour As applicable 17. ULW (unladen weight) 5330 Kgs.	une - 411018
4. Whether the vehicle is of Cowl Chassis (or) CBU CBU 5. Type of body Open 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode) 12. Cubic capacity 3300 cc 13. Makers classification TATA 1916 LPT DCR39HSD forward control truck chassis w deck load body 14. Wheel base 3920 mm 15. Seating capacity D + 1 16. Colour As applicable 17. ULW (unladen weight) 5330 Kgs.	une - 411018
Chassis (or) CBU5.Type of bodyOpen6.Month and year of manufacturerAs per codification7.No. of cylinders48.Chassis numberAs applicable9.Engine number or motor number in the case of battery operated vehicleAs applicable10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
5. Type of body Open 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode) 12. Cubic capacity 3300 cc 13. Makers classification TATA 1916 LPT DCR39HSD forward control truck chassis w deck load body 14. Wheel base 3920 mm 15. Seating capacity D + 1 16. Colour As applicable 17. ULW (unladen weight) 5330 Kgs.	
6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode) 12. Cubic capacity 3300 cc 13. Makers classification TATA 1916 LPT DCR39HSD forward control truck chassis w deck load body 14. Wheel base 3920 mm 15. Seating capacity D + 1 16. Colour As applicable 17. ULW (unladen weight) 5330 Kgs.	-
manufacturer47.No. of cylinders48.Chassis numberAs applicable9.Engine number or motor number in the case of battery operated vehicleAs applicable10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
7.No. of cylinders48.Chassis numberAs applicable9.Engine number or motor number in the case of battery operated vehicleAs applicable10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode) 12. Cubic capacity 3300 cc 13. Makers classification TATA 1916 LPT DCR39HSD forward control truck chassis w deck load body 14. Wheel base 3920 mm 15. Seating capacity D + 1 16. Colour As applicable 17. ULW (unladen weight) 5330 Kgs.	
9.Engine number or motor number in the case of battery operated vehicleAs applicable10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
number in the case of battery operated vehicleDiesel10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
operated vehicle10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
10.Fuel usedDiesel11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
11.H.P.117.7 Kw @ 2600 rpm (Power 92 Kw @ 2600 rpm (Eco Mode)12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
92 Kw @ 2600 rpm (Eco Mode)12. Cubic capacity3300 cc13. Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14. Wheel base3920 mm15. Seating capacityD + 116. ColourAs applicable17. ULW (unladen weight)5330 Kgs.	
12.Cubic capacity3300 cc13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
13.Makers classificationTATA 1916 LPT DCR39HSD forward control truck chassis w deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
forward control truck chassis w deck load body14.Wheel base15.Seating capacity16.Colour17.ULW (unladen weight)5330 Kgs.	
deck load body14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
14.Wheel base3920 mm15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	ith cab & high
15.Seating capacityD + 116.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
16.ColourAs applicable17.ULW (unladen weight)5330 Kgs.	
17. ULW (unladen weight) 5330 Kgs.	
1	
18. G.V.W. (Gross vehicle 18500 Kgs.	
weight) or RLW (Registered	
laden weight) as certified by the manufacturer	
19. Number, description, size and ply rating of tyres as	
declared by the	
manufacturer	
a. Front axle 295/90 R20	2
b. Rear Axle 295/90 R20	
20. Registered Axle Weight	
a. Front Axle (Faw) 7000 Kgs.	
b. Rear Axle (Raw) 11500 Kgs.	
21. Dimension	
a. Overall length 7400 mm	
b. Rear over hang 2125 mm	
c. Överall width 2440 mm	
d. Overall height 3200 mm	
e. Min. Ground Clearance 235 mm	-
22. Speed governor (SLF) ECU: M/s Bosch	•
23. Max Speed/Pre-set speed limit 80 kmph	

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate number AASN 0316, V07, Dated: 28.08.2023 (OBD-II) issued by the testing agency ARAI Pune, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

> Sd/-M.K. Suresh Kumar, Joint Transport Commissioner (Rules) Guindy, Chennai - 600 032.

> > M. Ravichandrange Assistant Secretary-II (FAC), Guindy, Chennai - 600 032.

//By Order//

(Communication of Type Approval Certificate No. 794/2024)

Copy to

M/s Tata Motors Limited, Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar,

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar
 - The PA to State Transport Authority `H' Section. 11
 - The Secretary, State Transport Appellate Tribunal, Chennai 104. 11 The Assistant Director (Statistics) 'S' Section for e-mailing the registration approval and for publishing it in our website.