## TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai 600 032.

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of, Unit Offices,

## Letter No. 012206-HA2-2024, Dated: 18.04.2024

(Communication of Type Approval Certificate No. 622/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Goods Vehicle Car- "S-Cab 2WD HR BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 08.04.2024 from M/s Isuzu Motors
India Private Limited", 9<sup>th</sup> Floor, Prestige Centre Court –
Office Block, Vijaya Forum Mall number 183, NSK Salai,
Vadapalani, Chennai – 600 026, India.

(2) Type approval certificate number <u>AAPN 0440, F04, Dated:</u>

17.01.2024 (OBD -II) issued by the Automotive research

association of India, Pune.

(3) Report of Assistant Secretary-II, State Transport Authority, Cehnnai-32, dated: 08.04.2024.

(4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

\* \* \* \*

Kindly see the reference cited.

- (2) M/s Isuzu Motors India Private Limited", 9<sup>th</sup> Floor, Prestige Centre Court Office Block, Vijaya Forum Mall number 183, NSK Salai, Vadapalani, Chennai 600 026, India, who is the manufacturer has applied for grant of communication of type approval certificate to register the new model "S-Cab 2WD HR BS-VI" in Tamil Nadu manufactured by M/s Isuzu Motor India Private Limited, 9<sup>th</sup> floor, Prestige Centre Court, Office Block, Vijaya Forum Mall, number 183, N S K Salai, Vadapalani, Chennai 600 026, India.
- (3) They have also produced the relevant Type approval certificate number **AAPN 0440, F04, Dated: 17.01.2024** (OBD -II) issued by the testing agency **ARAI Pune.**

## (Communication of Type Approval Certificate No. 622/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Maker's name  M/s Isuzu Motor India Private Limited, 9th Floor, Prestige Centre Court, Office Block, Vijaya Forum Mall, Number 183, N S K Salai, Vadapalani, Chennai – 600 026, India.  3. Type of vehicle/category  N1 Category/Goods Vehicle  CBU  CBU  CBU  CBU  CBU  CBU  CBU  CB			K ENTRIES ARE FURNISHED BELOW
Floor, Prestige Centre Court, Office Block, Vijaya Forum Mall, Number 183, N S K Salai, Vadapalani, Chennai – 600 026, India.  3. Type of vehicle/category N1 Category/Goods Vehicle Whether the vehicle is of Cowl Chassis (OR) CBU  5. Type of Body Open 6. Month and year of manufacture As per codifications 7. No. of cylinders 4 8. Chassis number As applicable P. Engine number or motor number in the case of battery operated vehicle 10. Fuel used Diesel 11. H.P./BHP 58 KW @ 3800 ± 100 rpm 12. Cubic capacity 2499 cc 13. Makers classification S-Cab 2WD HR BS-VI 14. Wheel base 3095 mm 15. Seating capacity 5 in all 16. Colour As applicable 17. ULW (unladen weight) 1855 kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S b. Rear axle (raw) 1180 kgs. b. Rear axle (raw) 1670 kgs.  1180 mm 1180 kgs. c. Overall length 1860 mm 0. Overall length 1860 mm 0. Overall length 1780 mm 0. Mil. ground clearance 160 mm	1.	Class of vehicle	
Floor, Prestige Centre Court, Office Block, Vijaya Forum Mall, Number 183, N S K Salai, Vadapalani, Chennai – 600 026, India.   3.	2.	Maker's name	
Vijaya Forum Mall, Number 183, N S K Salai, Vadapalani, Chennai - 600 026, India.			
Vadapalani, Chennai – 600 026, India.			
3. Type of vehicle/category   N1 Category/Goods Vehicle			
Whether the vehicle is of Cowl Chassis (OR) CBU	3.	Type of vehicle/category	
5. Type of Body 6. Month and year of manufacture 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P./BHP 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight a. Front axle 20. Registered Axle Weight b. Rear axle 20. Registered Axle Weight a. Pront axle (faw) b. Rear axle (raw) 1. Dimension 2. Overall length 5. Seound finance 2. Overall width 3. Front manufacture 3. Registered Axle Weight 3. Rear over hang 4. As applicable 3. Dimension 4. As applicable 3. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 3. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 3. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4. Sa pplicable 4. Set NW @ 3800 ± 100 rpm 4.	4.	Whether the vehicle is of Cowl	
6. Month and year of manufacture		Chassis (OR) CBU	
6. Month and year of manufacture 7. No. of cylinders 4 8. Chassis number As applicable 4 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P./BHP 58 KW @ 3800 ± 100 rpm 12. Cubic capacity 2499 cc 13. Makers classification S-Cab ZWD HR BS-VI 14. Wheel base 3095 mm 15. Seating capacity 5 in all 16. Colour As applicable 17. ULW (unladen weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S 16. Rear axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S 17. Dimension 1800 mm 180	5.	Type of Body	Open
8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P./BHP 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer  19. Rear axle 205, R16C, 6PR, 106/1045; 215/75 R16 LT, 116/114S 20. Registered Axle Weight a. Front axle (faw) 1180 Kgs. 21. Dimension a. Overall length b. Rear over hang c. Overall length c. Min. ground clearance 16 Diesel As applicable Diesel As applicable As appl	6.	Month and year of manufacture	As per codifications
9. Engine number or number in the case of battery operated vehicle  10. Fuel used  11. H.P./BHP  12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  19. Rear axle  205, R16C, 6PR, 106/1045; 215/75 R16 LT, 116/1145  20. Registered Axle Weight a. Front axle (faw) 1180 Kgs. b. Rear axle (raw) 21. Dimension a. Overall length b. Rear over hang c. Overall height c. Min. ground clearance  17. Diesel  2499 cc 2499 cc 3095 mm 3095 mm 3180 FS-Cab 2WD HR BS-VI 3095 mm 309	7.	No. of cylinders	4
9. Engine number or motor number in the case of battery operated vehicle  10. Fuel used 11. H.P./BHP 12. Cubic capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  19. Rear axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 21. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height e. Min. ground clearance  Diesel  Diesel  St KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc  Sa KW @ 3800 ± 100 rpm  2499 cc 380 the salve and sp-vide and sp-	8.	Chassis number	As applicable
number in the case of battery operated vehicle  10. Fuel used  11. H.P./BHP  12. Cubic capacity  13. Makers classification  14. Wheel base  15. Seating capacity  16. Colour  17. ULW (unladen weight)  18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  19. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw)  1180 Kgs. 21. Dimension a. Overall length b. Rear over hang c. Overall length c. Overall height c. Min. ground clearance  Diesel  Diesel  Diesel  Diesel  Diesel  100 Diesel  2499 cc  S-Cab 2WD HR BS-VI  3095 mm  5 in all  1855 Kgs. 2850 Kgs.  2850 K	9.	Engine number or motor	
Operated vehicle   10.   Fuel used   Diesel		number in the case of battery	
11.         H.P./BHP         58 KW @ 3800 ± 100 rpm           12.         Cubic capacity         2499 cc           13.         Makers classification         S-Cab 2WD HR BS-VI           14.         Wheel base         3095 mm           15.         Seating capacity         5 in all           16.         Colour         As applicable           17.         ULW (unladen weight)         1855 Kgs.           18.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         2850 Kgs.           19.         Number, description, size and ply rating of tyres as declared by the manufacturer         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b.         Rear axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           c.         Registered Axle Weight         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           c.         Pront axle (faw)         1180 Kgs.           b.         Rear axle (raw)         1670 Kgs.           21.         Dimension         200 mm           b.         Rear over hang         200 mm           c.         Overall length         1780 mm           d.         Overall height         1780 mm           e.         Min. ground clearance         160 mm		operated vehicle	
12. Cubic capacity 2499 cc  13. Makers classification S-Cab 2WD HR BS-VI  14. Wheel base 3095 mm  15. Seating capacity 5 in all  16. Colour As applicable  17. ULW (unladen weight) 1855 Kgs.  18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  b. Rear axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight  a. Front axle (faw) 1180 Kgs.  b. Rear axle (raw) 1670 Kgs.  21. Dimension  a. Overall length 5200 mm  b. Rear over hang -  C. Overall width 1860 mm  d. Overall height 1780 mm  e. Min. ground clearance 160 mm	10.	Fuel used	Diesel
13.         Makers classification         S-Cab 2WD HR BS-VI           14.         Wheel base         3095 mm           15.         Seating capacity         5 in all           16.         Colour         As applicable           17.         ULW (unladen weight)         1855 Kgs.           18.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         2850 Kgs.           19.         Number, description, size and ply rating of tyres as declared by the manufacturer         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b.         Rear axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b.         Registered Axle Weight           a.         Front axle (faw)         1180 Kgs.           b.         Rear axle (raw)         1670 Kgs.           21.         Dimension         5200 mm           b.         Rear over hang         -           c.         Overall leight         1780 mm           d.         Overall height         1780 mm           e.         Min. ground clearance         160 mm	11.	H.P./BHP	58 KW @ 3800 <u>+</u> 100 rpm
13.         Makers classification         S-Cab 2WD HR BS-VI           14.         Wheel base         3095 mm           15.         Seating capacity         5 in all           16.         Colour         As applicable           17.         ULW (unladen weight)         1855 Kgs.           18.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         2850 Kgs.           19.         Number, description, size and ply rating of tyres as declared by the manufacturer         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b.         Rear axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b.         Rear axle (faw)         1180 Kgs.           b.         Rear axle (faw)         1180 Kgs.           b.         Rear axle (raw)         1670 Kgs.           21.         Dimension         5200 mm           b.         Rear over hang         -           c.         Overall leight         1780 mm           d.         Overall height         1780 mm           e.         Min. ground clearance         160 mm	12.	Cubic capacity	2499 cc
14.         Wheel base         3095 mm           15.         Seating capacity         5 in all           16.         Colour         As applicable           17.         ULW (unladen weight)         1855 Kgs.           18.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         2850 Kgs.           19.         Number, description, size and ply rating of tyres as declared by the manufacturer         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b.         Rear axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           c.         Registered Axle Weight           a.         Front axle (faw)         1180 Kgs.           b.         Rear axle (raw)         1670 Kgs.           21.         Dimension         5200 mm           a.         Overall length         5200 mm           b.         Rear over hang         -           c.         Overall height         1780 mm           d.         Overall height         1780 mm           e.         Min. ground clearance         160 mm	13.		
15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  19. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  b. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1180 Kgs. b. Rear axle (raw) 1670 Kgs.  21. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height 1780 mm e. Min. ground clearance 160 mm	14.		
16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  b. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight a. Front axle (faw) b. Rear axle (faw) 1180 Kgs. b. Rear axle (raw) 1670 Kgs.  21. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height 1780 mm e. Min. ground clearance 160 mm	15.	Seating capacity	
17. ULW (unladen weight)  18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  206, Rear axle  207, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  208, Rear axle  209, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  209, Registered Axle Weight  200, Registered Axle Weight  201, Pimension  202, Regrander (raw)  203, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  204, R16/114S  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  206, R16/114S  207, R16/114S  208, R16/114S  209, R16/114S  209	16.		
18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  b. Rear axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight  a. Front axle (faw) 1180 Kgs.  b. Rear axle (raw) 1670 Kgs.  21. Dimension  a. Overall length 5200 mm  b. Rear over hang c. Overall width 1860 mm  d. Overall height 1780 mm  e. Min. ground clearance 160 mm	17.	ULW (unladen weight)	
or RLW (Registered laden weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  b. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  1180 Kgs.  b. Rear axle (raw)  1670 Kgs.  21. Dimension  a. Overall length  b. Rear over hang  c. Overall width  d. Overall height  e. Min. ground clearance  160 mm			
weight) as certified by the manufacturer  19. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  207, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  208, Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  1180 Kgs.  1180 Mgs.			
Mumber, description, size and ply rating of tyres as declared by the manufacturer			
and ply rating of tyres as declared by the manufacturer  a. Front axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  b. Rear axle 205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight  a. Front axle (faw) 1180 Kgs.  b. Rear axle (raw) 1670 Kgs.  21. Dimension  a. Overall length 5200 mm  b. Rear over hang  c. Overall width 1860 mm  d. Overall height 1780 mm  e. Min. ground clearance 160 mm			
declared manufacturer         by the manufacturer           a. Front axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b. Rear axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           20. Registered Axle Weight         1180 Kgs.           a. Front axle (faw)         1180 Kgs.           b. Rear axle (raw)         1670 Kgs.           21. Dimension         5200 mm           b. Rear over hang         -           c. Overall width         1860 mm           d. Overall height         1780 mm           e. Min. ground clearance         160 mm	19.	Number, description, size	
declared manufacturer         by the manufacturer           a. Front axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           b. Rear axle         205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S           20. Registered Axle Weight         1180 Kgs.           a. Front axle (faw)         1180 Kgs.           b. Rear axle (raw)         1670 Kgs.           21. Dimension         5200 mm           b. Rear over hang         -           c. Overall width         1860 mm           d. Overall height         1780 mm           e. Min. ground clearance         160 mm		and ply rating of tyres as	
a. Front axle  b. Rear axle  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  20. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  1180 Kgs.  b. Rear axle (raw)  1670 Kgs.  21. Dimension  a. Overall length  b. Rear over hang  c. Overall width  d. Overall height  e. Min. ground clearance  205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  206, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  207, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  208, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  209, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  209, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S  200, Registered Axle Weight  a. Front axle (faw)  1880 Kgs.  1870 Kgs.  1870 Mgs.  1870 Mgs.			
116/1145     b.   Rear axle   205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S     20.   Registered Axle Weight   1180 Kgs.     b.   Rear axle (faw)   1670 Kgs.     21.   Dimension   200 mm     b.   Rear over hang   -			
116/114S   205, R16C, 6PR, 106/104S; 215/75 R16 LT, 116/114S   20.   Registered Axle Weight   1180 Kgs.	a.	Front axle	205, R16C, 6PR, 106/104S; 215/75 R16 LT,
20. Registered Axle Weight a. Front axle (faw) 1180 Kgs. b. Rear axle (raw) 1670 Kgs. 21. Dimension a. Overall length 5200 mm b. Rear over hang - c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm			116/114S
20. Registered Axle Weight a. Front axle (faw) 1180 Kgs. b. Rear axle (raw) 1670 Kgs. 21. Dimension a. Overall length 5200 mm b. Rear over hang - c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm	b.	Rear axle	205, R16C, 6PR, 106/104S; 215/75 R16 LT,
a. Front axle (faw) b. Rear axle (raw) 1670 Kgs.  21. Dimension a. Overall length b. Rear over hang c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm			116/114S
b. Rear axle (raw) 1670 Kgs.  21. Dimension  a. Overall length 5200 mm  b. Rear over hang - c. Overall width 1860 mm  d. Overall height 1780 mm  e. Min. ground clearance 160 mm			
21. Dimension a. Overall length 5200 mm b. Rear over hang - c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm		3 1	
a. Overall length 5200 mm b. Rear over hang - c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm			1670 Kgs.
b. Rear over hang - c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm			
c. Overall width 1860 mm d. Overall height 1780 mm e. Min. ground clearance 160 mm			5200 mm
d. Overall height 1780 mm e. Min. ground clearance 160 mm			
e. Min. ground clearance 160 mm			
	d.		
22.   Maximum Design Speed   80 Kmph			
	22.	Maximum Design Speed	80 Kmph

Based on the physical inspection of the vehicle by the Assistant Secretary-III and based on the type approval certificate number **AAPN 0440, F04, Dated:**17.01.2024 (OBD-II) issued by the testing agency **ARAI PUNE**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

**Sd/-M.K. Suresh Kumar,**Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran)

Assistant Secretary-II (FAC),
Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 622/2024)

## Copy to

M/s Isuzu Motors India Private Limited, 9<sup>th</sup> Floor, Prestige centre court – Office Block, Vijaya Forum Mall number 183, NSK Salai, Vadapalani, Chennai – 600 026, India.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

The Secretary, State Transport Appellate Tribunal, Chennai - 104.

" The Assistant Director (Statistics) 'S' section for e-mailing the registration approval and for publishing it in our website.