TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 015358-HB2-2024, Dated: 20.05.2024

(Communication of Type Approval Certificate No. 814/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Motor Car - "Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS-VI" in the state of Tamil Nadu – permission-granted regarding.

- Ref: (1) Application dated: 09.05.2024 from **M/s Productivity Elements Private Limited",** Plot No. 69 & 70, Ambattur Industrial Estate, Ambattur, Chennai 600 058.
 - (2) Type approval certificate number <u>AASN 0541, V02, Dated:</u> <u>07.03.2024</u> (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 09.05.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
 Department of Tamil Nadu.
 * * * *

Kindly see the reference cited.

(2) **"M/s Productivity Elements Private Limited"**, Plot No. 69 & 70, Ambattur Industrial Estate, Ambattur, Chennai 600 058, who is the dealer has applied for grant of *communication of type approval certificate* to register the new model **"Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS-VI"** in Tamil Nadu manufactured by M/s Kia India Pvt Ltd., Sy.No. 134-151, 189-195, 335-383, Ammavari Palli, Eramanchi, Penukonda, AP - 515164.

(3) They have also produced the relevant Type approval certificate number **AASN 0541, V02, Dated: 07.03.2024** (OBD Stage-II) issued by the testing agency **ARAI Pune**.

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Maker's name M/s Kia India Pvt Ltd., Sy.No. 134-15: 189-195, 335-383, Ammavari Pall Eramanchi, Penukonda, AP - 515164 3. Type of Body - 3(a) Type of vehicle/category Passenger Car /M1 Category 4. Month and year of manufacture As applicable 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered lader weight) 1380 Kgs. 17. Number, description, size and eleclared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 18. Registered Axle Weight a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H	1.	Class of vehicle	LMV/ Mater C		
1/19 Nde Hold Age, 335-383, Ammavari Pall Eramanchi, Penukonda, AP - 515164 3. Type of Body 3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 4. Month and year of manufacture 5. No. of cylinders 4. As applicable 7. Engine number or motor number in the case of battery operated vehicle 9. H.P./BHP 8. Fuel used 9. H.P./BHP 8. Fuel used 9. H.P./BHP 8. Stw @ 4000 ± 100 rpm 10. Cubic capacity 11. Makers classification VI 1493 cc 11. Makers classification VI 1 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 1384 Kgs. 1830 Kgs. 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and eclared by the manufacturer 17. Number, des			LMV Motor Car		
3. Type of Body - 3(a) Type of vehicle/category Passenger Car /M1 Category 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1384 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H 18. Registered	2.	Maker's name	M/s Kia India Pvt Ltd., Sy.No. 134-151,		
3(a) Type of Body - 3(a) Type of vehicle/category Passenger Car /M1 Category 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1384 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/5 <td></td> <td></td> <td></td>					
3(a) Type of vehicle/category Passenger Car /M1 Category 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1830 Kgs. or RLW (Registered laden weight) 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Rear Axle (faw) <td< td=""><td></td><td>-</td><td>Eramanchi, Penukonda, AP - 515164</td></td<>		-	Eramanchi, Penukonda, AP - 515164		
4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H 18. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H 18. Registered Axle Weight 4 a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19.			-		
5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 4 a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle			Passenger Car /M1 Category		
6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1830 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 4 a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length <					
7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1830 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/5 18. Registered Axle Weight 860 Kgs. 19. Dimension 4365 mm a. Front axle (raw) 860 Kgs. b. Rear over hang -			4		
number in the case of battery operated vehicle number in the case of battery operated vehicle 8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1830 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 860 Kgs. a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension 4365 mm b. Rear over hang			As applicable		
operated vehicle8.Fuel usedDiesel9.H.P./BHP85 Kw @ 4000 ± 100 rpm10.Cubic capacity1493 cc11.Makers classificationKia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI12.Wheel base2610 mm13.Seating capacity5 in all14.ColourAs applicable15.ULW (unladen weight)1384 Kgs.16.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer1830 Kgs.17.Number, description, size and ply rating of tyres as declared by the manufacturer205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 H18.Registered Axle Weight a.Front axle (faw)970 Kgs.860 Kgs.b.Rear axle (raw)860 Kgs.a.Overall length4365 mmb.Rear over hang-	7.				
8. Fuel used Diesel 9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/5 18. Registered Axle Weight 480 Kgs. a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 970 Kgs. 860 Kgs. 970 Kgs. 9. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -					
9. H.P./BHP 85 Kw @ 4000 ± 100 rpm 10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1830 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight a. a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension a. a. Overall length 4365 mm b. Rear over hang -		operated vehicle			
10. Cubic capacity 1493 cc 11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/51 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 H 18. Registered Axle Weight 360 Kgs. a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -			Diesel		
11. Makers classification Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS VI 12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight a. a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -		H.P./BHP	85 Kw @ 4000 <u>+</u> 100 rpm		
12. Wheel base 2610 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H 18. Registered Axle Weight 970 Kgs. a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -	10.	Cubic capacity	1493 cc		
VI12.Wheel base2610 mm13.Seating capacity5 in all14.ColourAs applicable15.ULW (unladen weight)1384 Kgs.16.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer1830 Kgs.17.Number, description, size and ply rating of tyres as declared by the manufacturer205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 Ha.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H18.Registered Axle Weight a.Front axle (faw)a.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimension a.Overall length4.Qverall length4365 mmb.Rear over hang-	11.	Makers classification	Kia Seltos D1.5 CRDI VGT 6AT HTK Plus BS-		
13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -			VI ·		
14. Colour As applicable 15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) 1830 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -					
15. ULW (unladen weight) 1384 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 1830 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -			5 in all		
16.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer1830 Kgs.17.Number, description, size and ply rating of tyres as declared by the manufacturer205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 Ha.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H18.Registered Axle Weighta.Front axle (faw)970 Kgs.b.Rear axle (raw)19.Dimensiona.Overall length4.4365 mmb.Rear over hang			As applicable		
orRLW(Registered laden weight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H18.Registered Axle Weighta.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimensiona.Overall length4.4365 mmb.Rear over hang			1384 Kgs.		
weight) as certified by the manufacturerweight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/5 R18 95 H18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)b.Rear axle (raw)b.Rear over hang	16.	G.V.W. (Gross vehicle weight)	1830 Kgs.		
manufacturermanufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 H18.Registered Axle Weighta.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimensiona.Overall length4.4365 mmb.Rear over hang					
17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 H18.Registered Axle Weighta.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimensiona.Overall length4.4365 mmb.Rear over hang			and the second		
and ply rating of tyres as declared by the manufacturer205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 Ha.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)860 Kgs.19.Dimensiona.Overall length4.4365 mm5.Rear over hang					
declared manufacturerby the manufacturera.Front Axle205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H18.Registered Axle Weighta.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimension-a.Overall length4365 mmb.Rear over hang-	17.				
manufacturer a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight 205/65 R16 95H; 215/60 R17 96H; 215/50 R18 95 H 19. Pront axle (faw) 970 Kgs. 19. Dimension 4365 mm a. Overall length 4365 mm b. Rear over hang -					
a. Front Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/50 R17 96H; 215/50 R18 95 H 18. Registered Axle Weight R18 95 H a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -					
R18 95 H b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/51 R18 95 H 18. Registered Axle Weight a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension a. Overall length 4365 mm b. Rear over hang					
b. Rear Axle 205/65 R16 95H; 215/60 R17 96H; 215/52 R18 95 H 18. Registered Axle Weight a. Front axle (faw) 970 Kgs. b. Rear axle (raw) 860 Kgs. 19. Dimension - a. Overall length 4365 mm b. Rear over hang -	a.	Front Axle			
18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 19. Dimension a. Overall length 4365 mm b. Rear over hang					
18.Registered Axle Weighta.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimension-a.Overall length4365 mmb.Rear over hang-	b.	Rear Axle			
a.Front axle (faw)970 Kgs.b.Rear axle (raw)860 Kgs.19.Dimensiona.Overall length4365 mmb.Rear over hang-	10		R18 95 H		
b.Rear axle (raw)860 Kgs.19.Dimensiona.Overall length4365 mmb.Rear over hang					
19. Dimension a. Overall length b. Rear over hang					
a.Overall length4365 mmb.Rear over hang-			860 Kgs.		
b. Rear over hang -	19.				
			4365 mm		
c. Overall width 1800 mm			-		
1000 mm	с.	Overall width	1800 mm		

d.	Overall height	Without Roof-rack 1620 (16" Tyre) mm & Tyre) mm With Roof rack 1635 (16" Tyre) & 1645 mm	
e.	Min. ground clearance	150 mm	

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate number **AASN 0541, V02, Dated:** <u>07.03.2024</u> (OBD Stage-II) issued by the testing agency **ARAI/Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

> Sd/-M.K. Suresh Kumar, Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

//By Order//

Su

M. Ravichandran, Assistant Secretary-III, Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 814/2024)

20-05-24

Copy to

M/s Productivity Elements Private Limited, Plot No. 69 & 70, Ambattur Industrial Estate, Ambattur, Chennai 600 058.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

- " The PA to State Transport Authority `H' section.
- " The Secretary, State Transport Appellate Tribunal, Chennai 104.
- " The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.