TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of Unit
Offices,

Letter No. 016487-HB2-2024, Dated: 30.05.2024

(Communication of Type Approval Certificate No. 867/2024)

Sir,

- Sub: Motor Vehicles Registration of LMV Motor Car "MAHINDRA SCOPRIO-N G AT 2WD Z8 S 7S BS-VI" in the state of Tamil Nadu permission-granted regarding.
- Ref: (1) Application dated: 20.05.2024 from "M/s Mahindra & Mahindra Ltd. Automotive Sector", Mahindra Towers, 1st Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.
 - (2) Type approval certificate number <u>AASN 0206, F01, Dated:</u> <u>27.12.2023</u> (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 21.05.2024.
 - (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

- (2) "M/s Mahindra & Mahindra Ltd. Automotive Sector", Mahindra Towers, 1st Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002, who is the manufacturer has applied for grant of "MAHINDRA SCOPRIO-N G AT 2WD Z8 S 7S BS-VI" in Tamil Nadu manufactured by M/s Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik 422007.
- (3) They have also produced the relevant Type approval certificate number **AASN 0206, F01, Dated: 27.12.2023** (OBD Stage-II) issued by the testing agency **ARAI, Pune**.

(Communication of Type Approval Certificate No. 867/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

1. Class of vehicle 2. Maker's name M/S Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik - 422007 3(a) Type of Body 3(a) Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 4. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 1997 cc 11. Makers classification MAHINDRA SCOPRIO-N G AT 2WD Z8 S 7S BS-VI 12. Wheel base 17. Engine number 18. Seating capacity 1997 cc 1997 cc 10. Cubic capacity 1997 cc 11. Makers classification 13. Seating capacity 1997 cc 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear Axle 19. Registered Axle Weight 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17			
3. Type of Body 3. Type of Vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. UW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and eclared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 10. Overall height 10. Rear Avie 10. Coverall height 10. Coveral			LMV Motor Car
MIDC Satpur, Nashik - 422007	2.	Maker's name	M/s Mahindra & Mahindra Limited., 88/89
3(a) Type of Body 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 149.14 Kw @ 5000 ± 50 rpm 10. Cubic capacity 1997 cc 11. Makers classification MAHINDRA SCOPRIO-N G AT 2WD Z8 S 7S BS-VI 12. Wheel base 2750 mm 13. Seating capacity D + 6 14. Colour As applicable 15. ULW (unladen weight) 1996 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 10. Overall width 1917 mm 10. Overall length 4662 mm 1845 pm (For R17 Wheel) 1857 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	_		MIDC Satpur, Nashik - 422007
4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. RLW (Registered laden weight) as certified by the manufacturer 18. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Rear Axle 18. Registered Axle Weight 19. Dimension 19. Overall height 18. Registered hand 19. Overall height 19. Overall height 19. Overall height 18. Registered hand 19. Overall height 18. Registered Axle Weight 19. Overall height 18. Registered Axle Weight 19. Overall height 18. Registered Axle 19. Registered 19. Register		Type of Body	-
Social Profit and year of manufacture As per codifications			M1 Category/Light Passenger Vehicle
6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 19. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H			As per codifications
7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 149.14 Kw @ 5000 ± 50 rpm 10. Cubic capacity 1997 cc 11. Makers classification MAHINDRA SCOPRIO-N G AT 2WD Z8 S 7S BS-VI 12. Wheel base 1750 mm 18. Seating capacity 1960 Kgs. 1970 Kgs. 1970 Kgs. 1980 Kgs. 1990 Kgs. 19			4
Figine number or number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 19. Rear Axle 19. Rear Axle 19. Dimension 20. Overall length 20. Rear over hang 20. Overall height 20. Rear ixle 20. Gross vehicle 21. Seating capacity 22. D + 6 23. As applicable 24. As applicable 24. As applicable 24. Scopping 25. D Kgs. 24. Seating capacity 24. Colour 25. D + 6 26. Seating capacity 27. D mm 27. D + 6 28. As applicable 29. C Coverall width 24. Colour 27. As applicable 26. Seating capacity 27. D mm 27. D + 6 As applicable 26. Seating capacity 27. D mm 27. D + 6 As applicable 27. D mm 27. D + 6 As applicable 26. Seating capacity 27. D mm 27. D + 6 As applicable 28. S T S S S S S S S S S S S S S S S S S			As applicable
Section Sect	7.	Engine number or motor	As applicable
operated vehicle 8. Fuel used Gasoline 9. H.P./BHP 149.14 Kw @ 5000 ± 50 rpm 10. Cubic capacity 1997 cc 11. Makers classification MAHINDRA SCOPRIO-N G AT 2WD Z8 S 7S BS-VI 12. Wheel base 2750 mm 13. Seating capacity D + 6 14. Colour As applicable 15. ULW (unladen weight) 1960 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel)		number in the case of battery	
9. H.P./BHP 149.14 Kw @ 5000 ± 50 rpm 10. Cubic capacity 1997 cc 11. Makers classification MAHINDRA SCOPRIO-N G AT 2WD Z8 S 75 BS-VI 12. Wheel base 2750 mm 13. Seating capacity D + 6 14. Colour As applicable 15. ULW (unladen weight) 1960 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 20. Overall length 4662 mm 50. Overall width 1917 mm 11. d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	-	operated vehicle	
10. Cubic capacity 1997 cc 11. Makers classification MAHINDRA SCOPRIO-N G AT 2WD Z8 S 75 BS-VI 12. Wheel base 2750 mm 13. Seating capacity D + 6 14. Colour As applicable 15. ULW (unladen weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H b. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			Gasoline
10. Cubic capacity 1997 cc	9.	H.P./BHP	149.14 Kw @ 5000 + 50 rpm
11. Makers classification	10.	Cubic capacity	
12. Wheel base 2750 mm 13. Seating capacity D + 6 14. Colour As applicable 1960 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight Rear axle (faw) 1090 Kgs. 19. Dimension 1900 Kgs.	11.	Makers classification	
12. Wheel base 2750 mm 13. Seating capacity D + 6 14. Colour As applicable 15. ULW (unladen weight) 1960 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2510 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 45/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H b. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight 1090 Kgs. a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension 4662 mm b. Rear over hang - c. Overall leight 1849 mm (For R17 Wheel) d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			BS-VI
13. Seating capacity D + 6 14. Colour As applicable 15. ULW (unladen weight) 1960 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2510 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H b. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight Temporary Spare Wheel: 245/65 R17 107H a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	12.	Wheel base	
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1090 Kgs. c. Overall length 4662 mm b. Rear over hang c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	13.	Seating capacity	
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - C. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	14.		
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle Even by the part of tyres as declared by the manufacturer a. Front Axle Even by the part of tyres as declared by the part of	15.	ULW (unladen weight)	
or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H b. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	16.	G.V.W. (Gross vehicle weight)	
weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H b. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)		or RLW (Registered laden	2010 Ng5.
Mumber, description, size and ply rating of tyres as declared by the manufacturer		weight) as certified by the	
and ply rating of tyres as declared by the manufacturer a. Front Axle Example by the manufacturer a. Front Axle Example by the manufacturer 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1090 Kgs. 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)		manufacturer	
and ply rating of tyres as declared by the manufacturer by the manufacturer a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H b. Rear Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension 4662 mm b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	17.	Number, description, size	
declared by the manufacturer		and ply rating of tyres as	
a. Front Axle 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 1090 Kgs. 1090 Kgs. 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)		declared by the	
Temporary Spare Wheel: 245/65 R17 107H			
Temporary Spare Wheel: 245/65 R17 107H	a.	Front Axle	245/65 R17 107 H; 255/60 R18 108 H
245/65 R17 107 H; 255/60 R18 108 H Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - C. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			Temporary Spare Wheel: 245/65 R17 107H
Temporary Spare Wheel: 245/65 R17 107H 18. Registered Axle Weight a. Front axle (faw) 1090 Kgs. b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - C. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)	b.	Rear Axle	245/65 R17 107 H; 255/60 R18 108 H
a. Front axle (faw) b. Rear axle (raw) 1090 Kgs. 1420 Kgs. 19. Dimension a. Overall length b. Rear over hang c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			Temporary Spare Wheel: 245/65 R17 107H
b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			20,752 20,711
b. Rear axle (raw) 1420 Kgs. 19. Dimension a. Overall length 4662 mm b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			1090 Kgs.
a. Overall length 4662 mm b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			
b. Rear over hang - c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			
c. Overall width 1917 mm d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			4662 mm
d. Overall height 1849 mm (For R17 Wheel) 1857 mm (For R18 Wheel)			
1857 mm (For R18 Wheel)			
1857 mm (For R18 Wheel)	d.	Overall height	1849 mm (For R17 Wheel)
e. Min. ground clearance 155 mm	-	NAME OF THE PARTY	1857 mm (For R18 Wheel)
	e.	Min. ground clearance	155 mm

Based on the verified the document of the vehicle by Assistant Secretary-III and based on the type approval certificate number **AASN 0206, F01, Dated: 27.12.2023 (OBD Stage-II)** issued by the testing agency **ARAI Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

Sd/-M.K. Suresh Kumar, Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, Assistant Secretary-III, Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 867/2024)

Copy to

M/s Mahindra & Mahindra Ltd. Automotive Sector, Mahindra Towers, $1^{\rm st}$ Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

`The Secretary, State Transport Appellate Tribunal, Chennai - 104.

"The Assistant Director (Statistics) 'S' Section for e-mailing the registration approval and for publishing it in our website.