### TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

### Letter No. 014057-HB2-2024, Dated: 14.05.2024

(Communication of Type Approval Certificate No. 732/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Motor Car- "TATA NEXON CRTV + DK PDCA BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 25.04.2024 from **M/s Tata Motors Passenger Vehicles Limited"** 10<sup>th</sup> Floor No.67 Arihant Rohini
G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017.

- Type approval certificate numbers AASN 0625, V02, Dated: 16.02.2024, AASN 0625, Dated: 29.08.2023, AASN 0625, R01, Dated: 23.10.2023 and AASN 0625, V01, Dated: 16.01.2024 (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
- (3) Report of Assistant Secretary-III, State transport authority, Chennai-32, dated: 26.04.2024.
- (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

\* \* \* \*

Kindly see the reference cited.

- (2) "M/s Tata Motors Passenger Vehicles Limited" 10<sup>th</sup> Floor No.67 Arihant Rohini G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017, who is the manufacturer has applied for grant of *communication of type approval certificate* to register the new model "TATA NEXON CRTV + DK PDCA BS-VI" in Tamil Nadu manufactured by M/s Tata Motors Passenger Vehicles Limited, Mumbai, Pune, Sanand.
- (3) They have also produced the relevant Type approval certificate numbers AASN 0625, V02, Dated: 16.02.2024, AASN 0625, Dated: 29.08.2023, AASN 0625, R01, Dated: 23.10.2023 and AASN 0625, V01, Dated: 16.01.2024 (OBD Stage-II) issued by the testing agency ARAI Pune.

# (Communication of Type Approval Certificate No. 732/2024)

## PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Maker's name M/s Tata Motors Passenger Vehicles Limited, Mumbai, Pune, Sanand 3. Type of vehicle/category Passenger car - M1 4. Month and year of manufacture As per codifications 5. No. of cylinders 3 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV + DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) 870 Kgs. b. Rear axle (raw) 794 Kgs. 19. Dimension a. Overall length 3995 mm b. Rear over hang c. Overall length 1804 mm d. Overall length 1620 mm d. Overall length 1620 mm d. Overall height 1620 mm	1.	Class of vehicle	
Mumbai, Pune, Sanand  3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared manufacturer 18. Registered Axle Weight a. Front axle 19. Rear axle 19. Rear axle (raw) 19. Dimension 20. Overall length 3995 mm 4. Overall leight 3995 mm 4. Sapplicable 4. As applicable 4. As applicable 4. As applicable 1199 cc 1199 cc 110. CUbic capacity 1199 cc 110. Capacity 1199 cc 1199 cc 110. Capacity 1199 cc 1199 c			LMV Motor Car
Mumbai, Pune, Sanand  1. Type of vehicle/category  4. Month and year of manufacture  5. No. of cylinders  6. Chassis number  7. Engine number or motor number in the case of battery operated vehicle  8. Fuel used  9. H.P./BHP  10. Cubic capacity  11. Makers classification  12. Wheel base  13. Seating capacity  14. Colour  15. ULW (unladen weight)  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) or RLW (Registered laden weight) and ply rating of tyres as declared by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight  18. Registered Axle Weight  19. Dimension  20. Overall length  180. Rear over hang  20. Overall leight  180. Rear over hang  20. Overall leight  180. Rear over hang  20. Overall leight  180. Rear over hang  20. Overall height  180. Rear over hang  20. Overall height  180. Rear over hang  20. Overall height  180. Reproductive As applicable  As applicable  As applicable  Petrol  82. Sa applicable  83. As applicable  As	2.	Maker's name	M/s Tata Motors Passenger Vehicles Limited,
4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV + DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1254 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial	2	Transactive List of	Mumbai, Pune, Sanand
5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear axle 19. Rear axle 19. Rear axle (faw) 19. Dimension 2 As applicable 2498 mm 2498 mm 2498 mm 2498 mm 25 in all 254 Kgs. 1664 Kgs. 1664 Kgs. 1664 Kgs. 1664 Kgs. 167 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radia		North and Category	
6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Rumber, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R1		Month and year of manufacture	
7. Engine number or motor number in the case of battery operated vehicle  8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 20. Overall leight 21. Seating capacity 24. Colour 24. Colour 35. in all 25. Let Kgs. 36. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial;			3
number in the case of battery operated vehicle  8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 R16 S9H Tubeless Radial; 215/60 R16 S9H Tubeless Radial; 215/6			
operated vehicle 8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV + DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1254 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 9	/.	Engine number or motor	As applicable
8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV + DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1254 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 395/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 395/60 R16		number in the case of battery	
9. H.P./BHP 88.2 Kw @ 5500 rpm  10. Cubic capacity 1199 cc  11. Makers classification TATA NEXON CRTV + DK PDCA BS-VI  12. Wheel base 2498 mm  13. Seating capacity 5 in all  14. Colour As applicable  15. ULW (unladen weight) 1254 Kgs.  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R	0		
10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubele			
11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size 18. And ply rating of tyres as 19. declared by the 19. Rear axle 195/60 R16 89H Tubeless Radial 215/60 R16 95H Tubeless Radial			88.2 Kw @ 5500 rpm
12. Wheel base 2498 mm  13. Seating capacity 5 in all  14. Colour As applicable  15. ULW (unladen weight) 1254 Kgs.  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 95H Tubeless Radial 195/60 R16 95H Tubeless Radial 18. Registered Axle Weight  a. Front axle (faw) 870 Kgs.  b. Rear axle (raw) 794 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang -  C. Overall width 1804 mm  d. Overall height 1620 mm		Cubic capacity	1199 cc ·
12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  b. Rear axle  18. Registered Axle Weight a. Front axle (faw) b. Rear axle (faw) 794 Kgs.  19. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height 1620 mm			TATA NEXON CRTV + DK PDCA BS-VI
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60			2498 mm
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 876 R16 95H Tubeless Radial 795/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 795/60 R16 95H Tubel			5 in all
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/6			As applicable
or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle	15.	ULW (unladen weight)	1254 Kgs.
weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  794 Kgs.  19. Dimension  a. Overall length  3995 mm  b. Rear over hang  - C. Overall width  1804 mm  d. Overall height	16.	G.V.W. (Gross vehicle weight)	1664 Kgs.
manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  794 Kgs.  19. Dimension  a. Overall length  3995 mm  b. Rear over hang  c. Overall width  1804 mm  d. Overall height		or RLW (Registered laden	
17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (faw)  794 Kgs.  19. Dimension  a. Overall length  b. Rear over hang  c. Overall width  d. Overall height  1804 mm  1620 mm		weight) as certified by the	
and ply rating of tyres as declared by the manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw) b. Rear axle (raw) 794 Kgs.  19. Dimension  a. Overall length b. Rear over hang c. Overall width 1804 mm d. Overall height 1620 mm	17		
declared by the manufacturer  a. Front axle	1/.	Number, description, size	
manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  794 Kgs.  794 Kgs.  19. Dimension  a. Overall length  3995 mm  b. Rear over hang  c. Overall width  1804 mm  d. Overall height  1620 mm			
a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  Bront axle (faw)  794 Kgs.  19. Dimension  a. Overall length  3995 mm  b. Rear over hang  c. Overall width  1804 mm  d. Overall height  1620 mm		4110	
B. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  794 Kgs.  19. Dimension  a. Overall length  b. Rear over hang  c. Overall width  d. Overall height  1804 mm  d. Overall height	2		105/60 546 000 5
b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  794 Kgs.  19. Dimension  a. Overall length  b. Rear over hang  c. Overall width  d. Overall height  1804 mm  1620 mm	u.	Tronc axie	195/60 R16 89H Tubeless Radial; 215/60
R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw) 870 Kgs.  b. Rear axle (raw) 794 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang -  c. Overall width 1804 mm  d. Overall height 1620 mm	b	Rear avie	
18. Registered Axle Weight  a. Front axle (faw) 870 Kgs.  b. Rear axle (raw) 794 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang -  c. Overall width 1804 mm  d. Overall height 1620 mm	٥.	redi dale	P16 OFH Tubeless Radial; 215/60
a.       Front axle (faw)       870 Kgs.         b.       Rear axle (raw)       794 Kgs.         19.       Dimension         a.       Overall length       3995 mm         b.       Rear over hang       -         c.       Overall width       1804 mm         d.       Overall height       1620 mm	18.	Registered Axle Weight	R10 95H Tubeless Radial
b. Rear axle (raw)       794 Kgs.         19. Dimension       3995 mm         a. Overall length       3995 mm         b. Rear over hang       -         c. Overall width       1804 mm         d. Overall height       1620 mm		Front axle (faw)	870 Kgs
19. Dimension  a. Overall length 3995 mm  b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm			
a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm			754 Kgs.
b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm			3995 mm
c. Overall width 1804 mm d. Overall height 1620 mm			-
d. Overall height 1620 mm			1804 mm
1020 11111			

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers **AASN 0625, V02, Dated:** 

16.02.2024, AASN 0625, Dated: 29.08.2023, AASN 0625, R01, Dated: 23.10.2023 and AASN 0625, V01, Dated: 16.01.2024 (OBD Stage-II) issued by the testing agency ARAI PUNE, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the registering authorities and assistant registering authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

**Sd/-M.K. Suresh Kumar,**Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, Assistant Secretary-III, Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 732/2024)

#### Copy to

M/s Tata Motors Passenger Vehicles Limited 10<sup>th</sup> Floor No.67 Arihant Rohini G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

" The Secretary, State Transport Appellate Tribunal, Chennai – 104.

" The Assistant Director (Statistics) `S' section for e-mailing the registration approval and for publishing it in our website.