TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

Letter No. 024786-HB2-2024, Dated: 30.07.2024

(Communication of Type Approval Certificate No. 1205/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Motor Car- "TATA NEXON CRTV DK PDCA BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 19.07.2024 from **M/s Tata Motors Passenger Vehicles Limited"** 10th Floor No.67 Arihant Rohini
G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017.

- Type approval certificate numbers AASN 0625, V02, Dated: 16.02.2024, AASN 0625, V01, Dated: 16.01.2024, AASN 0625, R01, Dated: 23.10.2023 and AASN 0625, Dated: 29.08.2023 (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
- (3) Report of Assistant Secretary-III, State transport authority, Chennai-32, dated: 19.07.2024.
- (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

* * * *

Kindly see the reference cited.

- (2) "M/s Tata Motors Passenger Vehicles Limited" 10th Floor No.67 Arihant Rohini G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017, who is the manufacturer has applied for grant of *communication of type approval certificate* to register the new model "TATA NEXON CRTV DK PDCA BS-VI" in Tamil Nadu manufactured by M/s Tata Motors Passenger Vehicles Limited, Mumbai, Pune, Sanand.
- (3) They have also produced the relevant Type approval certificate numbers AASN 0625, V02, Dated: 16.02.2024, AASN 0625, V01, Dated: 16.01.2024, AASN 0625, R01, Dated: 23.10.2023 and AASN 0625, Dated: 29.08.2023 (OBD Stage-II) issued by the testing agency ARAI Pune.

(Communication of Type Approval Certificate No. 1205/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

1. Class of vehicle 2. Maker's name 3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared manufacturer a. Front axle b. Rear axle 18. Registered Axle Weight a. Front axle (faw) 19. Dimension a. Overall Length b. Rear over hang c. Overall width 1804 mm			
2. Maker's name Mys Tata Motors Passenger Vehicles Mumbai, Pune, Sanand 3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. U.W (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 10. Cubic capacity 11. Makers classification 12. Wheel base 14. Colour 15. U.W (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tu			LMV Motor Car
Mumbai, Pune, Sanand Passenger car – M1 Category As per codifications Social Chassis number As applicable As applicable As applicable As applicable Cubic capacity Cu	2.	Maker's name	
4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 19. Rear axle 19. Rear axle (faw) 19. Dimension 19. Rear over hang 2 Passenger car - M1 Category As applications 3 As applicable 2 As applicable 199 cc 17. TATA NEXON CRTV DK PDCA BS-VI 199 cc 17. As applicable 195 (So. V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 2 Pront axle 2 Pront axle 3 Seating capacity 2 Petrol 4 As applicable 2 As applicable 3 As applicable 3 As applicable 19. G.V.W. (Gross vehicle weight) 11. Gas Kgs. 1663 Kgs. 1663 Kgs. 1663 Kgs. 1663 Kgs. 1663 Kgs. 1663 Kgs.			Mumbai, Pune, Sanand
4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 19. Rear axle 19. Rear axle 19. Registered Axle Weight a. Front axle (faw) 19. Dimension 19. Rear over hang As applicable Petrol As applicable 1199 cc 11199 cc 11190 cc 1190 cc 11		Type of vehicle/category	
5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 19. Dimension 19. Rear over hang			As per codifications
7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1253 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless R16 95H Tubele			3
7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless R	_		As applicable
operated vehicle 8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1253 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial;	7.		As applicable
8. Fuel used Petrol 9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1253 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) 870 Kgs. b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm		number in the case of battery	
9. H.P./BHP 88.2 Kw @ 5500 rpm 10. Cubic capacity 1199 cc 11. Makers classification TATA NEXON CRTV DK PDCA BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1253 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16			
10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size 18. Front axle 19. Rear axle 19. Rear axle 19. Rear axle 19. Rear axle (faw) 19. Dimension 10. Cubic capacity 11. 199 cc 1199 cc 17ATA NEXON CRTV DK PDCA BS-VI 12498 mm 12498 mm 1253 Kgs. 1253 Kgs. 1663 Kgs. 1663 Kgs. 1663 Kgs. 1753 Kgs. 18. Registered laden weight) 18. Registered by the manufacturer 195/60 R16 89H Tubeless Radial registered Radial re			
11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial b. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length As applicable 1253 Kgs. 1663 Kg			88.2 Kw @ 5500 rpm
12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1253 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Rad			1199 cc
12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 9 Dimension a. Overall Length 5 in all As applicable 1253 Kgs. 1663 Kgs. 1663 Kgs. 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial			TATA NEXON CRTV DK PDCA BS-VI
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R18 P16 P16 P16 P16 P16 P16 P16 P16	-		2498 mm
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R18 P16 95H Tubeless Radial; R18 P16		Seating capacity	5 in all
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm	-	A CONTRACTOR OF THE CONTRACTOR	As applicable
or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm	15.	ULW (unladen weight)	1253 Kgs.
weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 5 Rear over hang -	16.	G.V.W. (Gross vehicle weight)	1663 Kgs.
manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. Dimension a. Overall Length 3995 mm	2 -	or RLW (Registered laden	
17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial R18. Registered Axle Weight a. Front axle (faw) 870 Kgs. b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm		weight) as certified by the	
and ply rating of tyres as declared by the manufacturer a. Front axle	17		
declared by the manufacturer a. Front axle b. Rear axle Registered Axle Weight a. Front axle (faw) b. Rear axle (faw) b. Rear axle (raw) 793 Kgs. 195/60 R16 89H Tubeless Radial 195/60 R16 89H Tubeless Radial 186. Registered Axle Weight 1870 Kgs. 19. Dimension 19. Overall Length 195/60 R16 89H Tubeless Radial	17.	Number, description, size	
a. Front axle b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. Dimension a. Overall Length 3995 mm			
a. Front axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 793 Kgs. 793 Kgs. 793 Kgs. 793 Kgs.			F
b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R	a.		105/60 P16 00H T L L P # 1 2 2 2 2
b. Rear axle 195/60 R16 89H Tubeless Radial; R16 95H Tubeless Radial; R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 793 Kgs. 793 Kgs. 19. Dimension a. Overall Length 3995 mm		Tronc uxic	P16 OFH Tubeless Radial; 215/60
18. Registered Axle Weight a. Front axle (faw) 870 Kgs. b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm b. Rear over hang -	b.	Rear axle	
18. Registered Axle Weight a. Front axle (faw) 870 Kgs. b. Rear axle (raw) 793 Kgs. 19. Dimension 3995 mm b. Rear over hang -			R16 95H Tubeless Radial; 215/60
a. Front axle (faw) 870 Kgs. b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm b. Rear over hang -	18.	Registered Axle Weight	10 9311 Tubeless Radial
b. Rear axle (raw) 793 Kgs. 19. Dimension a. Overall Length 3995 mm b. Rear over hang -	a.		870 Kas
19. <u>Dimension</u> a. Overall Length 3995 mm b. Rear over hang -	b.		
b. Rear over hang -	19.	<u>Dimension</u>	· · · · · · · · · · · · · · · · · · ·
b. Rear over hang -	a.	Overall Length	3995 mm
c. Overall width 1804 mm	-		-
			1804 mm
d. Overall height 1620 mm	***		
e. Min. ground clearance 177 mm	e.	Min. ground clearance	177 mm

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers <u>AASN 0625, V02, Dated:</u> 16.02.2024, AASN 0625, V01, Dated: 16.01.2024, AASN 0625, R01, Dated: 23.10.2023 and AASN 0625, Dated: 29.08.2023 (OBD Stage-II) issued by the testing agency **ARAI PUNE**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the registering authorities and assistant registering authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Sd/-M.K. Suresh Kumar,Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran,
Assistant Secretary-III,
Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 1205/2024)

Copy to

M/s Tata Motors Passenger Vehicles Limited 10^{th} Floor No.67 Arihant Rohini G N Chetty Road, T. Nagar, Chennai, Tamilnadu, 600 017.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

The Secretary, State Transport Appellate Tribunal, Chennai – 104.
 The assistant director (statistics) `S' section for e-mailing the

registration approval and for publishing it in our website.