TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 031646-HB2-2024, Dated: 19.09.2024

(Communication of Type Approval Certificate No. 1426/2024)

- Sub: Motor Vehicles Registration of HMV Construction Equipment Vehicle - "SEM 656D Non-ROPS Cab CEV Stage –IV" the state of Tamil Nadu – permission-granted regarding.
 - Ref: (1) Application dated: 11.09.2024 from "M/s Caterpillar India Private Limited" Engineering Design Centre International Technology Park Chennai, Taramani Road, Taramani, Chennai – 600 113.
 - (2) Type approval certificate number <u>AAQN 0242, Dated:</u> <u>16.06.2021</u> issued by the Automotive Research Assoc9ation of India, Pune.
 - (3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 11.09.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
 Department of Tamil Nadu.
 * * *

Kindly see the reference cited.

(2) **"M/s Caterpillar India Private Limited"** Engineering Design Centre International Technology Park Chennai, Taramani Road, Taramani, Chennai – 600 113. who is the importer has applied for grant of *communication of type approval certificate* to register the new model **"SEM 656D Non-ROPS Cab CEV Stage –IV"** in Tamil Nadu Imported by M/s Caterpillar India Private limited, Melnallathur, Thiruvallur – 602004, India.

(3) They have also produced the relevant Type approval certificate number **AAQN 0242, Dated: 16.06.2021** issued by the testing agency **ARAI Pune**.

Sir,

(Communication of Type Approval Certificate No. 1426/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Importers name and address M/s Caterpillar India Private limited 2. Importers name and address M/s Caterpillar India Private limited 3. Manufacturers Name and Address M/s Caterpillar (Qingzhou) Ltd. No.12999 Nanhuan Road, Qingzhou		FARTICOLARS FOR R.C. DOOR	ENTRIES ARE FORNISHED BELOW
2. Importers name and address M/s Caterpillar India Private limited Melnallathur, Thiruvallur – 602004 India 3. Manufacturers Name and Address M/s Caterpillar (Qingzhou) Ltd. No.12999 Nanhuan Road, Qingzhou City, Shandong Province, 262500, P.I. China 4. Type of body Wheel Loader 5. Type of vehicle/category 'C' Category 6. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage –IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or Rugistered Asle Weight - a. Front axle (Faw-1, Faw-2 etc) 7860 Kgs. b. <td>1.</td> <td>Class of vehicle</td> <td></td>	1.	Class of vehicle	
Melnallathur, Thiruvallur - 602004 India Address Address Monufacturers Name Address Monufacturers Name Address Monufacturers Name Address Monufacturer No.12999 Nandong Province, 262500, P.I. China A. Type of body Wheel Loader S. Type of vehicle/category C' Category G. Month and year of Manufacture As percodification Type of vehicle S. Engine number of the case of battery operated vehicle Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage –IV 14. Wheel base 3300 mm 15. Seating capacity One 16.	2.	Importers name and address	
India India 3. Manufacturers Address Name and Address M/s No.12999 Caterpillar No.12999 (Qingzhou) Ltd. No.12999 4 Type of body Wheel Loader Signa 5. Type of vehicle/category 'C' Category 6. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or number in the case of battery operated vehicle Diesel 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. UW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or RLW (Registered laden weight) as certified by the manufacturer 23.5-25, 16 PR 19. Rear axle 23.5-25, 16 PR			
Address No.12999 Nanhuan Road, Qingzhou China China Road, Qingzhou 4 Type of body Wheel Loader 5. Type of vehicle/category 'C' Category 6. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle Diesel 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or RLW (Registered laden weight) tor RLW (Registered laden weight) as certified by the manufacturer And ply rating of tyres as declared by the manufacturer 19. Number, description, size and ply rating of tyres			
A Type of body Wheel Loader S Type of vehicle/category C' Category G. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle Diesel 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight - a. Front axle 23.5-25, 16 PR b. Rear axle 23.5-25 16 PR c. Rear Axle (Raw-1, R	3.		M/s Caterpillar (Qingzhou) Ltd.,
China4Type of bodyWheel Loader5.Type of vehicle/category`C' Category6.Month and year of ManufactureAs per codification7.No. of cylinders68.Chassis number of the inspecting vehicleAs applicable9.Engine number or motor number in the case of battery operated vehicleAs applicable10.Fuel usedDiesel11.H.P./BHP170 kw @ 1950 rpm12.Cubic capacity7470 cc13.Makers classificationSEM 656D Non-ROPS Cab CEV Stage -IV14.Wheel base3300 mm15.Seating capacityOne16.ColourAs applicable17.ULW (unladen weight)17160 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturer20.Registered Axle Weight -21.Pront axle (Faw-1, Faw-2 etc)20.Registered Axle Weight -a.Front Axle (Faw-1, Faw-2 etc)21.Dimension a.a.Overall lengthb.Rear over hang -c.Overall lengthd.Overall length32.5725 mm		Address	No.12999 Nanhuan Road, Qingzhou
4 Type of body Wheel Loader 5. Type of vehicle/category `C' Category 6. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR 20. Registered Axle Weight - a. Front axle 23.5-25 16 PR b. Rear axle 23.5-25 16 PR <td></td> <td></td> <td>City, Shandong Province, 262500, P.R</td>			City, Shandong Province, 262500, P.R
5. Type of vehicle/category `C' Category 6. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and declared by the manufacturer 23.5-25, 16 PR b. Rear axle 23.5-25 16 PR c. Rear axle 23.5-25 16 PR b. Rear axle 9300 Kgs. 21. Dimension			
6. Month and year of Manufacture As per codification 7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer - 19. Registered Axle Weight - - a. Front axle 23.5-25, 16 PR b. Rear axle 23.5-25 16 PR c. Registered Axle Weight - - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. </td <td></td> <td></td> <td></td>			
7. No. of cylinders 6 8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage –IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer - a. Front axle 23.5-25, 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension<			
8. Chassis number of the inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight - a. Front axle 23.5-25 16 PR 20. Registered Axle Weight - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear Axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension - a. Overall length 8279 (STD), 8487 (HL)			•
inspecting vehicle As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) N/A or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR 20. Registered Axle Weight - - a. Front axle 23.5-25, 16 PR 20. Registered Axle Weight - - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - - a. Front Axle (Faw-1, Faw-2 etc)			
9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR 20. Registered Axle Weight - - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension - a. Overall length 8279 (STD), 8487 (HL) b. Rear over hang - c. Overall height 3457 mm	8.		As applicable
number in the case of battery operated vehicleDiesel10.Fuel usedDiesel11.H.P./BHP170 kw @ 1950 rpm12.Cubic capacity7470 cc13.Makers classificationSEM 656D Non-ROPS Cab CEV Stage -IV14.Wheel base3300 mm15.Seating capacityOne16.ColourAs applicable17.ULW (unladen weight)17160 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturerN/A19.Number, description, size and ply rating of tyres as declared by the manufacturer23.5-25, 16 PRa.Front axle23.5-25 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight a.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension aa.Overall length8279 (STD), 8487 (HL)b.Rear over hang cc.Overall height3457 mm	9		As applicable
operated vehicle10.Fuel used11.H.P./BHP170 kw @ 1950 rpm12.Cubic capacity7470 cc13.Makers classification14.Wheel base15.Seating capacity16.Colour17.ULW (unladen weight)17.ULW (unladen weight)17.ULW (unladen weight)17.ULW (unladen weight)17.VLW (Registered laden weight) as certified by the manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturer19.Rear axle23.5-25, 16 PRb.Rear axle20.Registered Axle Weight -a.Front axleb.Rear axle20.Registered Axle Weight -a.Front Axle (Faw-1, Faw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)b.Rear over hang -c.Overall lengthb.8279 (STD), 8487 (HL)b.Rear over hang -c.Overall height3457 mm	5.		
10. Fuel used Diesel 11. H.P./BHP 170 kw @ 1950 rpm 12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR 19. Registered Axle Weight - a. Front axle 23.5-25 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. Front Axle (Faw-1, Faw-2 etc) 9300 Kgs. b. Rear axle (Raw-1, Raw-2 etc) 9300 Kgs. c. Overall length <td< td=""><td></td><td></td><td></td></td<>			
12. Cubic capacity 7470 cc 13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR 20. Registered Axle Weight - a. Front axle 23.5-25 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. Front axle 23.5-25 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear Axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension - a. Overall length 8279 (STD), 8487 (HL) b. Rear over hang -	10.		Diesel
13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR a. Front axle 23.5-25 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. - a a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear Axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension a a. Overall length 8279 (STD), 8487 (HL) b. Rear over hang - c. c. Overall width 2963 mm d. Overall height 3457 mm	11.	H.P./BHP	170 kw @ 1950 rpm
13. Makers classification SEM 656D Non-ROPS Cab CEV Stage -IV 14. Wheel base 3300 mm 15. Seating capacity One 16. Colour As applicable 17. ULW (unladen weight) 17160 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer N/A 19. Number, description, size and ply rating of tyres as declared by the manufacturer 23.5-25, 16 PR a. Front axle 23.5-25 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. - a a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear Axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension a a. Overall length 8279 (STD), 8487 (HL) b. Rear over hang - c. c. Overall width 2963 mm d. Overall height 3457 mm	12.	Cubic capacity	7470 cc
14.Wheel base3300 mm15.Seating capacityOne16.ColourAs applicable17.ULW (unladen weight)17160 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturerN/A19.Number, description, size and ply rating of tyres as declared by the manufacturer23.5-25, 16 PRa.Front axle23.5-25 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight - aa.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension-a.Overall length8279 (STD), 8487 (HL)b.Rear over hang c.Overall width2963 mmd.Overall height3457 mm			
16.ColourAs applicable17.ULW (unladen weight)17160 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturerN/A19.Number, description, size and ply rating of tyres as declared by the manufacturer23.5-25, 16 PRa.Front axle23.5-25 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight - aa.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension-a.Overall length8279 (STD), 8487 (HL)b.Rear over hang c.Overall width2963 mmd.Overall height3457 mm	14.		
17.ULW (unladen weight)17160 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturerN/A19.Number, description, size and ply rating of tyres as declared by the manufacturer23.5-25, 16 PRa.Front axle23.5-25 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight - aa.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension a.Overall lengtha.Overall length8279 (STD), 8487 (HL)b.Rear over hang c.Overall width2963 mmd.Overall height3457 mm	15.	Seating capacity	One
18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturerN/A19.Number, description, size and ply rating of tyres as declared by the manufacturer-a.Front axle23.5-25, 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight-a.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension-a.Overall length8279 (STD), 8487 (HL)b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm	16.	Colour	As applicable
orRLW(Registered laden weight) as certified by the manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle20.Registered Axle Weight a.20.Registered Axle Weight a.a.Front Axle (Faw-1, Faw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)b.Rear over hang a.c.Overall lengthb.Rear over hang a.c.Overall width d.d.Overall height			17160 Kgs.
weight) as certified by the manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle20.Registered Axle Weight-a.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimensiona.Overall length8279 (STD), 8487 (HL)b.Rear over hangc.Overall width2963 mmd.Overall height	18.		N/A
manufacturer19.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle20.Registered Axle Weight - a.a.Front Axle (Faw-1, Faw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)b.Rear over hang -c.Overall lengthb.Rear over hang -c.Overall widthd.Overall height			
19.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axle23.5-25, 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight - aa.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension a.Overall lengtha.Overall length8279 (STD), 8487 (HL)b.Rear over hang c.Overall width2963 mmd.Overall height3457 mm			
and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle20.Registered Axle Weight Front Axle (Faw-1, Faw-2 etc)a.Front Axle (Faw-1, Faw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)b.Rear Axle (Raw-1, Raw-2 etc)c.Overall lengthb.8279 (STD), 8487 (HL)b.Rear over hangc.Overall widthd.2963 mmd.Overall height	10		
declaredbythe manufacturera.Front axle23.5-25, 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight-a.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension-a.Overall length8279 (STD), 8487 (HL)b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm	19.		
manufacturera.Front axle23.5-25, 16 PRb.Rear axle23.5-25 16 PR20.Registered Axle Weight-a.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension-a.Overall length8279 (STD), 8487 (HL)b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm			
a. Front axle 23.5-25, 16 PR b. Rear axle 23.5-25 16 PR 20. Registered Axle Weight - a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear Axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension - a. Overall length 8279 (STD), 8487 (HL) b. Rear over hang - c. Overall width 2963 mm d. Overall height 3457 mm			
20.Registered Axle Weight-a.Front Axle (Faw-1, Faw-2 etc)7860 Kgs.b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimension-a.Overall length8279 (STD), 8487 (HL)b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm	a.		23.5-25, 16 PR
a. Front Axle (Faw-1, Faw-2 etc) 7860 Kgs. b. Rear Axle (Raw-1, Raw-2 etc) 9300 Kgs. 21. Dimension - a. Overall length 8279 (STD), 8487 (HL) b. Rear over hang - c. Overall width 2963 mm d. Overall height 3457 mm	b.	Rear axle	23.5-25 16 PR
b.Rear Axle (Raw-1, Raw-2 etc)9300 Kgs.21.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall height	20.	Registered Axle Weight	-
21.Dimensiona.Overall length8279 (STD), 8487 (HL)b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm			
a.Overall length8279 (STD), 8487 (HL)b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm			9300 Kgs.
b.Rear over hang-c.Overall width2963 mmd.Overall height3457 mm			
c.Overall width2963 mmd.Overall height3457 mm			8279 (STD), 8487 (HL)
d. Overall height 3457 mm			-
e. Min. ground clearance 462 mm			
	e.	min. ground clearance	402 (1)(1)

Based on the document verification of the vehicle by the Assistant Secretary-III and based on the type approval certificate number <u>AAQN 0242</u>, <u>Dated: 16.06.2021</u> issued by the testing agency **ARAI Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

> **Sd/-Pon.Senthilnathan,** Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, 18 las Assistant Secretary-III, Guindy, Chennai - 600 032.

(Communication of Type Approval Certificate No. 1426/2024)

1919124

B

Copy to

M/s Caterpillar India Private Limited Engineering Design Centre International Technology Park Chennai, Taramani Road, Taramani, Chennai – 600 113.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

- " The PA to State Transport Authority `H' section.
- " The Secretary, State Transport Appellate Tribunal, Chennai 104.
- " The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.