TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Giuindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

Letter No. 024778-HA2-2024, Dated: 30.07.2024

(Communication of Type Approval Certificate No. 1200/2024)

Sir,

Sub: Motor Vehicles – Registration of Medium Passenger Vehicle - "LS1510.3T6RB – Fully Built Passenger Vehicle (With AC Option) BS-VI" in the state of Tamil Nadu – permission-granted regarding.

- Ref: (1) Application dated: 19.07.2024 from **M/s Ashok Leyland Limited"**, No.1 Sardar Patel Road, Guindy, Chennai 600032.
 - (2) Type approval certificate number <u>AAPN 0081, F08, Dated:</u> <u>23.02.2023</u> (OBD-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-321, dated: 19.07.2023
 - (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

 * * * *

Kindly see the reference cited.

- (2) "M/s Ashok Leyland Limited", No.1 Sardar Patel Road, Guindy, Chennai 600032, who is the manufacturer has applied for grant of "communication of type approval certificate" to register the new model "LS1510.3T6RB Fully Built Passenger Vehicle (With AC Option) BS-VI" in Tamil Nadu manufactured by M/s Ashok Leyland Limited, No.1 Sardar Patel Road, Guindy, Chennai 600032.
- (3) They have also produced the relevant Type approval certificate number **AAPN 0081, F08, Dated: 23.02.2023 (OBD-II)** issued by the testing agency **ARAI Pune**.

(Communication of Type Approval Certificate No. 1200/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Type of vehicle/Category 3. Maker's name M/s Ashok Leyland Limited, No.1 Sardar Patel Road, Guindy, Chennai 600032 4. Whether the vehicle is of Cowl Chassis (or) 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. Diesel 11. KW @ 2400 ± 50 rpm 12. Cubic Capacity M3 Category M3 Category M3 Category M3 Category M3 Category M3 Category M4 As Ashok Leyland Limited, No.1 Sardar Patel Road, Guindy, Chennai 600032 CBU CBU As per codification As applicable Diesel 11. KW @ 2400 ± 50 rpm		PARTICULARS FOR R.C. BOOK	CENTRIES ARE FURNISHED BEL	<u>ow</u>
3. Maker's name	1.	Class of vehicle	Medium Passenger Vehicle	
4. Whether the vehicle is of Cowl Chassis (or) 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 13. Makers classification 14. Wheel base 15. Seating capacity 15. Seating capacity 16. Colour 17. U.W (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Rear Axle (Raw) 20. Registered Axle Weight 21. Dimension 22. Diversible in the capacity of the colour of t	-		M3 Category	
Whether the vehicle is of Cowl Chassis (or) CBU	3.	Maker's name		
5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 13. Makers classification 14. Wheel base 15. Seating capacity 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight 20. Regrand (Raw) 20. Regrand (Raw) 20. Regrand (Raw) 21. Dimension 22. Speed governor (speed limiting function) 22. Speed governor (speed limiting function) 23. Month and year of As applicable As app	4.			
manufacturer 7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 13. Makers classification 14. Wheel base 15. Seating capacity 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight 21. Pront axle (Faw) 22. Rear Axle (Raw) 235/75 R17.5, 14PR 235/75 R17.5, 14PR 24. Rear Axle (Raw) 25. Rear Axle (Raw) 27. Overall length 28. Rear over hang 29. Qverall length 20. Qverall leight 21. Dimension 22. Speed governor (speed limiting ECU: M/s Delphi TVS 20. Minder of the content of th	5.		1	
7. No. of cylinders 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 3840 cc 13. Makers classification LS1510.3T6RB - Fully Built Vehicle (With AC Option) BS-VI 14. Wheel base 5200 mm 15. Seating capacity 57 + A + D 16. Colour As applicable 17. ULW (unladen weight) 6930 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight 21. Regrand Rake (Faw) 235/75 R17.5, 14PR 22. Rear Axle (Raw) 3120 mm 235 mm 24. Overall length 10340 mm 25. Speed governor (speed limiting ECU: M/s Delphi TVS function)	6.	Month and year of	As per codification	
8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle Weight 21. Pront axle (Faw) 22. Rear Axle (Raw) 235/75 R17.5, 14PR 235/75 R17.5, 14PR 24. 100 Kgs. 25. 100 Kgs. 26. Rear Axle (Raw) 27. 100 Kgs. 27. 100 Kgs. 28. 100 Kgs. 29. 100 Kgs. 20. Registered Axle Weight 20. Registered Axle Weight 21. Dimension 22. Overall length 23. Overall length 23. Overall height 23. Speed governor (speed limiting function) 26. Min. Ground Clearance 27. Speed governor (speed limiting function)	7.	No. of cylinders	4	
9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Rear Axle (Raw) 20. Registered Axle Weight 21. Dimension 22. Overall length 23. Overall length 24. Overall length 25. Overall length 26. Overall height 27. Overall length 28. Overall length 29. Overall height 20. Overall height 20. Overall height 21. Overall height 22. Speed governor (speed limiting function) 22. Speed governor (speed limiting function)	8.		As applicable	
11. H.P. 110 KW @ 2400 ± 50 rpm 12. Cubic Capacity 3840 cc 13. Makers classification LS1510.3T6RB - Fully Built Vehicle (With AC Option) BS-VI 14. Wheel base 5200 mm 15. Seating capacity 57 + A + D 16. Colour As applicable 17. ULW (unladen weight) 6930 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 11100 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 1235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR 20. Registered Axle Weight 4100 Kgs. a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension 10340 mm b. Rear over hang 3120 mm c. Overall length 3016 mm d. Overall height 3016 mm e.		number in the case of battery operated vehicle		
12. Cubic Capacity 13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 20. Registered Axle (Raw) 20. Registered Axle (Raw) 20. Regar Axle (Raw) 21. Dimension 22. Overall length 23. Overall length 24. Ground Clearance 24. Speed governor (speed limiting function) 25. Seeding capacity 25. Vehicle (With AC Option) BS-VI Vehicle (With A D			Diesel	
13. Makers classification 14. Wheel base 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Rear Axle (Faw) 235/75 R17.5, 14PR 20. Registered Axle Weight a. Front Axle (Faw) b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length b. Rear over hang c. Overall width d. Overall height e. Min. Ground Clearance 22. Speed governor (speed limiting function) 15. Seating capacity 520 mm 57 + A + D 58 - VI Fasting of tyres as declared with As applicable 5100 Kgs. 510 K	11.	H.P.	110 KW @ 2400 <u>+</u> 50 rpm	
13. Makers classification LS1510.3T6RB - Fully Built Vehicle (With AC Option) BS-VI 14. Wheel base 5200 mm 57 + A + D 15. Seating capacity 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 20. Registered Axle Weight a. Front Axle (Faw) b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length b. Rear over hang C. Overall width C. Overall height e. Min. Ground Clearance 22. Speed governor (speed limiting function) Passenger Vehicle (With AC Option) BS-VI Passenger Passenger Vehicle (With AC Option) BS-VI Passenger Vehicle (With AC Option) BS-VI Passenger Vehicle (With AC Option) BS-VI Speading a command 57 + A + D As applicable 6930 Kgs. 11100 Kgs. 11100 Kgs. 1235/75 R17.5, 14PR 235/75 R17.5, 14PR	12.	Cubic Capacity	3840 cc	
15. Seating capacity 57 + A + D 16. Colour As applicable 17. ULW (unladen weight) 6930 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR 20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function)	13.		la de la companya de	Passenger
16. Colour As applicable 17. ULW (unladen weight) 6930 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR 20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function)	14.	Wheel base	5200 mm	
17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 20. Registered Axle Weight a. Front Axle (Faw) A Rear Axle (Raw) Dimension a. Overall length b. Rear over hang C. Overall width Overall height Min. Ground Clearance 21. Speed governor (speed limiting function) ECU: M/s Delphi TVS	15.	Seating capacity	57 + A + D	
18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR 20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm ECU: M/s Delphi TVS function)	16.	Colour	As applicable	
weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR 20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function)	17.	ULW (unladen weight)	6930 Kgs.	
and ply rating of tyres as declared by the manufacturer a. Front axle (Faw) 235/75 R17.5, 14PR b. Rear Axle (Raw) 235/75 R17.5, 14PR 20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS		weight) or RLW (Registered laden weight) as certified by the manufacturer	11100 Kgs.	
b. Rear Axle (Raw) 20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length b. Rear over hang c. Overall width 2350 mm d. Overall height 8. Min. Ground Clearance 21. Speed governor (speed limiting function) 235/75 R17.5, 14PR 24100 Kgs. 24100	19.	and ply rating of tyres as declared by the		
20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	a.	Front axle (Faw)	235/75 R17.5, 14PR	
20. Registered Axle Weight a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	b.	Rear Axle (Raw)	235/75 R17.5. 14PR	
a. Front Axle (Faw) 4100 Kgs. b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS				
b. Rear Axle (Raw) 7000 Kgs. 21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	a.		4100 Kgs.	
21. Dimension a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	b.			
a. Overall length 10340 mm b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	21.		£	
b. Rear over hang 3120 mm c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	a.		10340 mm	
c. Overall width 2350 mm d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS				
d. Overall height 3016 mm e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS			A control of the cont	
e. Min. Ground Clearance 210 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi TVS	d.	Overall height		
22. Speed governor (speed limiting ECU: M/s Delphi TVS function)	e.	Min. Ground Clearance		
23. Max Speed/Pre-set speed limit 60 kmph	22.		ECU: M/s Delphi TVS	
	23.	Max Speed/Pre-set speed limit	60 kmph	

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate number <u>AAPN 0081, F08, Dated: 23.02.2023</u> (OBD-II) issued by the testing agency ARAI Pune, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Sd/-M.K. Suresh Kumar,Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, Assistant Secretary-II (FAC), Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 1200/2024)

Copy to

M/s Ashok Leyland Limited, No.1 Sardar Patel Road, Guindy, Chennai 600032.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' Section.

"The Secretary, State Transport Appellate Tribunal, Chennai – 104.
The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.