#### TRANSPORT DEPARTMENT

From

#### The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

## Letter No. 017146-HB2-2024, Dated: 30.05.2024

#### (Communication of Type Approval Certificate No. 873/2024)

Sir,

- Sub: Motor Vehicles Registration of LMV Motor Car "MAHINDRA XUV3XO MX3 PM AT BS-VI" in the state of Tamil Nadu – permission-granted regarding.
- Ref: (1) Application dated: 22.05.2024 from "M/s Mahindra & Mahindra Ltd. Automotive Sector", Mahindra Towers, 1<sup>st</sup> Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.
  - (2) Type approval certificate number <u>AATN 0049, Dated:</u> <u>22.02.2024</u> (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
  - (3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 23.05.2024.
  - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
     Department of Tamil Nadu.
     \* \* \*

Kindly see the reference cited.

(2) **\*M/s Mahindra & Mahindra Ltd. Automotive Sector**, Mahindra Towers, 1<sup>st</sup> Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002, who is the manufacturer has applied for grant of **\*MAHINDRA XUV3XO MX3 PM AT BS-VI** in Tamil Nadu manufactured by M/s Mahindra & Mahindra Limited., 88/89, MIDC Satpur, Nashik - 422007.

(3) They have also produced the relevant Type approval certificate numbers <u>AATN 0049, Dated: 22.02.2024</u> (OBD Stage-II) issued by the testing agency ARAI Pune.

# (Communication of Type Approval Certificate No. 873/2024)

# PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2.       Maker's name       M/s Mahindra & Mahindra Limited., 88/89         3.       Type of Body       -         3.       Type of Vehicle/category       M1 Category/Light Passenger Vehicle         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       Gasoline         8.       Fuel used       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1370 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         16.       Registered Axle Weight       633 Kgs.       161         a.       Front Axle			
3.       Type of Body	1.	Class of vehicle	LMV Motor Car
MIDC Satpur, Nashik - 422007         3(a)       Type of Body         3(a)       Type of vehicle/category       M1 Category/Light Passenger Vehicle         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       3         6.       Chassis number or motor number in the case of battery operated vehicle       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1810 Kgs.         or       RLW (Registered laden manufacturer       1137/5 S R17 94V & H;         7       Mumber, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H;         16.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H;         18.       Registered Axle Wei	2.	Maker's name	M/s Mahindra & Mahindra Limited., 88/89.
3.       Type of Body       -         3(a)       Type of vehicle/category       M1 Category/Light Passenger Vehicle         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1810 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1325/55 R17 94V & H;         a.       Front Axle       205/65 R16 95H; 215/55 R17 94V & H;         femporary Spare Wheel: T135/90 R16       Temporary Spare Wheel: T135/90 R16         b.       Registered Axle Weight       633 Kgs.         a.			MIDC Satpur, Nashik - 422007
<ul> <li>Month and year of manufacture As per codifications</li> <li>No. of cylinders</li> <li>Chassis number</li> <li>As applicable</li> <li>Chassis number or motor number in the case of battery operated vehicle</li> <li>Fuel used</li> <li>Gasoline</li> <li>H.P./BHP</li> <li>82 Kw @ 5000 rpm</li> <li>Cubic capacity</li> <li>1197.6 cc</li> <li>Makers classification</li> <li>MAHINDRA XUV3XO MX3 PM AT BS-VI</li> <li>Wheel base</li> <li>2600 mm</li> <li>Seating capacity</li> <li>D+4</li> <li>Colour</li> <li>As applicable</li> <li>Seating capacity</li> <li>D+4</li> <li>Colour</li> <li>As applicable</li> <li>ULW (unladen weight)</li> <li>1370 Kgs.</li> <li>G.V.W. (Gross vehicle weight)</li> <li>or RLW (Registered laden weight)</li> <li>1810 Kgs.</li> <li>G.V.W. (Gross vehicle weight)</li> <li>or RLW (Registered laden weight)</li> <li>nanufacturer</li> <li>Number, description, size and ply rating of tyres as declared by the manufacturer</li> <li>Registered Axle Weight</li> <li>Registered Axle Weight</li> <li>Front axle</li> <li>Front axle</li> <li>Port axle (faw)</li> <li>977 Kgs.</li> <li>Rear axle (raw)</li> <li>833 Kgs.</li> <li>Dimension</li> <li>Overall length</li> <li>3990 mm</li> <li>Rear over hang</li> <li>Coverall width</li> <li>1821 mm</li> <li>Overall length</li> <li>Overall height</li> <li>1647 mm (with Ski rack) (617 mm (Without Ski rack)</li> </ul>			•
<ul> <li>Month and year of manufacture As per codifications</li> <li>No. of cylinders 3</li> <li>Chassis number As applicable</li> <li>Engine number or motor As applicable</li> <li>Fuel used Gasoline</li> <li>H.P./BHP 82 Kw @ 5000 rpm</li> <li>Cubic capacity 1197.6 cc</li> <li>Makers classification MAHINDRA XUV3XO MX3 PM AT BS-VI</li> <li>Wheel base 2600 mm</li> <li>Seating capacity D+4</li> <li>Colour As applicable</li> <li>ULW (unladen weight) 1370 Kgs.</li> <li>G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer</li> <li>Rear Axle 205/65 R16 95H; 215/55 R17 94V &amp; H; Temporary Spare Wheel: T135/90 R16</li> <li>Rear Axle 205/65 R16 95H; 215/55 R17 94V &amp; H; Temporary Spare Wheel: T135/90 R16</li> <li>Rear Axle 40 977 Kgs.</li> <li>Rear axle (raw) 833 Kgs.</li> <li>Dimension 40.</li> <li>Overall length 3990 mm</li> <li>Rear over hang -</li> <li>Overall length 1821 mm</li> <li>Overall height 1647 mm (with Ski rack) 1617 mm (Without Ski rack)</li> </ul>		Type of vehicle/category	M1 Category/Light Passenger Vehicle
5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1810 Kgs.         or RLW (Registered laden weight)       1810 Kgs.         or RLW (Registered laden weight)       1810 Kgs.         or RLW (Registered laden weight)       1810 Kgs.         forn Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       As apporary Spare Wheel: T135/90 R16         a.       Front axle (faw)       977 Kgs.         b.       Rear Axle <t< td=""><td>-</td><td>Month and year of manufacture</td><td></td></t<>	-	Month and year of manufacture	
7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1810 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       333 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (faw)       977 Kgs.         b.       Rear axle (faw)       3990 mm         c.       Overall width       1821 mm         d.       Overall		No. of cylinders	
7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       333 Kgs.         a.       Front Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       333 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.		Chassis number	As applicable
number in the case of battery operated vehicle         8.       Fuel used         9.       H.P./BHP         10.       Cubic capacity         11.       Makers classification         12.       Wheel base         13.       Seating capacity         14.       Colour         15.       ULW (unladen weight)         16.       G.V.W. (Gross vehicle weight)         17.       Number, description, size and ply rating of tyres as declared by the manufacturer         17.       Number, description, size and ply rating of tyres as declared by the manufacturer         a.       Front Axle         205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle         205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight a.         a.       Front axle (faw)         977 Kgs.         b.       Rear axle (raw)         833 Kgs.         19.       Dimension         a.       Overall length         b.       Rear over hang         c.       Overall length         b.       Rear over hang         c.       Overall length         1647 mm (wit	7.	Engine number or motor	
operated vehicle         8.       Fuel used       Gasoline         9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       3990 mm         c.       Overall width       1821 mm         d.       Overall height       1647 mm (with Ski rack) 1617 mm (Without Ski rack) <td></td> <td>number in the case of battery</td> <td>· · ·</td>		number in the case of battery	· · ·
9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1810 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       77 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall height       1647 mm (with Ski rack)         1617 mm (Without Ski rack)       1617 mm (Without Ski rack) <td></td> <td></td> <td></td>			
9.       H.P./BHP       82 Kw @ 5000 rpm         10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       a.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       a.         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall height       1647 mm (with Ski rack)         1617 mm (Without Ski rack)       1617 mm (Without Ski rack)	8.	Fuel used	Gasoline
10.       Cubic capacity       1197.6 cc         11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number. description. size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       4         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       -         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall height       1647 mm (with Ski rack) 1617 mm (Without Ski rack)	9.	H.P./BHP	82 Kw @ 5000 rpm
11.       Makers classification       MAHINDRA XUV3XO MX3 PM AT BS-VI         12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight)       1810 Kgs.         or       RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       4         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       1821 mm         d.       Overall height       1647 mm (with Ski rack) 1617 mm (Without Ski rack)	10.	Cubic capacity	
12.       Wheel base       2600 mm         13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       833 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall height       1647 mm (with Ski rack) 1617 mm (Without Ski rack)			
13.       Seating capacity       D+4         14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       833 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall height       1647 mm (with Ski rack) 1617 mm (Without Ski rack)			
14.       Colour       As applicable         15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       977 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall height       1647 mm (with Ski rack) 1617 mm (Without Ski rack)			
15.       ULW (unladen weight)       1370 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       977 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       -         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       1821 mm         d.       Overall height       1647 mm (with Ski rack)			
16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1810 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight       977 Kgs.         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension			
or RLW (Registered laden weight) as certified by the manufacturer         17.       Number, description, size and ply rating of tyres as declared by the manufacturer         a.       Front Axle         a.       Front Axle         b.       Rear Axle         205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         b.       Rear Axle         205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16         18.       Registered Axle Weight         a.       Front axle (faw)         977 Kgs.         b.       Rear axle (raw)         833 Kgs.         19.       Dimension         a.       Overall length         b.       Rear over hang         c.       Overall width         d.       Overall height		G.V.W. (Gross vehicle weight)	
weight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axleb.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weight a.a.Front axle (faw)b.Rear axle (raw)19.Dimension a.a.Overall length3990 mmb.Rear over hang c.c.Overall heightd.1647 mm (with Ski rack) 1617 mm (Without Ski rack)		or RLW (Registered laden	1010 Kgs.
manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axleb.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weight a.a.Front axle (faw)b.Rear axle (raw)b.Rear axle (raw)b.Rear over hang c.c.Overall lengthd.1821 mmd.Overall heighti.1647 mm (with Ski rack) 1617 mm (Without Ski rack)		weight) as certified by the	
17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16b.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)977 Kgs.b.Rear axle (raw)833 Kgs.19.Dimension3990 mma.Overall length3990 mmb.Rear over hang-c.Overall width1821 mmd.Overall height1647 mm (with Ski rack) 1617 mm (Without Ski rack)		manufacturer	
and ply rating of tyres as declared by the manufacturera.Front Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16b.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)977 Kgs.b.Rear axle (raw)833 Kgs.19.Dimension-a.Overall length3990 mmb.Rear over hang-c.Overall width1821 mmd.Overall height1647 mm (with Ski rack) 1617 mm (Without Ski rack)	17.		
declaredbythemanufacturer205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16a.Front Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16b.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)977 Kgs.b.Rear axle (raw)833 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hang-c.Overall width1821 mmd.Overall height1647 mm (with Ski rack) 1617 mm (Without Ski rack)		and ply rating of tyres as	
manufacturera.Front Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16b.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)977 Kgs.b.Rear axle (raw)833 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hang-c.Overall width1821 mmd.Overall height1647 mm (with Ski rack) 1617 mm (Without Ski rack)			
a.Front Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R16b.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)833 Kgs.19.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall height1617 mm (Without Ski rack)1617 mm (Without Ski rack)			
b.Temporary Spare Wheel: T135/90 R16b.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)977 Kgs.b.Rear axle (raw)833 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hang-c.Overall width1821 mmd.Overall height1647 mm (with Ski rack) 1617 mm (Without Ski rack)	a.		205/65 R16 95H: 215/55 R17 94V & H
D.Rear Axle205/65 R16 95H; 215/55 R17 94V & H; Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)b.Rear axle (raw)833 Kgs.19.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall height1617 mm (Without Ski rack)1617 mm (Without Ski rack)			Temporary Spare Wheel: T135/90 B16
Temporary Spare Wheel: T135/90 R1618.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)b.Rear axle (raw)19.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall height1617 mm (Without Ski rack)1617 mm (Without Ski rack)	b.	Rear Axle	205/65 R16 95H: 215/55 R17 94V & H
18.       Registered Axle Weight         a.       Front axle (faw)       977 Kgs.         b.       Rear axle (raw)       833 Kgs.         19.       Dimension       -         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       1821 mm         d.       Overall height       1647 mm (with Ski rack)         1617 mm (Without Ski rack)       1617 mm (Without Ski rack)			Temporary Spare Wheel: T135/90 R16
b. Rear axle (raw) 833 Kgs. 19. Dimension a. Overall length 3990 mm b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (with Ski rack) 1617 mm (Without Ski rack)	18.	Registered Axle Weight	
b.       Rear axle (raw)       833 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       1821 mm         d.       Overall height       1647 mm (with Ski rack)         1617 mm (Without Ski rack)       1617 mm (Without Ski rack)	а.	Front axle (faw)	977 Kgs.
Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       1821 mm         d.       Overall height       1647 mm (with Ski rack)         1617 mm (Without Ski rack)       1617 mm (Without Ski rack)	b.	Rear axle (raw)	
b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (with Ski rack) 1617 mm (Without Ski rack)	19.	Dimension	
b. Rear over hang - c. Overall width 1821 mm d. Overall height 1647 mm (with Ski rack) 1617 mm (Without Ski rack)	a.	Overall length	3990 mm
c. Overall width 1821 mm d. Overall height 1647 mm (with Ski rack) 1617 mm (Without Ski rack)	b.	Rear over hang	
d. Overall height 1647 mm (with Ski rack) 1617 mm (Without Ski rack)	с.		1821 mm
1617 mm (Without Ski rack)	d.	Overall height	
	e.	Min. ground clearance	160 mm

Based on the verified the document of the vehicle by Assistant Secretary-III and based on the type approval certificate number **AATN 0049, Dated: 22.02.2024 (OBD Stage-II)**by the testing agency **ARAI, Pune,** it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

> **Sd/-M.K. Suresh Kumar,** Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

> > Guindy, Chennai - 600 032.

//By Order//

M. Raviehandran, istant Secret Assistant Secretary-III,

(Communication of Type Approval Certificate No. 873/2024)

## Copy to

M/s Mahindra & Mahindra Ltd. Automotive Sector, Mahindra Towers, 1<sup>st</sup> Floor, 17/18, Pattullos Road, Anna Salai, Chennai 600 002.

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai 4.
  - " The PA to State Transport Authority `H' section.
  - " The Secretary, State Transport Appellate Tribunal, Chennai 104.
  - The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.