TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Ezhilagam, Chepauk, Chennai – 600 005. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 041302-HA2-2023, Dated: 17.11.2023

(Communication of Type Approval Certificate No. 2837/2023)

Sir,

Sub: Motor Vehicles – Registration of HMV Goods Vehicle - "T.19 ULTRA SLR 49 CBC 180B6M6P Full forward control Truck Chassis with Sleeper Cab & without Load Body BS-VI" in the state of Tamil Nadu – permission-granted regarding.

- Ref: (1) Application dated: 14.11.2023 from "M/s Tata Motors Limited", Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai – 600 017.
 - (2) Type approval certificate number <u>AASN 0355, V01, Dated:</u> <u>03.07.2023</u> (OBD-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-5, dated: 15.11.2023.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
 Department of Tamil Nadu.
 * * *

Kindly see the reference cited.

(2) "M/s Tata Motors Limited", Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai – 600 017, who is the manufacturer has applied for grant of "*communication of type approval certificate* to register the new model "T.19 ULTRA SLR 49 CBC 180B6M6P Full forward control Truck Chassis with Sleeper Cab & without Load Body BS-VI" in Tamil Nadu manufactured by M/s Tata Motors Ltd., Pimpri, Pune - 411018.

(3) They have also produced the relevant Type approval certificate number <u>AASN 0355, V01, Dated: 03.07.2023</u> (OBD-II) issued by the testing agency **ARAI Pune**.

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

 4. Whether the vehicle is of Cowl Chassis (or) CBU 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 4 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 10. Fuel used 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification 7. 19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 15. Seating capacity 11. ULW (unladen weight) 12. Cubw (unladen weight) 13. So Cour 14. Wheel base 15. Seating capacity 16. Colour 7. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle b. ' 295/95 R20 b. ' 295/95 R20 c. Overall width 2440 mm 2440 mm Querall length 8570 mm Rear Axle (Raw) 11500 Kgs. 21. Dimension a. Overall width 2440 mm Querall height 2632 mm c. Overall width 2440 mm 2440 mm Querall height 2632 mm c. Overall width 2440 mm EU: M/s Delphi Trys 	100 10 10 10 10 10 10 10 10 10 10 10 10	PARTICULARS FOR R.C. DOOR	ENTRIES ARE FORMISHED BELOW
3. Maker's name M/s Tata Motors Ltd., Pimpri, Pu 4. Whether the vehicle is of Cowl Chassis (or) CBU Chassis with Sleeper Cab 5. Type of body - 6. Month and year of manufacturer As per codification 7. No. of cylinders 4 8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 7. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 18500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/95 R20 20. Registered Axle Weight 200 Kgs.	1.	Class of vehicle	HMV Goods Vehicle
 4. Whether the vehicle is of Cowl Chassis (or) CBU 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 4 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 6. Fuel used 10. Fuel used 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification 7. 19 ULTRA SLR 49 CBC 18 forward control Truck Chassis forward control Truck Chassis 14. Wheel base 4920 mm 15. Seating capacity 10. Fuel used 11. H.P. 12. Cubic capacity 13. Makers classification 14. Wheel base 4920 mm 15. Seating capacity 16. Colour 17. ULW (unladen weight) 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Number, description, size and ply rating of tyres as declared ky withe 1500 Kgs. 16. Front axle 295/95 R20 20. Registered Axle Weight a. Front Axle (Faw) 7000 Kgs. b. Rear Axle (Raw) 11500 Kgs. 21. Dimension a. Overall length 8570 mm b. Rear over hang 2295 mm c. Overall width 2440 mm Querall length 8570 mm b. Rear over hang 2295 mm c. Overall width 2440 mm 240 mm 	2.	Type of vehicle	N3 Category
 4. Whether the vehicle is of Cowl Chassis (or) CBU 5. Type of body 6. Month and year of manufacturer 7. No. of cylinders 4 8. Chassis number 9. Engine number or motor number in the case of battery operated vehicle 6. Fuel used 10. Fuel used 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification 7. 19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 7. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/95 R20 5. Rear Axle (Raw) 11500 Kgs. 12. Dimension a. Front Axle (Faw) 7000 Kgs. b. Rear over hang 2295 mm c. Overall width 2440 mm 	3.	Maker's name	M/s Tata Motors Ltd., Pimpri, Pune - 411018
 Type of body Type of body Month and year of manufacturer No. of cylinders Chassis number Engine number or motor number in the case of battery operated vehicle Fuel used Fuel used Cubic capacity Cubic capacity Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI Wheel base Seating capacity Colour As applicable Colour As applicable ULW (unladen weight) G. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer Front axle Front axle Front Axle (Faw) Rear Axle (Raw) Seator Axle (Raw) Disco Kgs. Rear Axle (Raw) Soverall length Rear over hang Querall length Recover chang Querall length Recover complexity Recover chang Querall length Recover complexity Recover complexity<td>4.</td><td></td><td></td>	4.		
 Month and year of manufacturer No. of cylinders Chassis number Engine number or motor number in the case of battery operated vehicle Fuel used Fuel used Cubic capacity Cubic capacity Makers classification Makers classification Seating capacity Seating capacity Seating capacity Seating capacity Mumber, description, size and ply rating of tyres as declared by the manufacturer Number, description, size and ply rating of tyres as declared by the manufacturer Front axle (Faw) Registered Axle Weight Front Axle (Faw) Overall length Rear over hang Overall length Rear over hang Queral length Cubic Right Overall width Queral length Cubic Right Cubic Right Cubic Right Cubic Right Cubic Capacity Cubic Capacity Cubic Capacity Colour As applicable Tion Kiss. Seating Capacity Signation of the manufacturer Mumber, description, size and ply rating of tyres as declared by the manufacturer Cubic Kgs. Cubic Kgs.<!--</td--><td>5.</td><td></td><td>-</td>	5.		-
8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 15. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 12. Diension 295/95 R20 20. Registered Axle Weight 11500 Kgs. 21. Dimension 1300 Kgs. 22. Rear over hang 2295 mm 23. Overall length 8570 mm a. Overall keight 2632 mm a.<	6.	Month and year of	As per codification
8. Chassis number As applicable 9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 15. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/95 R20 19. Number, description, size and clarent (Faw) 7000 Kgs. 20. Registered Axle Weight 1500 Kgs. 3. Front axle 295/95 R20 b. ` 295/95 R20 c. Overall length 8570 mm a. Front Axle (Faw) 11500 Kgs. b. Rear over hang 2295	7.		4
9. Engine number or motor number in the case of battery operated vehicle As applicable 10. Fuel used Diesel . 11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm . 15. Seating capacity Driver + 2 . 16. Colour As applicable . 17. ULW (unladen weight) 5100 Kgs. . 18. G.V.W. (Gross vehicle weight) as certified by the manufacturer . 19. Number, description, size and ply rating of tyres as declared by the manufacturer . 19. Number, description, size and celared by the manufacturer . 20. Registered Axle Weight . . 31. Front axle 295/95 R20 . 32. Stor Axle (Raw) 11500 Kgs. . 33. Rear Axle (Raw) 11500 Kgs. . 34. Overall length 8570 mm . <tr< td=""><td></td><td></td><td>As applicable</td></tr<>			As applicable
11. H.P. 132 Kw @ 2200 rpm 12. Cubic capacity 5005 cc 13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 14. Wheel base 4920 mm 15. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 18500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer . 19. Number, description, size and ply rating of tyres as declared by the . 20. Registered Axle Weight 295/95 R20 20. Registered Axle Weight . a. Front Axle (Faw) 7000 Kgs. b. Rear Axle (Raw) 11500 Kgs. 21. Dimension . a. Overall length 8570 mm b. Rear over hang 2295 mm c. Overall width 2440 mm d.	9.	number in the case of battery	
12. Cubic capacity 5005 cc 13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 15. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 18500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/95 R20 20. Registered Axle Weight 295/95 R20 20. Registered Axle Weight 11500 Kgs. 21. Dimension 2295 mm a. Overall length 8570 mm b. Rear Axle (Raw) 11500 Kgs. 21. Dimension 2440 mm a. Overall length 2632 mm b. Rear over hang 2295 mm c. Overall height 2632 mm e. Min. Ground Clearance 240 mm d. Overall height 2632 mm e. Min. Gro	10.	Fuel used	Diesel
13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 15. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 18500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/95 R20 20. Registered Axle Weight 295/95 R20 20. Registered Axle Weight 11500 Kgs. 21. Dimension 2295 mm 22. Overall length 2632 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi <i>Trys</i>	11.	H.P.	132 Kw @ 2200 rpm
13. Makers classification T.19 ULTRA SLR 49 CBC 18 forward control Truck Chassis Cab & without Load Body BS-VI 14. Wheel base 4920 mm 15. Seating capacity Driver + 2 16. Colour As applicable 17. ULW (unladen weight) 5100 Kgs. 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 18500 Kgs. 19. Number, description, size and ply rating of tyres as declared by the manufacturer 295/95 R20 20. Registered Axle Weight 295/95 R20 20. Registered Axle Weight 11500 Kgs. 21. Dimension 2295 mm 22. Overall length 2632 mm 22. Speed governor (speed limiting function) ECU: M/s Delphi <i>Trys</i>	12.	Cubic capacity	5005 cc
14.Wheel base4920 mm15.Seating capacityDriver + 216.ColourAs applicable17.ULW (unladen weight)5100 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer18500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/95 R2020.Registered Axle Weight295/95 R2020.Registered Axle Weight7000 Kgs.a.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimension2295 mma.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Tvs			T.19 ULTRA SLR 49 CBC 180B6M6P Full forward control Truck Chassis with Sleeper
16.ColourAs applicable17.ULW (unladen weight)5100 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer18500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/95 R20a.Front axle295/95 R20b.`295/95 R2020.Registered Axle Weight11500 Kgs.a.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimension2295 mma.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys	14.	Wheel base	
16.ColourAs applicable17.ULW (unladen weight)5100 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer18500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/95 R20a.Front axle295/95 R20b.`295/95 R2020.Registered Axle Weight11500 Kgs.a.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimension2295 mma.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys	15.	Seating capacity	Driver + 2
17.ULW (unladen weight)5100 Kgs.18.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer18500 Kgs.19.Number, description, size and ply rating of tyres as declared by the manufacturer295/95 R20a.Front axle295/95 R20b.`295/95 R2020.Registered Axle Weighta.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimension2295 mma.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Tvg	16.		As applicable
 18. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 19. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 295/95 R20 b. ' 295/95 R20 c. Registered Axle Weight a. Front Axle (Faw) 7000 Kgs. b. Rear Axle (Raw) 11500 Kgs. 21. Dimension a. Overall length 8570 mm 8ear over hang 2295 mm c. Overall width 2440 mm d. Overall height 2632 mm e. Min. Ground Clearance 240 mm 22. Speed governor (speed limiting function) 	17.	ULW (unladen weight)	
and ply rating of tyres as declared by the manufacturer295/95 R20a.Front axle295/95 R20b.`295/95 R2020.Registered Axle Weighta.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimension2295 mma.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi TVS	18.	weight) or RLW (Registered laden weight) as certified by	18500 Kgs.
b.295/95 R2020.Registered Axle Weighta.Front Axle (Faw)b.Rear Axle (Raw)11500 Kgs.21.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall heighte.Min. Ground Clearance22.Speed governor (speed limiting function)	19.	and ply rating of tyres as declared by the	Nover statutes are also entre .
b.295/95 R2020.Registered Axle Weighta.Front Axle (Faw)b.Rear Axle (Raw)21.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall heighte.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)	a.	Front axle	295/95 R20
20.Registered Axle Weighta.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimension4a.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys	b.	x	295/95 R20
a.Front Axle (Faw)7000 Kgs.b.Rear Axle (Raw)11500 Kgs.21.Dimensiona.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys		Registered Axle Weight	
b.Rear Axle (Raw)11500 Kgs.21.Dimension			7000 Kas.
21.Dimensiona.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys			
a.Overall length8570 mmb.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys			
b.Rear over hang2295 mmc.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Tvg			8570 mm
c.Overall width2440 mmd.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys			
d.Overall height2632 mme.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trys			
e.Min. Ground Clearance240 mm22.Speed governor (speed limiting function)ECU: M/s Delphi Trg			
22. Speed governor (speed limiting ECU: M/s Delphi Trys			
		Speed governor (speed limiting	
23. Max Speed/Pre-set speed limit 80 kmph	23.	Max Speed/Pre-set speed limit	80 kmph

Based on the document verification of the vehicle by the Assistant and based on the type approval certificate AASN 0355, V01, Secretary-II Dated: 03.07.2023 (OBD-II) issued by the testing agency ARAI Pune, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

> Sd/-M.K. Suresh Kumar, Joint Transport Commissioner (Rules) Chepauk, Chennai - 600 005.

//By Order//

M. Ravichandran, 170003 Assistant Secretary-II (FAC), Chepauk, Chennai - 600 005.

(Communication of Type Approval Certificate No. 2837/2023)

Copy to

M/s Tata Motors Limited, Arihant Rohini 9th Floor No.67 G N Chetty Road T. Nagar, Chennai - '600 017.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai - 4.

- 11 The PA to State Transport Authority 'H' Section.
- The Secretary, State Transport Appellate Tribunal, Chennai 104. "
- The Assistant Director (Statistics) 'S' Section for e-mailing the 11 registration approval and for publishing it in our website.