## TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

## Letter No. 013392-HA2-2024, Dated:29.04.2024

(Communication of Type Approval Certificate No.687/2024)

Sir,

Sub: Motor Vehicles – Registration of MMV Passenger Vehicle - "EICHER 2090 L STARLINE 5S SCHOOL 3X2 (50+CD+D) BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 17.04.2024 from **M/s VE Commercial Vehicles Ltd.**" Centennial Square, 7<sup>th</sup> Floor, No.6-A, Dr.
Ambedkar Road, Kodambakkam, Chennai – 600 024.

(2) Type approval certificate numbers AAON 0391, F02, Dated: 30.01.2023 and ARAI/CMVR/23241993(337)(\*), Dated: 09.10.2023 (with OBD-II) issued by the Automotive Research Association of India Pune.

(3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-32, dated: 22.04.2024.

(4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

- (2) "M/s VE Commercial Vehicles Ltd." Centennial Square, 7<sup>th</sup> Floor, No.6-A, Dr. Ambedkar Road, Kodambakkam, Chennai 600 024, who is the manufacturer has applied for grant of "communication of type approval certificate to register the new model "EICHER 2090 L STARLINE 5S SCHOOL 3X2 (50+CD+D) BS-VI" in Tamil Nadu manufactured by M/s VE Commercial Vehicles Ltd., (A Volvo Group & Eicher Motors Joint Venture), 102 Industrial Area No.1 Pithampur –454775, Dist. Dhar (M.P).
- (3) They have also produced the relevant Type approval certificate numbers AAON 0391, F02, Dated: 30.01.2023 and ARAI/CMVR/23241993(337)(\*), Dated: 09.10.2023 (with OBD-II) issued by the testing agency ARAI Pune.

## (Communication of Type Approval

	icate No. 687/2024) PARTICULARS FOR R.C. BOOK	MMV Passenger Vehicle
1.	Class of vehicle	THE CALCOUNT
2.	Type of vehicle	M3 Category M/s VE Commercial Vehicles Ltd., (A Volvo
3.	Maker's name	a El-las Motore Inini Velituleli 10-
٥.		Group & Eicher Motors John -454775, Industrial Area No.1 Pithampur -454775,
		Industrial Area Horz
		Dist. Dhar (M.P).
4.	Whether the vehicle is of Cowl	CBU
٦.	Chassis (or) CBU	- TV
5.		Type - IV
6.	Month and year of	As per codification
0.	manufacturer	
7.	No. of cylinders	4
	Chassis number	As applicable
8. 9.	Engine number or motor	
9.	number in the case of battery	
	operated vehicle	
10	Fuel used	Diesel FO rpm
10.		90 KW @ 3200 ± 50 rpm
	-11	2960 cc 3X2
12.	if:tion	2960 cc EICHER 2090 L STARLINE 5S SCHOOL 3X2
13.	Makers classification	(50+CD+D) BS-VI
		5240 mm
14.	i la .	52
15.		As applicable
16.	Colour (colour)	5940 Kgs.
17	ULW (unladen weight)  (Gross vehicle	
18	G.V.W. (Gross vehicl weight) or RLW (Registere	
	laden weight) as certified b	
		V
	laden weight) as continue	OY .
	the manufacturer	79
19	the manufacturer	ze
19	Number, description, size and ply rating of tyres a	ze
19	Number, description, size and ply rating of tyres and declared by	ze as ne
19	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer	ze as ne
19 a.	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14
a.	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14
	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14
a.	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR 8.25 x 16-16 PR; Optional: 235/75 R17.5, 14
a.	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Registered Axle Weight	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR 8.25 x 16-16 PR; Optional: 235/75 R17.5, 14
a. b. 2	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Registered Axle Weight  Front Axle (Faw)	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR
a. b. 2 a b	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Registered Axle Weight Front Axle (Faw) Rear Axle (Raw)	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs.
a. b. 2 a b	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Registered Axle Weight Front Axle (Faw) Rear Axle (Raw)  Dimension	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.
a. b. 2 a b 2	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw)  Near Axle (Raw)  Overall length	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs.
a. b. 2 a b 2 a b 2	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw)  Dimension  Overall length Rear over hang	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm
a. b. 2 a b 2 a b 2	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw)  Near Axle (Raw)  Rear over hang Overall width	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm 2164 mm
a. b. 2 a b 2 a b 2	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw) Dimension Overall length Rear over hang Overall width Overall height	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm 2164 mm 2860 mm
a. b. 2 a b 2 a b 2	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw) Dimension Overall length Rear over hang Overall width Overall height  Min Ground Clearance	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm 2164 mm 2860 mm 187 mm/202 mm
a. b. 2 a b 2 a b c c c c c c c c c c c c c c c c c c	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw) Dimension Overall length Rear over hang Overall width Overall height Min. Ground Clearance Speed governor (speed limit	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm 2164 mm 2860 mm 187 mm/202 mm
a. b. 2 a b 2 a b c c c c c c c c c c c c c c c c c c	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw) Dimension Overall length Rear over hang Overall width Overall height Min. Ground Clearance Speed governor (speed limit	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm 2164 mm 2860 mm 187 mm/202 mm ting ECU: M/s Delphi
a. b. 2 a b 2 a b c c c c c c c c c c c c c c c c c c	the manufacturer  Number, description, size and ply rating of tyres and declared by the manufacturer  Front axle  Rear Axle  Rear Axle  Rear Axle (Faw) Rear Axle (Raw) Dimension Overall length Rear over hang Overall width Overall height Min. Ground Clearance Speed governor (speed limit	8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  8.25 x 16-16 PR; Optional: 235/75 R17.5, 14 PR  3098 Kgs. 5752 Kgs.  9584 mm 3144 mm 2164 mm 2860 mm 187 mm/202 mm ting ECU: M/s Delphi

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate numbers AAON 0391, F02, Dated: 30.01.2023 and ARAI/CMVR/23241993(337)(\*), Dated: 09.10.2023 (with OBD-II) issued by the testing agency ARAI Pune, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

**Sd/-M.K. Suresh Kumar,**Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, Assistant Secretary-II (FÁC), Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 687/2024)

## Copy to

M/s VE Commercial Vehicles Ltd. Centennial Square, 7<sup>th</sup> Floor, No.6-A, Dr. Ambedkar Road, Kodambakkam, Chennai – 600 024.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

The PA to State Transport Authority `H' Section.

" he Secretary, State Transport Appellate Tribunal, Chennai – 104.

" The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.