#### TRANSPORT DEPARTMENT

From

#### The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Ezhilagam, Chepauk, Chennai – 600 005. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

# Letter No. 002706-HB2-2024, Dated: 15.02.2024

## (Communication of Type Approval Certificate No. 222/2024)

Sir,

- Sub: Motor Vehicles Registration of LMV Motor Car "RENAULT TRIBER RXT MT 1L ECE BS-VI" in the state of Tamil Nadu – permissiongranted regarding.
- Ref: (1) Application dated: 30.01.2024 from M/s Renault India Private Limited" Plot No.1 SIPCOT Industrial Estate, Mattur
  - (Post), Sriperumbudur, Tamilnadu 602 105.
  - (2) Type approval certificate numbers <u>AARN 0356, F01, Dated:</u> <u>19.12.2023</u> (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
  - (3) Report of the Assistant Secretary-III, State Transport Authority, Chennai-5, dated: 31.01.2023
  - (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

(2) **"M/s Renault India Private Limited"** Plot No.1 SIPCOT Industrial Estate, Mattur (Post), Sriperumbudur, Tamilnadu 602 105, who is the manufacturer has applied for grant of *communication of type approval certificate* to register the new model **"RENAULT TRIBER RXT MT 1L ECE BS-VI"** in Tamil Nadu manufactured by M/s Renault India Private Limited, C/o Renault Nissan Automotive India Private Limited, Plot No.1 SIPCOT Industrial Estate, Oragadam, Mattur Post, Sriperumbudur Taluk, Kancheepuram, 602 105.

(3) They have also produced the relevant Type approval certificate numbers **AARN 0356, F01, Dated: 19.12.2023** (OBD Stage-II) issued by the testing agency **ARAI PUNE**.

# (Communication of Type Approval Certificate No. 222/2024)

# PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2.       Maker's name       M/s Renault India Private Limited, Renault Nissan Automotive India Private Limited, Renault Automotive India Private Limited, Renaut Private Limited, Rasplicable         3.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.<	1.	Class of vehicle	LMV Motor Car
Renault Nissan Automotive India Pr         Limited, Plot No.1 SIPCOT Industrial Es         Oragadam, Mattur Post, Sriperumt         Type of Body       -         3(a) Type of vehicle/category       Passenger Car/M1 Category         4. Month and year of manufacture       As per codifications         5. No. of cylinders       3         6. Chassis number       As applicable         7. Engine number or motor number in the case of battery operated vehicle       As applicable         8. Fuel used       Petrol         9. H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10. Cubic capacity       999 cc         11. Makers classification       REINAULT TRIBER RXT MT 1L ECE BS-VI         12. Wheel base       2636 mm         13. Seating capacity       7 in all         14. Colour       As applicable         15. ULW (unladen weight)       938 Kgs.         16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18. Registered Axle Weight       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18. Registered Axle Weight       687 Kgs.         a. Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18. Registered Axle Weight       687 Kgs.         a. Front	2.	Maker's name	M/s Renault India Private Limited, C/o
Oragadam, Mattur Post, Sriperumb Taluk, Kancheepuram, 602 1053.Type of Body-3(a)Type of vehicle/categoryPassenger Car/M1 Category4.Month and year of manufactureAs per codifications5.No. of cylinders36.Chassis numberAs applicable7.Engine number or motor number in the case of battery operated vehicleAs applicable8.Fuel usedPetrol9.H.P./BHP52.7 Kw @ 6250 ± 100 rpm10.Cubic capacity999 cc11.Makers classificationRENAULT TRIBER RXT MT 1L ECE BS-VI12.Wheel base2636 mm13.Seating capacity7 in all14.ColourAs applicable15.ULW (unladen weight)938 Kgs.16.G.V.W. (Gross vehicle weight) manufacturer1534 Kgs.17.Number, description, size adeclared by the manufacturer165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weight a.Front axle (faw)a.Front axle (faw)687 Kgs.b.Rear axle (raw)847 Kgs.19.Dimension a.Overall lengtha.Overall length3990 mmb.Rear over hang cc.Overall widthWith side repeater: 1739 mm			Renault Nissan Automotive India Private
3.       Type of Body       -         3(a)       Type of vehicle/category       Passenger Car/M1 Category         3(a)       Type of vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or RLW (Registered laden manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       155/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       687 Kgs.         a.			Limited, Plot No.1 SIPCOT Industrial Estate,
3.       Type of Body       -         3(a)       Type of vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         17.       Number, description, size adeclared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       <			Oragadam, Mattur Post, Sriperumbudur
3(a)       Type of vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       847 Kgs.         a.       Front axle (faw)       687 Kgs.	2	Type of Pody	Taluk, Kancheepuram, 602 105
<ul> <li>4. Month and year of manufacture As per codifications</li> <li>5. No. of cylinders</li> <li>3</li> <li>6. Chassis number</li> <li>7. Engine number or motor number in the case of battery operated vehicle</li> <li>8. Fuel used</li> <li>9. H.P./BHP</li> <li>9. Qubic capacity</li> <li>999 cc</li> <li>11. Makers classification</li> <li>2. Wheel base</li> <li>2636 mm</li> <li>13. Seating capacity</li> <li>7 in all</li> <li>14. Colour</li> <li>15. ULW (unladen weight)</li> <li>938 Kgs.</li> <li>16. G.V.W. (Gross vehicle weight)</li> <li>or RLW (Registered laden weight) as certified by the manufacturer</li> <li>17. Number, description, size and ply rating of tyres as declared by the manufacturer</li> <li>a. Front Axle</li> <li>b. Rear Axle</li> <li>b. Rear Axle (faw)</li> <li>b. Rear axle (raw)</li> <li>b. Rear over hang</li> <li>c. Overall length</li> <li>b. Rear over hang</li> <li>c. Overall width</li> </ul>			- December Con(M1 Colored
5.       No. of cylinders       3         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       687 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       3990 mm         b.       Rear over hang       -         c.       Overall length       <			
6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         7.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       687 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm			
7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Petrol         9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       687 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       <			
number in the case of battery operated vehicle       Image: Construction of the system o			
<ul> <li>Fuel used Petrol</li> <li>H.P./BHP</li> <li>52.7 Kw @ 6250 ± 100 rpm</li> <li>Cubic capacity</li> <li>999 cc</li> <li>Makers classification</li> <li>RENAULT TRIBER RXT MT 1L ECE BS-VI</li> <li>Wheel base</li> <li>2636 mm</li> <li>Seating capacity</li> <li>7 in all</li> <li>Colour</li> <li>As applicable</li> <li>ULW (unladen weight)</li> <li>938 Kgs.</li> <li>G.V.W. (Gross vehicle weight)</li> <li>or RLW (Registered laden weight) as certified by the manufacturer</li> <li>Mumber, description, size and ply rating of tyres as declared by the manufacturer</li> <li>Front Axle</li> <li>Front Axle</li> <li>Registered Axle Weight</li> <li>Rear axle (raw)</li> <li>Rear axle (raw)</li> <li>Rear over hang</li> <li>Overall width</li> <li>With side repeater: 1739 mm</li> </ul>	7.	number in the case of battery	As applicable
9.       H.P./BHP       52.7 Kw @ 6250 ± 100 rpm         10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       847 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       -         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm	8.		Petrol
10.       Cubic capacity       999 cc         11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       847 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm			
11.       Makers classification       RENAULT TRIBER RXT MT 1L ECE BS-VI         12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or       RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       1         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm	10.	Cubic capacity	· · · · · · · · · · · · · · · · · · ·
12.       Wheel base       2636 mm         13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       1637 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       -         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm			
13.       Seating capacity       7 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         or       RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       815 88T         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm			
14.       Colour       As applicable         15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight)       1534 Kgs.         16.       G.V.W. (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       847 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm			
15.       ULW (unladen weight)       938 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight a.       Front axle (faw)         b.       Rear axle (raw)       847 Kgs.         19.       Dimension a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm			
16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1534 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18.       Registered Axle Weight       847 Kgs.         a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19.       Dimension       3990 mm         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm			
orRLW(Registered laden weight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axleb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weight a.a.Front axle (faw)b.Rear axle (raw)19.Dimension a.a.Overall lengthb.Rear over hang c.c.Overall width			
weight) as certified by the manufacturerweight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axleb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)847 Kgs.19.Dimensiona.Overall lengthb.Rear over hangc.Overall width			100111901
manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axlea.Front Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)19.Dimensiona.Overall length3990 mmb.Rear over hangc.Overall width			
and ply rating of tyres as declared by the manufacturera.Front Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weighta.Front axle (faw)687 Kgs.b.Rear axle (raw)847 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hang-c.Overall widthWith side repeater: 1739 mm			
declaredbythe manufacturera.Front Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)847 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hangc.Overall width	17.	Number, description, size	
declaredbythe manufacturera.Front Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88Tb.Rear Axle165/80 R14 85T; 185/65 R15 88H; 18 R15 88T18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)847 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hangc.Overall width		and ply rating of tyres as	
a.       Front Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         b.       Rear Axle       165/80 R14 85T; 185/65 R15 88H; 18 R15 88T         18. <b>Registered Axle Weight</b> a.       Front axle (faw)       687 Kgs.         b.       Rear axle (raw)       847 Kgs.         19. <b>Dimension</b> -         a.       Overall length       3990 mm         b.       Rear over hang       -         c.       Overall width       With side repeater: 1739 mm			
Rear AxleRegistered Axle Weight18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)19.Dimensiona.Overall length3990 mmb.Rear over hangc.Overall width		manufacturer	
18.       Registered Axle Weight         a.       Front axle (faw)         b.       Rear axle (raw)         19.       Dimension         a.       Overall length         3990 mm         b.       Rear over hang         c.       Overall width	a.	Front Axle	165/80 R14 85T; 185/65 R15 88H; 185/65 R15 88T
18.Registered Axle Weighta.Front axle (faw)687 Kgs.b.Rear axle (raw)847 Kgs.19.Dimension-a.Overall length3990 mmb.Rear over hang-c.Overall widthWith side repeater: 1739 mm	b.	Rear Axle	165/80 R14 85T; 185/65 R15 88H; 185/65 R15 88T
a.Front axle (faw)687 Kgs.b.Rear axle (raw)847 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hang-c.Overall widthWith side repeater: 1739 mm	18.	Registered Axle Weight	
b.Rear axle (raw)847 Kgs.19.Dimensiona.Overall length3990 mmb.Rear over hangc.Overall widthWith side repeater: 1739 mm	a.		687 Kgs.
19.Dimensiona.Overall length3990 mmb.Rear over hang-c.Overall widthWith side repeater: 1739 mm	b.	Rear axle (raw)	
b.Rear over hang-c.Overall widthWith side repeater: 1739 mm	19.	Dimension	
b.Rear over hang-c.Overall widthWith side repeater: 1739 mm	a.	Overall length	3990 mm
c. Overall width With side repeater: 1739 mm	b.		-
	с.		With side repeater: 1739 mm
without side repeater: 1/34 mm			Without side repeater: 1734 mm
d. Overall height Without Roof rail: 1643 mm	d.	Overall height	
With Roof Rail: 1662 mm			
e. Min. ground clearance 141 mm	e.	Min. ground clearance	

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate number **AARN 0356, F01, Dated: 19.12.2023** issued by the testing agency **ARAI/Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

#### Sd/-A.A. Muthu,

Joint Transport Commissioner (Rules) (FAC) Chepauk, Chennai – 600 005.

#### //By Order//

M. Ravichandran, Assistant Secretary-III, Chepauk, Chennai – 600 005.

## (Communication of Type Approval Certificate No. 222/2024)

# 16/02/24

#### Copy to

M/s Renault India Private Limited Plot No.1 SIPCOT Industrial Estate, Mattur (Post), Sriperumbudur, Tamilnadu 602 105.

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai 4.
  - " The PA to State Transport Authority `H' section.
  - " The Secretary, State Transport Appellate Tribunal, Chennai 104.
  - " The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.