TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032 To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 011759-HB2-2024, Dated: 15.04.2024

(Communication of Type Approval Certificate No. 578/2024)

Sir,

- Sub: Motor Vehicles Registration of LMV Goods Carrier "Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2)" in the state of Tamil Nadu – permission-granted regarding.
- Ref: (1) Application dated: 03.04.2024 from "M/s Force Motors Limited", Old No.6A, New No.15, Raman Street, T. Nagar, Chennai – 600 017.
 - (2) Type approval certificate number <u>AAQN 0019, F03, Dated:</u> <u>11.05.2023</u> (OBD-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of the Assistant Secretary-II, State Transport Authority, Chennai-32, dated: 04.04.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) department of Tamil Nadu.
 * * * *

Kindly see the reference cited.

(2) "M/s Force Motors Limited", Old No.6A, New No.15, Raman Street, T. Nagar, Chennai – 600 017, who is the manufacturer has applied for grant of communication of type approval certificate to register the new model "Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2)" in Tamil Nadu manufactured by M/s Force Motors Ltd., Mumbai Pune Road, Akrudi, Pune – 411 035.

(3) They have also produced the relevant Type approval certificate number <u>AAQN 0019, F03, Dated: 11.05.2023</u> (OBD-II) issued by the testing agency ARAI Pune.

(Communication of Type Approval Certificate No. 578/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Maker's name Lifty Goods Carrier 3. Type of vehicle/category N1 Category (a) Type of Body - 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. G.V.W. (Gross vehicle weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2090 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 215/75 R15 18. Registered Axle Weight 4 a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) <			
2. Maker's name M/s Force Motors Ltd., Mumbai Pune Road, Akrudi, Pune – 411 035 3 Type of vehicle/category N1 Category (a) Type of Body - 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 215/75 R15 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight 1205 Kgs. a. Front axle (Faw) 1205 Kgs.	1.	Class of vehicle	LMV Goods Carrier
3 Type of vehicle/category Akrudi, Pune – 411 035 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FMZ.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 215/75 R15 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 7.875 Kgs. 19. Dimension 1205 Kgs. 19. Dimension 1205 Kgs. 19. Dimension	2.	Maker's name	
3 Type of Vehicle/category N1 Category (a) Type of Body - 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size adeclared by the manufacturer 215/75 R15 18. Registered Axle Weight 1205 Kgs. 19. Dimension 1205 Kgs. 19. Dimension 1205 mm 2. Overall width 1818 mm 3.<	-		Akrudi, Pune – 411 035
1 Type of Body - 4. Month and year of manufacture As per codifications 5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2080 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 1205 Kgs. 19. Registered Axle Weight 1205 Kgs. 19. Dimension 17875 Kgs. 19. Dimension 1250 mm 10. Overall width 1818 mm <		Type of vehicle/category	N1 Category
5. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 1205 Kgs. 19. Dimension 17875 Kgs. 19. Dimension 1205 mm a. Overall width 1818 mm d. Overall width 1818 mm d. Overall width 1818 mm <		Type of Body	-
3. No. of cylinders 4 6. Chassis number As applicable 7. Engine number or motor As applicable 7. Engine number or motor As applicable 9. H.P./BHP Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2090 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 215/75 R15 b. Rear axle 215/75 R15 b. Rear axle (Raw) 17875 Kgs. 19. Dimension 1205 kgs. a. Overall length 5120 mm a. Overall width		Month and year of manufacture	As per codifications
7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) endetation 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 205 Kgs. 18. Registered Axle Weight 1205 Kgs. a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension 31250 mm c. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall width 1818 mm d. Overall width 1818 m		No. of cylinders	
7. Engine number or motor number in the case of battery operated vehicle As applicable 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number. description. size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 1205 Kgs. a. Front axle 215/75 R15 18. Registered Axle Weight 300 Verall length a. Overall length 5120 mm b. Rear axle (Raw) 17875 Kgs. 19. Dimension 2027 mm a. Overall width 1818 mm d. Overall width 1818 mm			As applicable
number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification Force Trax 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 16. G.V.W. (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight a. Front axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight a. Front axle 19. Dimension a. Overall length 5120 mm 5120 mm c. Overall width b. Rear over hang 1250 mm c. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall height	7.	Engine number or moto	r As applicable
operated vehicle 8. Fuel used Diesel 9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension 1250 mm a. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall keight 2027 mm a. Overall keight 2027 mm c. Governor/(Speed ECU: M/s Delphi		number in the case of battery	/
9. H.P./BHP 67 Kw @ 3200 rpm 10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number. description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight 1205 Kgs. 19. Dimension 1 a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension 1 a. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed		operated vehicle	1
10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2090 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight a. a. Front axle 215/75 R15 b. Rear axle (Raw) 17875 Kgs. 19. Dimension a. a. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall length 5120 mm d. Overall length 5120 mm d. Overall length 2027 mm			Diesel
10. Cubic capacity 2596 cc 11. Makers classification Force Trax Cruiser Delivery Van BSVI FM2.6CR 3050 (D+2) (4x2) 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 b. Rear axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight 1205 Kgs. a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension	9.	H.P./BHP	67 Kw @ 3200 rpm
11. Makers classification Force Trax Cruiser Delivery Van BSVI 12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 1205 Kgs. 19. Dimension 1205 Kgs. 19. Dimension 1205 mm a. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall length 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi		Cubic capacity	
12. Wheel base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight a. Front axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight 1205 Kgs. a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension 1250 mm c. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi	11.	Makers classification	
12. Writer base 3050 mm 13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) 2990 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension			FM2.6CR 3050 (D+2) (4x2)
13. Seating capacity D + 2 14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight a. Front axle 215/75 R15 18. Registered Axle Weight a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension 31000000000000000000000000000000000000			3050 mm
14. Colour As applicable 15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 a. Front axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension 1200 mm a. Overall length 5120 mm b. Rear over hang 12027 mm c. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi		Seating capacity	
15. ULW (unladen weight) 2080 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 a. Front axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight			
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2990 Kgs. 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 17. Number, description, size and ply rating of tyres as declared by the manufacturer 215/75 R15 18. Registered Axle Weight 215/75 R15 18. Registered Axle Weight 1205 Kgs. a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension		ULW (unladen weight)	2080 Kas
or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 215/75 R15 b. Rear axle 215/75 R15 18. Registered Axle Weight a. a. Front axle (Faw) 1205 Kgs. b. Rear axle (Raw) 17875 Kgs. 19. Dimension a. a. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall width 1818 mm d. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi	16.	G.V.W. (Gross vehicle weight)	2990 Kas
weight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axlea.Front axle215/75 R15b.Rear axle215/75 R1518.Registered Axle Weight a.a.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimension a.a.Overall length5120 mmb.Rear over hangc.Overall kightd.Overall length5120 mmc.Overall kight2027 mme.Min. ground clearancef.Speed Governor/(Speed Limiting Function)		or RLW (Registered laden	
manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axlea.Front axle215/75 R15b.Rear axle215/75 R1518.Registered Axle Weighta.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimensiona.Overall length5120 mmb.Rear over hang1250 mmc.Overall width1818 mmd.Overall height2027 mme.Min. ground clearance191 mmf.Speed Governor/(Speed Limiting Function)		weight) as certified by the	
and ply rating of tyres as declared by the manufacturera.Front axle215/75 R15b.Rear axle215/75 R15b.Rear axle215/75 R1518.Registered Axle Weighta.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimensiona.Overall length5120 mmb.Rear over hang1250 mmc.Overall width1818 mmd.Overall height2027 mme.Min. ground clearance191 mmf.SpeedGovernor/(Speed Limiting Function)		manufacturer	
and ply rating of tyres as declared by the manufacturera.Front axle215/75 R15b.Rear axle215/75 R15b.Rear axle215/75 R1518.Registered Axle Weighta.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimensiona.Overall length5120 mmb.Rear over hang1250 mmc.Overall width1818 mmd.Overall height2027 mme.Min. ground clearance191 mmf.SpeedGovernor/(Speed Limiting Function)	17.	Number, description, size	
manufacturera.Front axle215/75 R15b.Rear axle215/75 R1518.Registered Axle Weighta.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimensiona.Overall length5120 mmb.Rear over hang1250 mmc.Overall width1818 mmd.Overall height2027 mme.Min. ground clearance191 mmf.SpeedGovernor/(SpeedLimiting Function)		and ply rating of tyres as	
a.Front axle215/75 R15b.Rear axle215/75 R1518.Registered Axle Weighta.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimensiona.Overall length5120 mmb.Rear over hang1250 mmc.Overall width1818 mmd.Overall height2027 mme.Min. ground clearance191 mmf.SpeedGovernor/(Speed Limiting Function)ECU: M/s Delphi			
b.Rear axle215/75 R1518.Registered Axle Weighta.Front axle (Faw)b.Rear axle (Raw)17875 Kgs.19.Dimensiona.Overall lengthb.Rear over hangc.Overall widthd.Overall height2027 mme.Min. ground clearance191 mmf.SpeedGovernor/(SpeedLimiting Function)			
18.Registered Axle Weighta.Front axle (Faw)b.Rear axle (Raw)19.Dimensiona.Overall lengthb.Rear over hang1250 mmc.Overall widthd.Overall height2027 mme.Min. ground clearance191 mmf.SpeedGovernor/(SpeedLimiting Function)			215/75 R15
a.Front axle (Faw)1205 Kgs.b.Rear axle (Raw)17875 Kgs.19.Dimension			215/75 R15
b. Rear axle (Raw) 17875 Kgs. 19. Dimension		Registered Axle Weight	
D. Rear axie (Raw) 17875 Kgs. 19. Dimension			1205 Kgs.
19. Dimension a. Overall length 5120 mm b. Rear over hang 1250 mm c. Overall width 1818 mm d. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi			17875 Kgs.
b. Rear over hang 5120 mm c. Overall width 1250 mm d. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi	1000 CO.		
b. Rear over hang 1250 mm c. Overall width 1818 mm d. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi			
c. Overall width 1818 mm d. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi		Rear over hang	1250 mm
d. Overall height 2027 mm e. Min. ground clearance 191 mm f. Speed Governor/(Speed Limiting Function) ECU: M/s Delphi			
f. Speed Governor/(Speed ECU: M/s Delphi			2027 mm
Limiting Function)			
Limiting Function)	г.		ECU: M/s Delphi
g. Maximum Pre Set Speed 80 Kmph		Limiting Function)	
	g.	Maximum Pre Set Speed	80 Kmph

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate number **AAQN 0019**, **F03, Dated: 11.05..2023 (OBD-II)** issued by the testing agency **ARAI Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

> **Sd/-M.K. Suresh Kumar,** Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

//By Order//

M. Ravichandrant, Source Assistant Secretary-II (FAC), Guindy, Chennai - 600 032.

(Communication of Type Approval Certificate No. 578/2024)

Copy to

M/s Force Motors Limited, Old No.6A, New No.15, Raman Street, T. Nagar, Chennai – 600 017.

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar alai, Mylapore, Chennai 4.
 - " The PA to State Transport Authority `H' section.
 - " The Secretary, State Transport Appellate Tribunal, Chennai 104.
 - " The Assistant Director (Statistics) 'S' section for e-mailing the registration approval and for publishing it in our website.