TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner

(Rules), Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 16154-HA2-2024, Dated:24.05.2024

(Communication of Type Approval Certificate No.834/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Passenger Carrier - "GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D)" in the state of Tamil Nadu – permission-granted regarding.

- Ref: (1) Application dated: 16.05.2024 from "M/s Force Motors Limited", Old No.6A, New No.15, Raman Street, T. Nagar, Chennai – 600 017.
 - (2) Type approval certificate number <u>AATN 0029, Dated:</u> <u>30.01.2024</u> (OBD-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of the Assistant Secretary-III, State Transport Authority, Chennai-5, dated: 16.05.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) department of Tamil Nadu.
 * * * *

Kindly see the reference cited.

(2) "M/s Force Motors Limited", Old No.6A, New No.15, Raman Street, T. Nagar, Chennai – 600 017, who is the manufacturer has applied for grant of communication of type approval certificate to register the new model "GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D)" in Tamil Nadu manufactured by M/s Force Motors Ltd., Mumbai Pune Road, Akurdi, Pune – 411 035.

(3) They have also produced the relevant Type approval certificate number <u>AATN 0029, Dated: 30.01.2024</u> (OBD-II) issued by the testing agency ARAI Pune.

(Communication of Type Approval Certificate No. 834/2024) <u>PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW</u>

		The second se	
Akurdi, Pune – 411 035. 3 Type of vehicle/category M1 Category 4. Type of Body - 5. Month and year of manufacture As per codifications 6. No. of cylinders 4 7. Chassis number As applicable 8. Engine number or motor number in the case of battery operated vehicle Diesel 9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 255/65 R18 18. Number, description, size and ply rating of tyres as declared by the 255/65 R18 19. Registered Axle Weight 325 Kgs. a. Front axle (faw). 1327 Kgs.	1.	Class of vehicle	LMV Passanger Carrier
3 Type of vehicle/category M1 Category 4. Type of Body - 5. Month and year of manufacture As per codifications 6. No. of cylinders 4 7. Chassis number As applicable 8. Engine number or motor number in the case of battery operated vehicle Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. a. Front axle 255/65 R18 b. Rear axle 255/65 R18 b. Rear axle 255/65 R18 b. Rear axle (faw). 1327 Kgs. b. Rear axle (faw). 1327 Kgs. b. Rear	2.	Maker's name	M/s Force Motors Ltd., Mumbai Pune Road,
4. Type of Body - 5. Month and year of manufacture As per codifications 6. No. of cylinders 4 7. Chassis number As applicable 8. Engine number or motor number in the case of battery operated vehicle As applicable 9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. a. Front axle 255/65 R18 b. Rear axle 255/65 R18 b. Rear axle 255/65 R18 b. Rear axle (faw). 1327 Kgs. b. Rear axle (faw). 1327 Kgs. b. Rear axle (raw) </td <td></td> <td></td> <td>Akurdi, Pune – 411 035.</td>			Akurdi, Pune – 411 035.
5. Month and year of manufacture As per codifications 6. No. of cylinders 4 7. Chassis number As applicable 8. Engine number or motor number in the case of battery operated vehicle As applicable 9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 255/65 R18 19. Registered Axle Weight 1327 Kgs. a. Front axle (faw). 1327 Kgs. b. Rear axle (raw) ' 1473 Kgs. 20. Dimension 3965 mm a. Overall length			M1 Category
6. No. of cylinders 4 7. Chassis number As applicable 8. Engine number or motor number in the case of battery operated vehicle As applicable 9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2255/65 R18 a. Pront axle 255/65 R18 b. Rear axle 255/65 R18 b. Rear axle 1327 Kgs. b. Rear axle (raw) 1327 Kgs. c. Overall length 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm		Type of Body	-
7. Chassis number As applicable 8. Engine number or motor number in the case of battery operated vehicle As applicable 9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 255/65 R18 b. Rear axle 255/65 R18 19. Registered Axle Weight 1327 Kgs. a. Front axle (faw) 1327 Kgs. b. Rear axle 255/65 R18 19. Rear axle (raw) ' 1473 Kgs. 20. Dimension 1473 Kgs.	5.	Month and year of manufacture	As per codifications
8. Engine number or motor number in the case of battery operated vehicle As applicable 9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size as declared by the manufacturer 255/65 R18 19. Registered Axle Weight 255/65 R18 19. Registered Axle Weight 1327 Kgs. 10. Rear axle (raw) 1473 Kgs. 20. Dimension 3 a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm d. Overall width 1865 mm <td< td=""><td>6.</td><td>No. of cylinders</td><td>4</td></td<>	6.	No. of cylinders	4
number in the case of battery operated vehicleDiesel9.Fuel usedDiesel10.H.P./BHP103 Kw @ 3200 rpm11.Cubic capacity259612.Makers classificationGURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D)13.Wheel base2400 mm14.Seating capacity3 + D15.ColourAs applicable16.ULW (unladen weight)2215 Kgs.17.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer18.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axle255/65 R18b.Rear axle255/65 R1819.Registered Axle Weight a.Front axle (faw).a.Front axle (faw).1327 Kgs.b.Rear axle (raw)'1473 Kgs.20.Dimension a.0verall lengtha.Overall length2965 mmb.Rear over hang815 mmc.Overall height2080 mme.Min. ground clearance226 mm	7.	Chassis number	As applicable
operated vehicle9.Fuel usedDiesel10.H.P./BHP103 Kw @ 3200 rpm11.Cubic capacity259612.Makers classificationGURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D)13.Wheel base2400 mm14.Seating capacity3 + D15.ColourAs applicable16.ULW (unladen weight)2215 Kgs.17.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer2800 Kgs.18.Number, description, size and ply rating of tyres as declared by the manufacturer255/65 R1819.Registered Axle Weight a.Front axle255/65 R181327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimension a.0verall lengtha.Overall length3965 mmb.Rear over hang815 mmc.Overall height2080 mme.Min. ground clearance226 mm	8.	Engine number or motor	As applicable
9. Fuel used Diesel 10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 255/65 R18 19. Registered Axle Weight 1327 Kgs. a. Front axle (faw) 1327 Kgs. b. Rear axle (raw) 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm d. Overall keight 2080 mm		number in the case of battery	
10. H.P./BHP 103 Kw @ 3200 rpm 11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) 2800 Kgs. or RLW (Registered laden weight) as certified by the manufacturer 18. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 255/65 R18 b. Rear axle 255/65 R18 19. Registered Axle Weight 1327 Kgs. a. Front axle (faw) 1327 Kgs. b. Rear axle (raw) 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm d. Overall height 2080 mm			
11. Cubic capacity 2596 12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 255/65 R18 19. Registered Axle Weight 1327 Kgs. a. Front axle (raw) 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall height 2080 mm			Diesel
12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 255/65 R18 19. Registered Axle Weight 3255/65 R18 19. Registered Axle Weight 1327 Kgs. 20. Dimension 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall height 2080 mm	10.	H.P./BHP	103 Kw @ 3200 rpm
12. Makers classification GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D) 13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 255/65 R18 19. Rear axle 255/65 R18 19. Registered Axle Weight 1327 Kgs. a. Front axle (faw) 1327 Kgs. b. Rear axle (raw) 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm d. Overall height 2080 mm	11.	Cubic capacity	2596
13. Wheel base 2400 mm 14. Seating capacity 3 + D 15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 255/65 R18 18. Rear axle 255/65 R18 19. Registered Axle Weight 2 a. Front axle (faw). 1327 Kgs. b. Rear axle (raw) ' 1473 Kgs. 20. Dimension 3 a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm d. Overall height 2080 mm	12.		GURKHA 4x4 BSVI FM2.6 CR 2400 WB(3+D)
15. Colour As applicable 16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 555/65 R18 18. Rear axle 255/65 R18 19. Registered Axle Weight 1327 Kgs. 19. Registered Axle Weight 1327 Kgs. 10. Rear axle (raw) 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall width 1865 mm d. Overall height 2080 mm	13.	Wheel base	
16. ULW (unladen weight) 2215 Kgs. 17. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 2800 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 500 Kgs. 18. Number, description, size and ply rating of tyres as declared by the manufacturer 500 Kgs. a. Front axle 500 Kgs. b. Rear axle 255/65 R18 19. Registered Axle Weight a. Front axle (faw) 1327 Kgs. b. Rear axle (raw) 1473 Kgs. 20. Dimension 3965 mm a. Overall length 3965 mm b. Rear over hang 815 mm c. Overall height 2080 mm e. Min. ground clearance 226 mm	14.	Seating capacity	3 + D
17.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer2800 Kgs.18.Number, description, size and ply rating of tyres as declared by the manufacturer	15.	Colour	As applicable
or RLW (Registered laden weight) as certified by the manufacturer18.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle255/65 R18b.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hanga.Overall length3965 mmb.Rear over hangc.Overall width1865 mmd.Overall height200 mm201 min size202 Dimension203 Dimension204 Dimension205 Dimension205 Dimension205 Dimension206 Dimension207 Dimension2080 mm2080 mm2080 mm2090 mm <t< td=""><td>16.</td><td>ULW (unladen weight)</td><td>2215 Kgs.</td></t<>	16.	ULW (unladen weight)	2215 Kgs.
weight) as certified by the manufacturer18.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axlea.Front axle255/65 R18b.Rear axle19.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall widthd.Overall height20.200 mme.Min. ground clearance20.200 mm	17.	G.V.W. (Gross vehicle weight)	2800 Kgs.
manufacturer18.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle255/65 R18b.Rear axle255/65 R1819.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height206 mm		or RLW (Registered laden	
18.Number, description, size and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle255/65 R18b.Rear axle19.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hangc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm		weight) as certified by the	
and ply rating of tyres as declared by the manufacturera.Front axleb.Rear axle255/65 R18b.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hangc.Overall widthd.Overall widthd.Overall height20.20.Dimensiona.20.Dimensiona.20.Dimensiona.20.Dimensiona.20.Dimension2.20.Dimension2.20.Dimension2.20.Dimension2.20.Dimension2.20.Dimension2.20.Dimension2.20.Dimension2.2.Dimension2.2.2.2.2.2.2.2.2.2.2.2.2.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.<			
declared manufacturerby the manufacturera.Front axle255/65 R18b.Rear axle255/65 R1819.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm	18.		
manufacturera.Front axle255/65 R18b.Rear axle255/65 R1819.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			
a.Front axle255/65 R18b.Rear axle255/65 R1819.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			
b.Rear axle255/65 R1819.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height200 mme.Min. ground clearance226 mm			
19.Registered Axle Weighta.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimension1473 Kgs.a.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			
a.Front axle (faw)1327 Kgs.b.Rear axle (raw)1473 Kgs.20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			255/65 R18
b.Rear axle (raw)1473 Kgs.20.Dimension	19.		
20.Dimensiona.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			
a.Overall length3965 mmb.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			1473 Kgs.
b.Rear over hang815 mmc.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm	20.		
c.Overall width1865 mmd.Overall height2080 mme.Min. ground clearance226 mm			
d.Overall height2080 mme.Min. ground clearance226 mm	b.		
e. Min. ground clearance 226 mm			
	d.		
21. Speed Governor/Speed Limit NA/ Max Speed-150 km/h			A contraction of the second
	21.	Speed Governor/Speed Limit	NA/ Max Speed-150 km/h

Based on the document verification of the vehicle by the Assistant Secretary-II and based on the type approval certificate number <u>AATN 0029</u>, <u>Dated: 30.01.2024</u> (OBD-II) issued by the testing agency **ARAI Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

> Sd/-M.K. Suresh Kumar, Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, Assistant Secretary-II (FAC), Guindy, Chennai - 600 032.

(Communication of Type Approval Certificate No. 834/2024)

Copy to

M/s Force Motors Limited, Old No.6A, New No.15, Raman Street, T. Nagar, Chennai – 600 017.

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai 4.
 - " The PA to State Transport Authority `H' section.
 - " The Secretary, State Transport Appellate Tribunal, Chennai 104.
 - " The Assistant Director (Statistics) `S' section for e-mailing the registration approval and for publishing it in our website.