### TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

### Letter No. 026304-HB2-2024, Dated: 07.08.2024

(Communication of Type Approval Certificate No. 1259/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Motor Car- "TATA NEXON PURE S DAMT BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 01.08.2024 from **M/s Tata Motors**Passenger Vehicles Limited" 10<sup>th</sup> Floor No.67 Arihant Rohini
G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017.

- Type approval certificate numbers AASN 0626, V01, Dated: 15.01.2024, AASN 0626, V01, C01, Dated: 24.07.2024, AASN 0626, R01, Dated: 25.10.2023 and AASN 0626, Dated: 29.08.2023 (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
- (3) Report of Assistant Secretary-III, State transport authority, Chennai-32, dated: 02.08.2024.
- (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

(2) "M/s Tata Motors Passenger Vehicles Limited" 10<sup>th</sup> Floor No.67 Arihant Rohini G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017, who is the manufacturer has applied for grant of *communication of type approval certificate* to register the new model "TATA NEXON PURE S DAMT BS-VI" in Tamil Nadu manufactured by M/s Tata Motors Passenger Vehicles Limited, Mumbai, Pune, Sanand.

\* \* \* \*

(3) They have also produced the relevant Type approval certificate numbers AASN 0626, V01, Dated: 15.01.2024, AASN 0626, V01, C01, Dated: 24.07.2024, AASN 0626, R01, Dated: 25.10.2023 and AASN 0626, Dated: 29.08.2023 (OBD Stage-II) issued by the testing agency ARAI Pune.

# (Communication of Type Approval Certificate No. 1259/2024)

## PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Maker's name	1.	Class of vehicle	LMV Motor Car
3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 10. Overall length 10. Overall length 10. Overall length 10. Colour 11. Makers classification 12. Whole base 14. Colour 15. LUW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Dimension 19. Dimension 19. Overall length 19. Overall width 1804 mm 1804 As applicable 1As applicable 1A	2.	Maker's name	M/s Tata Motors Passenger Vehicles Limited,
4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 19. Dimension 19. Overall length 19. Rear over hang 19. Overall length 19. Overall manufor motor mot	3.	Type of vehicle/category	
5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Namber, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear axle (faw) 19. Rear axle (raw) 19. Dimension 2. Overall length 3. Rear over hang 4. As applicable 3. Diesel 3. As applicable 3. TATA NEXON PURE S DAMT BS-VI 3. TATA NEXON PURE S DAMT BS-VI 3. Seating capacity 4. S in all 4. S applicable 4. S in all 4. S in all 4. S applicable 4. S in all 4. S in all 4. S applicable 4. S in all 4. S in all 4. S applicable 4. S in all 4. S in all 4. S applicable 4. S in all 4.			
6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 19. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 18. Registered Axle Weight 19. Dimension 20. Overall length 3995 mm 4. Overall length 4. Sa applicable 3750 rpm 4. As applicable 3750 rpm 5. BA 15 KW @ 3750 rpm 5. AS applicable 3750 rpm 6.	5.		
7. Engine number or motor number in the case of battery operated vehicle  8. Fuel used  9. H.P./BHP  10. Cubic capacity  11. Makers classification  12. Wheel base  13. Seating capacity  14. Colour  15. ULW (unladen weight)  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight  19. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  215/60 R16 95H Tubeless Radial  215/60 R16 89H Tubeless Radial			
number in the case of battery operated vehicle  8. Fuel used Diesel  9. H.P./BHP 84.5 Kw @ 3750 rpm  10. Cubic capacity 1497 cc  11. Makers classification TATA NEXON PURE S DAMT BS-VI  12. Wheel base 2498 mm  13. Seating capacity 5 in all  14. Colour As applicable  15. ULW (unladen weight) 1313 Kgs.  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60	-		
operated vehicle 8. Fuel used Diesel 9. H.P./BHP 84.5 Kw @ 3750 rpm 10. Cubic capacity 1497 cc 11. Makers classification TATA NEXON PURE S DAMT BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1313 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H			
9.         H.P./BHP         84.5 Kw @ 3750 rpm           10.         Cubic capacity         1497 cc           11.         Makers classification         TATA NEXON PURE S DAMT BS-VI           12.         Wheel base         2498 mm           13.         Seating capacity         5 in all           14.         Colour         As applicable           15.         ULW (unladen weight)         1313 Kgs.           16.         G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer         1729 Kgs.           17.         Number, description, size and ply rating of tyres as declared by the manufacturer         195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial           b.         Rear axle         195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial           18.         Registered Axle Weight a.         Front axle (faw)         940 Kgs.           b.         Rear axle (raw)         789 Kgs.           19.         Dimension         3995 mm           a.         Overall length         1804 mm           b.         Overall width         1804 mm           d.         Overall height         1620 mm			
10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) 5 in all 13.13 Kgs. 1729 Kgs. 1720 Kgs. 1721 Kgs. 1722 Kgs. 1723 Kgs. 1724 Kgs. 1725 Kgs. 1726 Kgs. 1726 Kgs. 1727 Kgs. 1728 Kgs. 1729 Kg	8.	Fuel used	Diesel
11. Makers classification TATA NEXON PURE S DAMT BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1313 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) 940 Kgs. b. Rear axle (raw) 789 Kgs. 19. Dimension a. Overall length 3995 mm b. Rear over hang - C. Overall width 1804 mm d. Overall height 1620 mm	9.	H.P./BHP	84.5 Kw @ 3750 rpm
11.     Makers classification     TATA NEXON PURE S DAMT BS-VI       12.     Wheel base     2498 mm       13.     Seating capacity     5 in all       14.     Colour     As applicable       15.     ULW (unladen weight)     1313 Kgs.       16.     G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer     1729 Kgs.       17.     Number, description, size and ply rating of tyres as declared by the manufacturer     195/60 R16 89H Tubeless Radial       a.     Front axle     195/60 R16 89H Tubeless Radial       b.     Rear axle     195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial       18.     Registered Axle Weight       a.     Front axle (faw)     940 Kgs.       b.     Rear axle (raw)     789 Kgs.       19.     Dimension       a.     Overall length     3995 mm       b.     Rear over hang     -       c.     Overall width     1804 mm       d.     Overall height     1620 mm	10.	Cubic capacity	1497 cc
12.       Wheel base       2498 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1313 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1729 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial         b.       Rear axle       195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial         18.       Registered Axle Weight         a.       Front axle (faw)       940 Kgs.         b.       Rear axle (raw)       789 Kgs.         19.       Dimension         a.       Overall length       3995 mm         b.       Rear over hang       -         c.       Overall width       1804 mm         d.       Overall height       1620 mm	11.		TATA NEXON PURE S DAMT BS-VI
14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight 18. Regra axle (faw) 19. Point axle (faw) 19. Dimension 19. Overall length 19. Rear over hang 19. Overall width 1804 mm 1907 mm 1908 mission 1909 mm	12.	Wheel base	
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  18. Registered Axle Weight  195/60 R16 89H Tubeless Radial  1804 MR16 95H Tubeless Radial	13.	Seating capacity	5 in all
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  B. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 8	14.	Colour	As applicable
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubel	15.	ULW (unladen weight)	
weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  Registered Axle Weight  a. Front axle (faw)  b. Rear axle (faw)  c. Overall length  d. Overall height  17. Number, description, size and length	16.	G.V.W. (Gross vehicle weight)	1729 Kgs.
manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial by Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial by Registered Axle Weight  a. Front axle (faw) 940 Kgs. b. Rear axle (raw) 789 Kgs.  19. Dimension 789 Kgs.  19. Dimension 789 Kgs.  20. Overall length 3995 mm  30. Rear over hang -  C. Overall width 1804 mm  d. Overall height 1620 mm		or RLW (Registered laden	
17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  b. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw) 940 Kgs.  b. Rear axle (raw) 789 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang -  c. Overall width 1804 mm  d. Overall height 1620 mm			
and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 18. Registered Axle Weight  a. Front axle (faw) 940 Kgs. b. Rear axle (raw) 789 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang c. Overall width 1804 mm  d. Overall height 1620 mm			
declared manufacturerby manufacturerthe manufacturera.Front axle195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radialb.Rear axle195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial18.Registered Axle Weight8940 Kgs.a.Front axle (faw)940 Kgs.b.Rear axle (raw)789 Kgs.19.Dimension3995 mma.Overall length3995 mmb.Rear over hang-c.Overall width1804 mmd.Overall height1620 mm	17.		
manufacturer  a. Front axle			
a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw) 940 Kgs.  b. Rear axle (raw) 789 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang c. Overall width 1804 mm  d. Overall height 1620 mm			
R16 95H Tubeless Radial b. Rear axle			
b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  789 Kgs.  19. Dimension  a. Overall length  b. Rear over hang  c. Overall width  d. Overall height  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial	a.	Front axle	
R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw) 940 Kgs.  b. Rear axle (raw) 789 Kgs.  19. Dimension  a. Overall length 3995 mm  b. Rear over hang -  c. Overall width 1804 mm  d. Overall height 1620 mm	la	Danie auto	
18. Registered Axle Weight a. Front axle (faw) 940 Kgs. b. Rear axle (raw) 789 Kgs.  19. Dimension a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm	D.	Rear axie	
a.       Front axle (faw)       940 Kgs.         b.       Rear axle (raw)       789 Kgs.         19.       Dimension         a.       Overall length       3995 mm         b.       Rear over hang       -         c.       Overall width       1804 mm         d.       Overall height       1620 mm	10	Desistand Avla Weight	R16 95H Tubeless Radial
b. Rear axle (raw) 789 Kgs.  19. Dimension a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm			040 Kgg
19. Dimension a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm			
a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm	_		769 Kgs.
b. Rear over hang - c. Overall width 1804 mm d. Overall height 1620 mm			3005 mm
c. Overall width 1804 mm d. Overall height 1620 mm	-		-
d. Overall height 1620 mm	_		1804 mm
		And the second s	
	e.	Min. ground clearance	159 mm

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers **AASN 0626, V01, Dated: 15.01.2024, AASN 0626, V01, C01, Dated: 24.07.2024, AASN 0626, R01,** 

<u>Dated: 25.10.2023 and AASN 0626, Dated: 29.08.2023</u> (OBD Stage-II) issued by the testing agency **ARAI PUNE**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the registering authorities and assistant registering authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Joint Transport Commissioner (Rules) Guindy, Chennai – 600 032.

//By Order//

M. Ravichandran, Assistant Secretary-III, Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 1259/2024)

718124

#### Copy to

M/s Tata Motors Passenger Vehicles Limited 10<sup>th</sup> Floor No.67 Arihant Rohini G N Chetty Road, T. Nagar, Chennai, Tamilnadu, 600 017.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

" The Secretary, State Transport Appellate Tribunal, Chennai – 104.

" The assistant director (statistics) `S' section for e-mailing the registration approval and for publishing it in our website.