### TRANSPORT DEPARTMENT

From

5

### The Joint Transport Commissioner

(Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

# Letter No. 032164-HB2-2024, Dated: 26.09.2024

## (Communication of Type Approval Certificate No. 1503/2024)

Sir,

- Sub: Motor Vehicles Registration of LMV Motor Car "Creta 1.5 CRDI AT SX(O) SE BS-VI" in the state of Tamil Nadu – permission-granted regarding.
- Ref: (1) Application dated: 18.09.2024 from **M/s Kun Auto Company Private Limited",** C-48, II Avenue, Anna Nagar East, Chennai – 600 102.
  - (2) Type approval certificate number <u>AASN 0076, V01, Dated:</u> <u>21.08.2024</u> (OBD-II) issued by the Automotive Research Association of India, Pune.
  - (3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 19.09.2024.
  - (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

(2) **"M/s Kun Auto Company Private Limited",** C-48, II Avenue, Anna Nagar East, Chennai – 600 102, who is the dealer has applied for grant of *communication of type approval certificate* to register the new model **"Creta 1.5 CRDI AT SX(O) SE BS-VI"** in Tamil Nadu manufactured by M/s Hyundai Motor India Private Limited, Plot No. H-1 SIPCOT Industrial Park Irrungattukottai, Sriperumbudur Taluk, Kancheepuram District, Tamilnadu, 602 105.

(3) They have also produced the relevant Type approval certificate number **AASN 0076, V01, Dated: 21.08.2024** (OBD-II) issued by the testing agency **ARAI Pune**.

# (Communication of Type Approval Certificate No. 1503/2024)

# PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2.       Maker's name       M/s Hyundai Motor India Private Limited, Plot No. H-1 SIPCOT Industrial Park Irrungattukottai, Sriperumbudur Taluk, Kancheepuram District, Tamilnadu, 602 105         3.       Type of Body       -         3.       Type of Body       -         3.       Type of Vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden manufacturer       205/65 R16 95H; 215/60 R17 96H         16.       Registered Axle Weight	1.	Class of vehicle	LMV Motor Car	
Instance       Instance <td< td=""><td>2.</td><td></td><td></td><td></td></td<>	2.			
Irrungattukottai, Sriperumbudur Taluk, Kancheepuram District, Tamilnadu, 602 105         3(a) Type of Vehicle/category       Passenger Car/M1 Category         4. Month and year of manufacture       As per codifications         5. No. of cylinders       4         6. Chassis number       As applicable         7. Engine number or motor number in the case of battery operated vehicle       As applicable         8. Fuel used       Diesel         9. H.P./BHP       85 Kw @ 4000 ± 100 rpm         10. Cubic capacity       1493 cc         11. Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12. Wheel base       2610 mm         13. Seating capacity       5 in all         14. Colour       As applicable         15. ULW (unladen weight)       1411 Kgs.         16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17. Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18. Registered Axle Weight       980 Kgs.       14         19. Dimension       4       330 mm         a. Front axle (faw)       980 Kgs.       14         b. Rear axle (raw)       855 Kgs.       15         9. Dimension       1790 mm       1			Plot No. H 1 CIPCOT India Privat	e Limited,
3.       Type of Body       -         3(a)       Type of vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         b.       Rear Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4         a.       Front			Irrupgattukettai	rial Park
Jack Type of body       -         3(a) Type of vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(0) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) ac certified by the manufacturer       and ply rating of tyres as declared by the manufacturer         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         b.       Rear Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       a.         a.       Front Axle (faw)			Kancheenuram District Tamilaadu	r Taluk,
3(a)       Type of vehicle/category       Passenger Car/M1 Category         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) nor RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size adeclared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       3         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         b.       Rear Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Wei	3.	Type of Body		, 602 105
4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4         a.       Front axle (faw)       980 Kgs.	3(a)		Passenger Car/M1 Catagony	
5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight			As per codifications	
6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       980 Kgs.         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       a.         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.         19.       Dimension	5.			
7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       18355 Kgs.         17.       Number, description, size and declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       1         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.       1         9.       Dimension       1       1         a.       Overall length       4300 mm       1         b.       Rear over hang       -       -         c.       Overall width       1790 mm       1         d		Chassis number		
number in the case of battery operated vehicle       Image: construct operated vehicle         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       1         a.       Front axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       1         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.         19.       Dimension       -         a.       Overall length       4330 mm         b.       Rear over hang       -	7.			
operated vehicle       Diesel         8.       Fuel used       Diesel         9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4330 mm         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.         19.       Dimension				
9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(0) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4330 mm         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.         19.       Dimension       -         a.       Overall length       4330 mm         b.       Rear over hang       -         c.       Overall keight       1620 mm (Without roof rack)         d.       Overall height       1620 mm (with roof rack)		operated vehicle		
9.       H.P./BHP       85 Kw @ 4000 ± 100 rpm         10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         b.       Rear Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4330 mm         a.       Front axle (faw)       980 Kgs.         b.       Rear over hang       -         c.       Overall length       4330 mm         b.       Rear over hang       -         c.       Overall height       1620 mm (Without roof rack)         d.       Overall height       1635 mm (with roof rack)	8.	Fuel used	Diesel	
10.       Cubic capacity       1493 cc         11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight)       1835 Kgs.         or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       4.         205/65 R16 95H; 215/60 R17 96H       5.         b.       Rear Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4.         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         b.       Rear axle (raw)       980 Kgs.         b.       Rear axle (faw)       980 Kgs.         b.       Rear over hang       -         c.       Overall length       4330 mm         b.       Rear over hang       -         c.       Overall height       1620 mm (Without roof rack)         d.       Overall height       1635 mm (with roof rack)   <	9.	H.P./BHP		
11.       Makers classification       Creta 1.5 CRDI AT SX(O) SE BS-VI         12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       4330 mm         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.         19.       Dimension	10.	Cubic capacity		
12.       Wheel base       2610 mm         13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer	11.	Makers classification		
13.       Seating capacity       5 in all         14.       Colour       As applicable         15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       1000000000000000000000000000000000000	12.	Wheel base	2610 mm	
14.ColourAs applicable15.ULW (unladen weight)1411 Kgs.16.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer1835 Kgs.17.Number, description, size and ply rating of tyres as declared by the manufacturer*********************************	13.	Seating capacity		
15.       ULW (unladen weight)       1411 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1835 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       205/65 R16 95H; 215/60 R17 96H         a.       Front Axle       205/65 R16 95H; 215/60 R17 96H         b.       Rear Axle       205/65 R16 95H; 215/60 R17 96H         18.       Registered Axle Weight       1         a.       Front axle (faw)       980 Kgs.         b.       Rear axle (raw)       855 Kgs.         19.       Dimension       1         a.       Overall length       4330 mm         b.       Rear over hang       -         c.       Overall width       1790 mm         d.       Overall height       1620 mm (Without roof rack)	14.	Colour		
16.G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer1835 Kgs.17.Number, description, size and ply rating of tyres as declared by the manufacturer205/65 R16 95H; 215/60 R17 96Ha.Front Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weight a.Front axle (faw)980 Kgs.980 Kgs.b.Rear axle (raw)855 Kgs.19.Dimension a.Overall length4.Overall length1790 mmd.Overall height 1620 mm (Without roof rack) 1635 mm (with roof rack)		ULW (unladen weight)		
or RLW (Registered laden weight) as certified by the manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axleb.Rear Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weight a.a.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.Dimension a.a.Overall length4.30 mmb.Rear over hang c.c.Overall widthd.1790 mmd.Overall height 1620 mm (Without roof rack) 1635 mm (with roof rack)	16.	G.V.W. (Gross vehicle weight)	1835 Kgs.	
manufacturer17.Number, description, size and ply rating of tyres as declared by the manufacturera.Front Axleb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weighta.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.Dimensiona.Overall length4.0verall length5.Rear over hang67.Overall width7.1620 mm (Without roof rack)1635 mm (with roof rack)		or RLW (Registered laden		
17.Number, description, size and ply rating of tyres as declared by the manufacturerImage: Stress of tyres as adeclared by the manufacturera.Front Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle WeightImage: Stress of tyresa.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.DimensionImage: Stress of tyresa.Overall length4330 mmb.Rear over hang-c.Overall width1790 mmd.Overall height1620 mm (Without roof rack) 1635 mm (with roof rack)		weight) as certified by the	ner di la 1978.	
and ply rating of tyres as declared by the manufacturerSize as declared by the manufacturera.Front Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weight-a.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.Dimension-a.Overall length4330 mmb.Rear over hang-c.Overall width1790 mmd.Overall height1620 mm (Without roof rack) 1635 mm (with roof rack)				
declaredbythemanufacturer205/65 R16 95H; 215/60 R17 96Ha.Front Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weight1000000000000000000000000000000000000	17.			
manufacturerImage: Constraint of the systema.Front Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle WeightImage: Constraint of the systema.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.DimensionImage: Constraint of the systema.Overall length4330 mmb.Rear over hang-c.Overall width1790 mmd.Overall height1620 mm (Without roof rack) 1635 mm (with roof rack)			이 것 같은 것 같은 것 같은 것 같이 있는 것 같이 같이 없다.	
a.Front Axle205/65 R16 95H; 215/60 R17 96Hb.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weight				
b.Rear Axle205/65 R16 95H; 215/60 R17 96H18.Registered Axle Weighta.Front axle (faw)b.Rear axle (raw)855 Kgs.19.Dimensiona.Overall length4330 mmb.Rear over hangc.Overall width1790 mmd.Overall height1635 mm (with roof rack)	2			
18.Registered Axle Weighta.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.Dimensiona.Overall length4330 mmb.Rear over hang-c.Overall width1790 mmd.Overall height1620 mm (Without roof rack) 1635 mm (with roof rack)				
a.Front axle (faw)980 Kgs.b.Rear axle (raw)855 Kgs.19.Dimensiona.Overall length4330 mmb.Rear over hang-c.Overall width1790 mmd.Overall height1620 mm (Without roof rack) 1635 mm (with roof rack)			205/05 K16 95H; 215/60 R17 96H	
b.Rear axle (raw)855 Kgs.19.Dimension-a.Overall length4330 mmb.Rear over hang-c.Overall width1790 mmd.Overall height1620 mm (Without roof rack) 1635 mm (with roof rack)			080 Kaa	
19.       Dimension       -         a.       Overall length       4330 mm         b.       Rear over hang       -         c.       Overall width       1790 mm         d.       Overall height       1620 mm (Without roof rack)         1635 mm (with roof rack)       1635 mm (with roof rack)				
a.       Overall length       4330 mm         b.       Rear over hang       -         c.       Overall width       1790 mm         d.       Overall height       1620 mm (Without roof rack)         1635 mm (with roof rack)       1635 mm (with roof rack)			000 Ngs.	
b.       Rear over hang       -         c.       Overall width       1790 mm         d.       Overall height       1620 mm (Without roof rack)         1635 mm (with roof rack)       1635 mm (with roof rack)			4330 mm	
c.Overall width1790 mmd.Overall height1620 mm (Without roof rack)1635 mm (with roof rack)			-	
d. Overall height 1620 mm (Without roof rack) 1635 mm (with roof rack)			1790 mm	
1635 mm (with roof rack)				
	e.	Min. ground clearance	136 mm	

Based on the document verification of the vehicle by Assistant Secretary-III and based on the AASN 0076, V01, Dated: 21.08.2024 (OBD-II) issued by the testing agency **ARAI/Pune**, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the Registering Authorities and Assistant Registering Authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All the Zonal Joint Transport Commissioners and the Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective Regional Transport Officers of their Zones.

#### Sd/-Pon.Senthilnathan,

Joint Transport Commissioner (Rules) Guindy, Chennai - 600 032.

//By Order//

M. Ravichandran, blag warm Assistant Secretary-III Guindy, Chennai - 600 032.

### (Communication of Type Approval Certificate No. 1503/2024)

2619124

### Copy to

M/s Kun Auto Company Private Limited, C-48, II Avenue, Anna Nagar East, Chennai -600 102.

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai - 4.
  - 11 The PA to State Transport Authority `H' section.
  - " The Secretary, State Transport Appellate Tribunal, Chennai - 104. 11
    - The Assistant Director (Statistics) `S' Section for e-mailing the registration approval and for publishing it in our website.