### TRANSPORT DEPARTMENT

From

To (By e-mail).

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Guindy, Chennai – 600 032.

All the Zonal Officers in Tamil Nadu,
All the Regional Transport Officers in
Tamil Nadu,
All the Motor Vehicles Inspector of
Unit Offices,

#### Letter No. 029984-HB2-2024, Dated: 12.09.2024

(Communication of Type Approval Certificate No. 1385/2024)

Sir,

Sub: Motor Vehicles – Registration of LMV Motor Car- "TATA NEXON CRTV DK DMT BS-VI" in the state of Tamil Nadu – permission-granted regarding.

Ref: (1) Application dated: 02.09.2024 from **M/s Tata Motors Passenger Vehicles Limited"** 10<sup>th</sup> Floor No.67 Arihant Rohini
G N Chetty Road, T. Nagar, Chennai, Tamilnadu, 600 017.

- Type approval certificate numbers AASN 0628, V02, Dated: 16.02.2024, AASN 0628, V01, Dated: 15.01.2024, AASN 0628, R01, Dated: 25.10.2023, and AASN 0628, Dated: 29.08.2023 (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
- (3) Report of Assistant Secretary-III, State Transport Authority, Chennai-32, dated: 03.09.2024.
- (4) G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V) Department of Tamil Nadu.

Kindly see the reference cited.

- (2) "M/s Tata Motors Passenger Vehicles Limited" 10<sup>th</sup> Floor No.67 Arihant Rohini G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017, who is the manufacturer has applied for grant of *communication of type approval certificate* to register the new model "TATA NEXON CRTV DK DMT BS-VI" in Tamil Nadu manufactured by M/s Tata Motors Passenger Vehicles Limited, Plot No.18, Nanavati Mahalaya Mudhana Shetty Marg, BSE Fort Mumbai.
- (3) They have also produced the relevant Type approval certificate numbers AASN 0628, V02, Dated: 16.02.2024, AASN 0628, V01, Dated: 15.01.2024, AASN 0628, R01, Dated: 25.10.2023, and AASN 0628, Dated: 29.08.2023 (OBD Stage-II) issued by the testing agency ARAI Pune.

# (Communication of Type Approval Certificate No. 1385/2024)

## PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

2. Maker's name  M/s Tata Motors Passenger Vehicles Limited, Plot No.18, Nanavati Mahalaya Mudhana Shetty Marg, BSE Fort Mumbai  3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 20. Overall length 20. Overall length 21. Dimension 22. Overall width 23. Sear axle (raw) 24. Sapplicable 24. As applicable 24. As applicable 24. Sapplicable 24. Sapplica	1.	Class of vehicle	110/14
3. Type of vehicle/category 4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 20. Overall length 30. Sear over hang 30. Rear over hang 30. Type of vehicle / As napplicable number or mutor manufacturer 4 As applicable 3 Type of vehicle vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 4 Into the case of battery operated vehicle weight) as certified by the manufacturer 5 Into the case of battery operated vehicle weight) as certified by the manufacturer 6 Into the case of battery operated weight operated vehicle weight of the case of battery operated vehicle weight of the case of battery operated vehicle weight operated weight of the case of battery operated vehicle weight operated weight of the case of battery operated vehicle weight operated weight operated weight of the case of battery operated vehicle weight operated weight operat			LMV Motor Car
Shetty Marg, BSE Fort Mumbai	2.	Maker's name	M/s Tata Motors Passenger Vehicles Limited,
3.       Type of vehicle/category       Passenger car - M1         4.       Month and year of manufacture       As per codifications         5.       No. of cylinders       4         6.       Chassis number       As applicable         7.       Engine number or motor number in the case of battery operated vehicle       As applicable         8.       Fuel used       Diesel         9.       H.P./BHP       84.5 Kw @ 3750 rpm         10.       Cubic capacity       1497 cc         11.       Makers classification       TATA NEXON CRTV DK DMT BS-VI         12.       Wheel base       2498 mm         12.       Wheel base       2498 mm         14.       Colour       As applicable         15.       U.W. (Indem weight)       1307 Kgs.         16.       G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer       1717 Kgs.         17.       Number, description, size and ply rating of tyres as declared by the manufacturer       195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radia			Plot No.18, Nanavati Mahalaya Mudhana
4. Month and year of manufacture 5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by manufacturer 18. Registered Axle Weight 19. Rear axle 19. Rear axle (raw) 19. Dimension 20. Overall enigth 3995 mm 4 As applicable 14 Colour 15 Osable (Table (Tabl	2	Type of vehicle/sets	Shetty Marg, BSE Fort Mumbai
5. No. of cylinders 6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 11. Wheel base 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Registered Axle Weight 18. Registered Axle Weight 19. Dimension 10. Overall length 10. Sixed and ply rating of tyres as declared read to the manufacturer 19. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial			
6. Chassis number 7. Engine number or motor number in the case of battery operated vehicle 8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight 19. Regra axle 19. Regra axle (raw) 19. Dimension 10. Cubic capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight 19. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial			
7. Engine number or motor number in the case of battery operated vehicle  8. Fuel used  9. H.P./BHP  10. Cubic capacity  11. Makers classification  12. Wheel base  13. Seating capacity  14. Colour  15. ULW (unladen weight)  16. G.V.W. (Gross vehicle weight)  17. Or RLW (Registered laden weight)  18. Number, description, size and ply rating of tyres as declared by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Registered Axle Weight  19. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radi		No. of cylinders	
number in the case of battery operated vehicle  8. Fuel used 9. H.P./BHP 10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 89H Tubeless Radial; 2	_	_	
9. H.P./BHP 84.5 Kw @ 3750 rpm 10. Cubic capacity 1497 cc 11. Makers classification TATA NEXON CRTV DK DMT BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1307 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubel	/.		As applicable
8. Fuel used Diesel 9. H.P./BHP 84.5 Kw @ 3750 rpm 10. Cubic capacity 1497 cc 11. Makers classification TATA NEXON CRTV DK DMT BS-VI 12. Wheel base 2498 mm 13. Seating capacity 5 in all 14. Colour As applicable 15. ULW (unladen weight) 1307 Kgs. 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial;		number in the case of battery	
9. H.P./BHP 84.5 Kw @ 3750 rpm  10. Cubic capacity 1497 cc  11. Makers classification TATA NEXON CRTV DK DMT BS-VI  12. Wheel base 2498 mm  13. Seating capacity 5 in all  14. Colour As applicable  15. ULW (unladen weight) 1307 Kgs.  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16	_		
10. Cubic capacity 11. Makers classification 12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) 17. Number, description, size and ply rating of tyres as declared by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95	_		Diesel
11. Makers classification	-	•	84.5 Kw @ 3750 rpm
12. Wheel base 2498 mm  13. Seating capacity 5 in all  14. Colour As applicable  15. ULW (unladen weight) 1307 Kgs.  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  18. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial;	-	Cubic capacity	1497 cc
12. Wheel base 13. Seating capacity 14. Colour 15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer 17. Number, description, size and ply rating of tyres as declared by the manufacturer 18. Rear axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H			TATA NEXON CRTV DK DMT BS-VI
14. Colour  15. ULW (unladen weight)  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial;		Wheel base	
15. ULW (unladen weight) 16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 95H Tubeless Radial	13.	Seating capacity	5 in all
15. ULW (unladen weight) 1307 Kgs.  16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H	14.		As applicable
16. G.V.W. (Gross vehicle weight) or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tube	15.	ULW (unladen weight)	
or RLW (Registered laden weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 95H Tubeless Radial 195/60 R16 95H Tubeless Radial 18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 784 Kgs.  19. Dimension a. Overall length b. Rear over hang c. Overall width  1804 mm	16.	G.V.W. (Gross vehicle weight)	
weight) as certified by the manufacturer  17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle  b. Rear axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  784 Kgs.  933 Kgs.  784 Kgs.  90 Dimension  a. Overall length  3995 mm  b. Rear over hang  C. Overall width		or RLW (Registered laden	
17. Number, description, size and ply rating of tyres as declared by the manufacturer  a. Front axle 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Ra		weight) as certified by the	
and ply rating of tyres as declared by the manufacturer  a. Front axle  D. Rear axle  Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  Dimension  a. Overall length  Rear over hang  C. Overall width  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60			
and ply rating of tyres as declared by the manufacturer  a. Front axle  D. Rear axle  Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  Dimension  a. Overall length  Rear over hang  C. Overall width  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60	17.	Number, description, size	
manufacturer  a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  b. Rear axle  195/60 R16 89H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  933 Kgs.  b. Rear axle (raw)  784 Kgs.  19. Dimension  a. Overall length  b. Rear over hang  - C. Overall width  1804 mm		and ply rating of tyres as	
a. Front axle  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  784 Kgs.  19. Dimension  a. Overall length  3995 mm  b. Rear over hang  -  C. Overall width  1804 mm		4110	
b. Rear axle  195/60 R16 89H Tubeless Radial 195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tu			
b. Rear axle  R16 95H Tubeless Radial  195/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial  18. Registered Axle Weight  a. Front axle (faw)  b. Rear axle (raw)  784 Kgs.  9395 mm  940 Averall length  950 Averall length  960 R16 89H Tubeless Radial  1804 mm	a.	Front axle	195/60 R16 89H Tubeless Radial: 215/60
18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 784 Kgs.  193/60 R16 89H Tubeless Radial; 215/60 R16 95H Tubeless Radial			R16 95H Tubeless Radial
18. Registered Axle Weight a. Front axle (faw) b. Rear axle (raw) 784 Kgs.  19. Dimension a. Overall length b. Rear over hang c. Overall width  R16 95H Tubeless Radial R16 95H Tubeless Radial  933 Kgs. 784 Kgs. 784 Kgs.	b.	Rear axle	195/60 R16 89H Tubeless Radial: 215/60
a. Front axle (faw) 933 Kgs. b. Rear axle (raw) 784 Kgs.  19. <b>Dimension</b> a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm	10		R16 95H Tubeless Radial
b. Rear axle (raw) 784 Kgs.  19. <b>Dimension</b> a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm			
19. Dimension a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm			933 Kgs.
a. Overall length 3995 mm b. Rear over hang - c. Overall width 1804 mm	-		784 Kgs.
b. Rear over hang - c. Overall width 1804 mm			
c. Overall width 1804 mm			3995 mm
		Kear over hang	-
	C.		1804 mm
1020 11111	d.		1620 mm
e. Min. ground clearance 159 mm	e.	Min. ground clearance	159 mm

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers AASN 0628, V02, Dated: 16.02.2024, AASN 0628, V01, Dated: 15.01.2024, AASN 0628, R01, Dated: 25.10.2023, and AASN 0628, Dated: 29.08.2023 (OBD Stage-II) issued by the testing agency ARAI PUNE, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the registering authorities and assistant registering authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Sd/-Pon.Senthilnathan,
Joint Transport Commissioner (Rules)
Guindy, Chennai – 600 032

//By Order//

M. Ravichandran, Assistant Secretary-III, Guindy, Chennai – 600 032.

(Communication of Type Approval Certificate No. 1385/2024)

### Copy to

M/s Tata Motors Passenger Vehicles Limited 10<sup>th</sup> Floor No.67 Arihant Rohini G N Chetty Road, T. Nagar, Chennai, Tamilnadu, 600 017.

(By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai – 4.

" The PA to State Transport Authority `H' section.

" The Secretary, State Transport Appellate Tribunal, Chennai - 104

"The assistant director (statistics) 'S' section for e-mailing the registration approval and for publishing it in our website.