TRANSPORT DEPARTMENT

From

The Joint Transport Commissioner (Rules),

Commissionerate of Transport and Road Safety, Ezhilagam, Chepauk, Chennai – 600 005. To (By e-mail).

All the Zonal Officers in Tamil Nadu, All the Regional Transport Officers in Tamil Nadu, All the Motor Vehicles Inspector of Unit Offices,

Letter No. 003431-HB2-2024, Dated: 15.02.2024

(Communication of Type Approval Certificate No. 233/2024)

Sir,

- Sub: Motor Vehicles Registration of LMV Motor Car- "TATA HARRIER M BS6 P2 D PUR+" in the state of Tamil Nadu – permission-granted regarding.
- Ref: (1) Application dated: 05.02.2024 from M/s Tata Motors
 - **Passenger Vehicles Limited**" 10th Floor No.67 Arihant Rohini G N Chetty Road, T. Nagar, Chennai, Tamilnadu, 600 017.
 - (2) Type approval certificate numbers <u>AASN 0658, Dated:</u> <u>18.09.2023 and AASN 0658, V01, Dated: 11.10.2023</u> <u>and AASN 0658, V02, Dated: 04.12.2023</u> (OBD Stage-II) issued by the Automotive Research Association of India, Pune.
 - (3) Report of Assistant Secretary-III, State transport authority, Chennai-5, dated: 05.02.2024.
 - G.O.(Ms.) No.311, dated: 09.05.2018 from Home (Transport-V)
 Department of Tamil Nadu.
 * * * *

Kindly see the reference cited.

(2) **"M/s Tata Motors Passenger Vehicles Limited"** 10th Floor No.67 Arihant Rohini G N Chetty Road,. T. Nagar, Chennai, Tamilnadu, 600 017, who is the manufacturer has applied for grant of *communication of type approval certificate* to register the new model **"TATA HARRIER M BS6 P2 D PUR+"** in Tamil Nadu manufactured by M/s Tata Motors Passenger Vehicles Limited, Mumbai, Pune, Sanand.

(3) They have also produced the relevant Type approval certificate numbers <u>AASN 0658, Dated: 18.09.2023 and AASN 0658, V01, Dated: 11.10.2023</u> <u>and AASN 0658, V02, Dated: 04.12.2023</u> (OBD Stage-II) issued by the testing agency **ARAI Pune**.

(Communication of Type Approval Certificate No. 233/2024)

PARTICULARS FOR R.C. BOOK ENTRIES ARE FURNISHED BELOW

1.	Class of vehicle	LMV Motor Car
2.	Maker's name	M/s Tata Motors Passenger Vehicles Limited,
	Contraction of the second s	Mumbai, Pune, Sanand
3.	Type of vehicle/category	Passenger car – M1
4.	Month and year of manufacture	As per codifications
5.	No. of cylinders	4
6.	Chassis number	As applicable
7.	Engine number or motor	As applicable
	number in the case of battery operated vehicle	
8.	Fuel used	Diesel B7
9.	H.P./BHP	125 Kw @ 3750 rpm (+/- 50 rpm)
10.	Cubic capacity	1956 cc
11.	Makers classification	TATA HARRIER M BS6 P2 D PUR+
12.	Wheel base	2741 mm
13.	Seating capacity	5 in all
14.		As applicable
15.	ULW (unladen weight)	1720 Kgs.
16.	G.V.W. (Gross vehicle weight)	2195 Kgs.
	or RLW (Registered laden	
	weight) as certified by the	
	manufacturer	
17.	Number, description, size	
	and ply rating of tyres as	
	declared by the	
-	manufacturer	
a.	Front axle	Tubeless Radial Bidirectional: (17 inch)
		(a) 235/65 R17 104H - MRF
		(b) 235/65 R17 104H - Apollo (HP)
		Tubeless Radial Bidirectional: (18 inch)
		Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone
		Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch)
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V – Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch)
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP)
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch)
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone
b.	Rear axle	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch)
b. 18.		Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone
	Registered Axle Weight	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF
18.	Registered Axle Weight Front axle (faw)	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF
<u>18.</u> a.	Registered Axle Weight	Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF Tubeless Radial Bidirectional: (17 inch) (a) 235/65 R17 104H - MRF (b) 235/65 R17 104H - Apollo (HP) Tubeless Radial Bidirectional: (18 inch) 235/60 R18 103V - Bridgestone Tubeless Radial: (19 inch) 245/55 R19 103V - MRF

b.	Rear over hang	-
с.	Overall width	1922 mm
d.	Overall height	1718 mm
e.	Min. ground clearance	139 mm

Based on the document verification of the vehicle by Assistant Secretary-III and based on the type approval certificate numbers <u>AASN 0658, Dated:</u> <u>18.09.2023 and AASN 0658, V01, Dated: 11.10.2023 and AASN 0658,</u> <u>V02, Dated: 04.12.2023</u> (OBD Stage-II) issued by the testing agency ARAI PUNE, it is certified that the vehicle complies with the provisions of motor vehicle act 1988 and rules made there under.

All the registering authorities and assistant registering authorities are instructed to register the vehicle, as certified by the testing agencies concerned, under the provisions of motor vehicles act, 1988 and rules made there under and the department's instructions/orders issued from time to time in this regard.

All Zonal Joint Transport Commissioners and Zonal Deputy Transport Commissioners are requested to acknowledge the receipt of the circular. They are also requested to obtain and keep the acknowledgements from the respective regional transport officers of their zones.

Sd/-A.A. Muthu,

Joint Transport Commissioner (Rules) (FAC) Chepauk, Chennai – 600 005.

//By Order//

Gan U

M. Ravichandran, Assistant Secretary-III, Chepauk, Chennai – 600 005.

(Communication of Type Approval Certificate No. 233/2024)

16/02/24

2

Copy to

M/s Tata Motors Passenger Vehicles Limited 10th Floor No.67 Arihant Rohini G N Chetty Road, T. Nagar, Chennai, Tamilnadu, 600 017.

- (By e-mail) The Director, Forensic Sciences Department, number 30-A, Kamarajar Salai, Mylapore, Chennai 4.
 - " The PA to State Transport Authority `H' section.
 - " The Secretary, State Transport Appellate Tribunal, Chennai 104.
 - " The assistant director (statistics) `S' section for e-mailing the registration approval and for publishing it in our website.